BAYFERROX 120 NM



Versio 2.0	'n	Revision Date: 10/19/2022		S Number: 3000000030	Date of last issue: 09/17/2020 Country / Language: US / EN				
SECTI	SECTION 1. IDENTIFICATION								
Pi	roduct	name	:	BAYFERROX 120	D NM				
Pi	roduct	code	:	00000000000051	5977				
М	lanufa	cturer or supplier's o	detai	ils					
C	ompa	ny	:	111 RIDC Park V	Regulatory Affairs				
R	Responsible Department		:	: (800) LANXESS (412) 809-1000					
Eı	merge	ency telephone	:		0) 424-9300 or Outside U.S.A) and mention CCN12916. ency Phone (800) 410-3063.				
R	ecom	mended use of the c	hem	ical and restriction	ons on use				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

: Colorants (pigments and dyestuffs), inorganic

Not a hazardous substance or mixture.

GHS label elements

Recommended use

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Chemical nature : Fe2O3

Components

No hazardous ingredients

BAYFERROX 120 NM



Version 2.0	Revision Date: 10/19/2022		Number: 00000030	Date of last issue: 09/17/2020 Country / Language: US / EN
SECTION	I 4. FIRST AID MEAS	URES		
lf inh	aled		love to fresh a let medical at	air. tention if symptoms occur.
In ca	se of skin contact	C T V	ontinue to rin ake off contai /ash contamii	olenty of water. se for at least 10 minutes. minated clothing and shoes immediately. nated clothing before re-use. ersist, call a physician.
In ca	se of eye contact	tr C K P If	ne upper and continue to rin eep eye wide emove conta rotect unharn eye irritation	
lf swa	allowed	D ci lf N If a L	ian or poison vomiting occi oes not enter lever give any unconscious ttention imme laintain open oosen tight cl	e vomiting unless directed to do so by a physi- control center. urs, the head should be kept low so that vomit the lungs. /thing by mouth to an unconscious person. , place in recovery position and get medical odiately.
Most	Most important symptoms		ects, both a	cute and delayed
Symp	otoms	E		itation with symptoms of reddening and itching. se irritation with symptoms of reddening, tear- ng.
Effec	ts	: 1	May cause mo	echanical irritation (abrasion).
Prote	ection of first-aiders	s N	uitable trainin	be taken involving any personal risk or without

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or
		CO ₂ .

BAYFERROX 120 NM



Ver 2.0	sion	Revision Date: 10/19/2022		9S Number: 3000000030	Date of last issue: 09/17/2020 Country / Language: US / EN		
	Unsuita media	able extinguishing	:	None known.			
	Specific hazards during fire fighting		:	Do not allow run-off from fire fighting to enter drains or water courses.			
	Hazardous combustion prod- ucts		:	The product itself does not burn.			
	Further information		:	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. 			
		protective equipment fighters	:	and self-contained	ld wear appropriate protective equipment d breathing apparatus (SCBA) with a full ed in positive pressure mode.		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Provide adequate ventilation. Avoid dust formation. In case of inadequate ventilation wear respiratory protection. Use personal protective equipment.
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods and materials for containment and cleaning up	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, la- beled waste container. Dispose of wastes in an approved waste disposal facility.

SECTION 7. HANDLING AND STORAGE

BAYFERROX 120 NM



Versio 2.0	on	Revision Date: 10/19/2022		OS Number: 3000000030	Date of last issue: 09/17/2020 Country / Language: US / EN
			In case of insuffic equipment. Keep in the origin from a compatible use.	n skin and eyes. air exchange and/or exhaust in work rooms. ient ventilation, wear suitable respiratory al container or an approved alternative made material, kept tightly closed when not in water in accordance with local and national	
				Workers should w and smoking.	ash hands and face before eating, drinking
Conditions for safe storage		:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep containers tightly closed in a dry, cool and well- ventilated place. Containers that have been opened must be carefully resea and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.		
-	Further age stal	information on stor- bility	:	Keep in a dry plac No decompositior	ce. n if stored and applied as directed.
				Keep in a dry plac	ce.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Iron (III) Oxide	1309-37-1	TWA (Res- pirable par- ticulate mat- ter)	5 mg/m3	ACGIH
		TWA (Fumes)	10 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1

Engineering measures

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

BAYFERROX 120 NM



Versi 2.0	ion	Revision Date: 10/19/2022		OS Number: 3000000030	Date of last issue: 09/17/2020 Country / Language: US / EN				
I	Personal protective equipment								
I	Respira	atory protection	:	Dust-protection m	ask if there is a risk of dust formation.				
Hand protection Material		:	Gloves						
Remarks		:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamina- tion with product change the gloves immediately and dispose of them according to relevant national and local regulations						
I	Eye protection		:	Safety glasses					
:	Skin an	nd body protection	:	Wear suitable pro	tective clothing.				
I	Hygien	e measures	:	When using do no Wash face, hands handling. Wash contaminat	hygiene practice. ot eat, drink or smoke. a and any exposed skin thoroughly after ed clothing before reusing. nated clothing and protective equipment ating areas.				

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Physical state	:	solid
Color	:	red
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	4 - 8 Concentration: 5 %
Melting point/range	:	> 1,832 °F / > 1,000 °C
Boiling point/boiling range	:	No data available

BAYFERROX 120 NM



Vers 2.0	sion	Revision Date: 10/19/2022		S Number: 000000030	Date of last issue: 09/17/2020 Country / Language: US / EN
	_, ,			N 1	
	Flash p	oint	:	Not applicable	
	Evapora	ation rate	:	No data available	2
	Self-ign	ition	:	No data available	
	Burning	number	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	Not applicable	
	Relative	e density	:	No data available)
	Density		:	5 g/cm3 (68 °F /	20 °C)
	Bulk de	nsity	:	300 - 1,000 kg/m	3
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	:	No data available	9
	Partition octanol	n coefficient: n- /water	:	No data available	
	Decom	position temperature	:	No data available)
	Viscosit Visc	ty osity, dynamic	:	No data available	
	Visc	osity, kinematic	:	No data available	
	Explosi	ve properties	:	No data available)
	Oxidizir	ng properties	:	No data available	3

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac-	:	No dangerous reaction known under conditions of normal use.
		6 / 12

BAYFERROX 120 NM



Version 2.0	Revision Date: 10/19/2022	SDS Number: 203000000030	Date of last issue: 09/17/2020 Country / Language: US / EN
tior	IS		
Со	nditions to avoid	: No data availa	ble
Inc	ompatible materials	: No specific da	ta.
	zardous decomposition ducts	: No decomposi	tion if stored and applied as directed.
Haz	zardous decomposition ducts	: No decomposi	tion if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Remarks: Test results on an analogous product

Skin corrosion/irritation

Not classified based on available information.

Product:

Result	:	No skin irritation
Remarks	:	Test results on an analogous product

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result	:	No eye irritation
Remarks	:	Test results on an analogous product

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

BAYFERROX 120 NM



Version	Revision Date:	SDS Number:
2.0	10/19/2022	20300000030

Date of last issue: 09/17/2020 Country / Language: US / EN

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Remarks

: Long-term exposure to high concentrations of dust containing iron oxide can cause a benign condition termed "pulmonary siderosis". This condition is not associated with any physical impairment of lung function.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

: LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l Exposure time: 48 h

BAYFERROX 120 NM



Version 2.0	Revision Date: 10/19/2022	SDS Number: 203000000030	Date of last issue: 09/17/2020 Country / Language: US / EN
	tence and degradabil a available	ity	
	cumulative potential a available		
	t y in soil a available		
Other a	adverse effects		
Produ Additio mation	nal ecological infor-	5	data are not available. cant effects or critical hazards.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conserva- tion and Recovery Authoriza- tion Act	If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)
Waste from residues	The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers retain product residue; observe all precau- tions for product. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

BAYFERROX 120 NM



Version	Revision Date:	SDS Number:	
2.0	10/19/2022	20300000030	1

Date of last issue: 09/17/2020 Country / Language: US / EN

Domestic regulation

49 CFR

Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo, Keep dry., Keep separated from foodstuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
----------------------	---	-----------------

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

1309-37-1	> 97
1309-37-1	
1309-37-1	> 97
1309-37-1	
	1309-37-1 1309-37-1

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level (NSRL).

TSCA inventory

TSCA :		All substances listed as active on the TSCA inventory	
--------	--	---	--

TSCA list

No substances are subject to a Significant New Use Rule.

BAYFERROX 120 NM



Version	Revision Date:	SDS Number:	Date of last issue: 09/17/2020
2.0	10/19/2022	20300000030	Country / Language: US / EN

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisa-



BAYFERROX 120 NM

Version	Revision Date:	SDS Number:	Date of last issue: 09/17/2020
2.0	10/19/2022	20300000030	Country / Language: US / EN

tion for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/19/2022

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.