according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : PREVENTOL O EXTRA PRESERVATIVE

Product code : 00000000004311306

EPA registration number : 39967-11

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Biocide for industrial application

Chemical for synthesis

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Skin irritation : Category 2

Eye irritation : Category 2A

Specific target organ toxicity : Category 3 (Respiratory system)

- single exposure

Other hazards

None known.

GHS label elements

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Hazard pictograms

(!)

Signal Word : Warning

Hazard Statements : If small particles are generated during further processing, han-

dling or by other means, may form combustible dust concentra-

tions in air.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary Statements : Prevention:

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Biphenyl-2-ol

CAS-No. : 90-43-7

2/19

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Components

	CAS No./Unique ID	Concentration (% w/w)
biphenyl-2-ol	90-43-7*	>= 80 - <= 100

^{*} Indicates that the identifier is a CAS No.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.

Remove contaminated clothing and shoes. Continue to rinse for at least 20 minutes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Continue to rinse for at least 20 minutes. Get medical attention if symptoms appear.

If swallowed : Rinse mouth with water.

Do not induce vomiting unless directed to do by medical per-

sonnel.

Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms : Skin: Causes irritation with symptoms of reddening, itching,

and swelling.

Eye: Causes irritation with symptoms of reddening, tearing,

stinging, and swelling.

May cause respiratory tract irritation with symptoms of cough-

ing, sore throat and runny nose.

Effects : Causes skin irritation.

Causes serious eye irritation. May cause respiratory irritation.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

3/19

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: 3.0 07/15/2025 203000003233

Date of last issue: 02/19/2024 Country / Language: US / EN

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Fine powder forms flammable and explosive mixtures in air.

Hazardous combustion prod- :

Further information

ucts

Carbon dioxide (CO2)
Carbon monoxide

: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Move containers from fire if this can be done without risk.

Cool closed containers exposed to fire with water.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Put on appropriate personal protection equipment. Do not touch or walk through spilled material.

Evacuate unnecessary personnel.

Keep unnecessary and unprotected personnel from entering.

Provide adequate ventilation. Do not breathe vapors, aerosols.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Move containers from spill area.

Vacuum or sweep up material and place in a designated, la-

beled waste container.
4 / 19

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Dispose of wastes in an approved waste disposal facility. Do not allow spilled material or wash water to enter sewers, surface waters, or groundwater systems.

Contaminated absorbent material may pose the same hazard

as the spilled product.

Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame).

Avoid inhalation, ingestion and contact with skin and eyes.

Use only with adequate ventilation.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in

Electrical equipment should be protected to the appropriate standard.

Take precautionary measures against static discharges. Empty containers retain product residue; observe all precau-

tions for product.

Do not re-use empty containers.

Remove contaminated clothing and protective equipment before entering eating areas.

Workers should wash hands and face before eating, drinking and smoking.

Put on appropriate personal protection equipment.

Use non-sparking tools and equipment. Consult National Fire Protection Association (NFPA) 654 Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids for details on the safe handling and equipment design.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe storage

Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink. Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

Empty containers retain residue and can be dangerous.

Do not reuse container.

Recommended storage tem: :

perature

< 104 °F / < 40 °C

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 07/15/2025 203000003233 3.0 Country / Language: US / EN

Further information on stor-

Keep in a dry place.

age stability No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

inert or nuisance dust 50 Million particles per cubic foot

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

15 mg/m3

Value type (Form of exposure): TWA (total dust)

Basis: OSHA Z-3

5 mg/m3

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

15 Million particles per cubic foot

Value type (Form of exposure): TWA (respirable fraction)

Basis: OSHA Z-3

Engineering measures Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the

exposure limit.

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally re-

quired.

In case of dust formation particle filter.

NIOSH approved, air-purifying particulate respirator with N-

95 filters.

Although no exposure limit has been established for this product, the OSHA PEL for Particulates Not Otherwise Regulated (PNOR) of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction is recommended. In addition, the ACGIH recommends 3 mg/m3 - respirable particles and 10 mg/m3 - inhalable particles for Particles (insoluble or poorly soluble) Not

Otherwise Specified (PNOS).

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

NIOSH approved, air-purifying organic vapor respirator.

Hand protection

Material : Polychloroprene - CR

Wearing time : < 60 min

Material : Polyvinyl chloride - PVC

Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Eye protection : Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Wear suitable protective clothing.

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Physical state : solid

Color : colorless

Odor : slight

Odor Threshold : No data available

pH : No data available

Melting point/ range : 134.1 °F / 56.7 °C

Boiling point/boiling range : 547 °F / 286 °C (1,013 hPa)

Print Date: 08/01/2025

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Flash point : $280 \, ^{\circ}\text{F} / 138 \, ^{\circ}\text{C}$

Method: DIN 51758, closed cup

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper

flammability limit

Upper explosion limit

9.5 %(V)

Lower explosion limit / Lower

flammability limit

: Lower explosion limit

1.4 %(V)

Vapor pressure : 0.003555 mmHg (68 °F / 20 °C)

0.006795 mmHg (77 °F / 25 °C)

Relative density : No data available

Density : 1.26 g/cm3 (68 °F / 20 °C)

Bulk density : 670 kg/m3

Solubility(ies)

Water solubility : 0.5 - 0.6 g/l

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Ignition temperature : 959 °F / 515 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Particle size : No data available

8/19

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

Conditions to avoid : Avoid the creation of dust when handling and avoid all possi-

ble sources of ignition (spark or flame).

Take precautionary measures against static discharges.

To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment

before transferring material. Prevent dust accumulation.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: 2,737 mg/kg

Method: Calculation method

Components:

biphenyl-2-ol:

Acute oral toxicity : LD50 (Rat, male and female): 2,733 mg/kg

Method: OECD Test Guideline 401

GLP: Yes

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.036 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: Yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: Yes

Print Date: 08/01/2025

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

Skin corrosion/irritation

Causes skin irritation.

Components:

biphenyl-2-ol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

biphenyl-2-ol:

Species : Rabbit

Result : Irritating to eyes.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Components:

biphenyl-2-ol:

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : No

Germ cell mutagenicity

Not classified due to lack of data.

Components:

biphenyl-2-ol:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: Yes

Test system: Mammalian-Animal

Print Date: 08/01/2025

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: No

Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: Yes

Test Type: Micronucleus test Test system: Chinese hamster cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative GLP: Yes

Genotoxicity in vivo : Species: Mouse (male)

Application Route: Oral

Result: negative

Test Type: Micronucleus test

Species: Rat (male) Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

biphenyl-2-ol:

Species : Rat, male
Application Route : Oral
Exposure time : 2 Years

NOAEL : 200 mg/kg body weight
Method : OECD Test Guideline 453

Result : negative GLP : Yes

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years

NOAEL : >= 647 mg/kg body weight
Method : OECD Test Guideline 453

Result : negative GLP : Yes

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

11/19

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

biphenyl-2-ol:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Duration of Single Treatment: 175 d Fertility: NOAEL: >= 500 mg/kg bw/day Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic develop-

ment were detected.

GLP: Yes

Effects on fetal development : Species: Rat

Application Route: Oral

Duration of Single Treatment: 28 d

Developmental Toxicity: NOAEL: 250 mg/kg bw/day

Method: OECD Test Guideline 414

STOT-single exposure

May cause respiratory irritation.

Components:

biphenyl-2-ol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

biphenyl-2-ol:

Species : Rat, male
LOAEL : 200 mg/kg
Application Route : Oral

Exposure time : 2 yr

Method : OECD Test Guideline 453

GLP : Yes

12 / 19

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Remarks : Chronic toxicity

Species : Rat, female
LOAEL : 647 mg/kg
Application Route : Oral
Exposure time : 2 yr

Method : OECD Test Guideline 453

GLP : Yes

Remarks : Chronic toxicity

Species : Rat, male and female NOAEL : >= 1,000 mg/kg

Application Route : Dermal Exposure time : 21 d

Method : OECD Test Guideline 410

GLP : Yes

Remarks : Subacute toxicity

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

biphenyl-2-ol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4.5 mg/l

Exposure time: 96 h

GLP: Yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.7 mg/l

Exposure time: 48 h Remarks: Fresh water

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (microalgae)): 3.57

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.468

mg/l

Exposure time: 72 h

Print Date: 08/01/2025

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Method: OECD Test Guideline 201

GLP: Yes

Remarks: Fresh water

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.036 mg/l

Exposure time: 21 d

GLP: Yes

Remarks: Fresh water

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.009 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

GLP: Yes

Remarks: Fresh water

Persistence and degradability

Product:

Biodegradability : Test Type: aerobic

Inoculum: see user defined free text Result: Inherently biodegradable. Biodegradation: 58.14 %

Exposure time: 5 d

Components:

biphenyl-2-ol:

Biodegradability : aerobic

Result: Readily biodegradable. Biodegradation: 70.8 - 75.7 %

Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: Yes

Bioaccumulative potential

Components:

biphenyl-2-ol:

Bioaccumulation : Bioconcentration factor (BCF): 22

Partition coefficient: n-

: log Pow: 3.18

octanol/water

Method: OECD Test Guideline 107

Mobility in soil

Components:

biphenyl-2-ol:

Distribution among environ-

mental compartments

log Koc: 2.4 - 2.6

Print Date: 08/01/2025

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(2-HYDROXYBIPHENYL)

Class : 9 Packing group : III

Labels

9

Packing instruction (cargo

aircraft)

956: 400.00 KG

Packing instruction (passen-

956: 400.00 KG

ger aircraft)

Environmentally hazardous : yes

Print Date: 08/01/2025

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN



IMDG-Code

UN number : UN 3077

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(2-HYDROXYBIPHENYL)

Class : 9
Packing group : III
Labels : 9

EmS Code : F-A, S-F Marine pollutant : yes



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(2-HYDROXYBIPHENYL)

Class : 9
Packing group : III
Labels : 9

ERG Code : 171 Marine pollutant : yes



Hazard and Handling Notes

Environmentally hazardous substance. Irritating to skin and eyes. Keep separated from foodstuffs

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

The U.S. DOT regulations in 49 CFR 172.102 permit this material to ship as an Environmentally Hazardous Substance, Class 9, using Special Provision 146.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

biphenyl-2-ol 90-43-7 >= 90 - <= 100 %

US State Regulations

Massachusetts Right To Know

biphenyl-2-ol 90-43-7

Pennsylvania Right To Know

biphenyl-2-ol 90-43-7

California Prop. 65

WARNING: This product can expose you to chemicals including biphenyl-2-ol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

TSCA inventory

TSCA : This product is regulated under the United States Federal

Insecticide, Fungicide and Rodenticide Act (FIFRA).

FIFRA information

EPA registration number : 39967-11

Print Date: 08/01/2025

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word : DANGER

Hazard Statements : Corrosive Causes irreversible eye damage and skin burns.

May be fatal if swallowed or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:

Flammability Health 2 0 Instability

Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification

18 / 19

according to the OSHA Hazard Communication Standard



PREVENTOL O EXTRA PRESERVATIVE

Version Revision Date: SDS Number: Date of last issue: 02/19/2024 3.0 07/15/2025 203000003233 Country / Language: US / EN

System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/15/2025

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.

US / EN