0003009553		
ersion 1.2	Revision Date 2023/03/07	Print Date 2023/03/07
CTION 1. IDENTIFICATIO	N	
Product name	: BLANDOL [®] WHITE MINERAL O	IL
Synonyms	: Product code: 25A	
Manufacturer or supplie	er's details Sonneborn, LLC 100 Sonneborn Lane Petrolia PA 16050 United States none : Security (24 hour): (724) 756-22	10
Frankana, talankana i		
Emergency telephone r Emergency telephone number	: CHEMTREC: 1-800-424-9300; C Poison Control Centre: Consult lo emergency number(s).	
Recommended use of t	he chemical and restrictions on use	
Recommended use	: Highly refined mineral oil is typica in a variety of applications includ food and general industrial.	
Prepared by	: Product Safety: +1-724-756-2210	0
CTION 2. HAZARDS IDEN		
GHS classification in ac 1910.1200)	cordance with the OSHA Hazard Comn	nunication Standard (29 CFF
Aspiration hazard	: Category 1	
Aspiration hazard GHS label elements	: Category 1	

Hazard pictograms



÷

2

;

Signal word Danger 1

Hazard statements

Precautionary statements

Response:

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting.

May be fatal if swallowed and enters airways.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.



000003009553

Version 1.2	Revision Date 2023/03/07	Print Date 2023/03/07
Other hazards None known.		
IARC	No component of this product pres or equal to 0.1% is identified as pr confirmed human carcinogen by I	obable, possible or
OSHA	No component of this product pres equal to 0.1% is on OSHA's list of	
NTP	No component of this product pres equal to 0.1% is identified as a kno by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Product code: 25A
CAS-No.	:	8042-47-5

Components

SECTION 4. FIRST AID MEASURES

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	100

If inhaled Move to fresh air. : Artificial respiration and/or oxygen may be necessary. Seek medical advice. In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In case of eye contact : Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention. If swallowed Rinse mouth with water. : DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice. Most important symptoms : First aider needs to protect himself.



000003009553

Version 1.2	Revision Date 2023/03/07	Print Date 2023/03/07
and effects, both acute and delayed		
Notes to physician	: Treat symptomatically.	
SECTION 5. FIREFIGHTING ME	ASURES	

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	Do NOT use water jet.
Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion products	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the environment.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation.



BLANDOL[®] WHITE MINERAL OIL

000003009553

Version 1.2		Revision Date 2023/03/07	Print Date 2023/03/07
		In case of insufficient ventilation, wea equipment. Avoid contact with skin, eyes and clot Do not ingest. Keep away from heat and sources of Keep container closed when not in us Do not handle at temperatures >40°C appropriate protective equipment.	hing. ignition. se.
Conditions for safe storage	:	Store in original container. Containers which are opened must be kept upright to prevent leakage. Keep in a dry, cool and well-ventilated Keep in properly labelled containers. To maintain product quality, do not st sunlight.	d place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Components with workplace control parameters

Engineering measures	:	No special ventilation requirements. Good general ventilation
		should be sufficient to control worker exposure to airborne
		contaminants.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Sonneborn[®]

BLANDOL[®] WHITE MINERAL OIL

000003009553

Version 1.2		Revision Date 2023/03/07	Print Date 2023/03/07
Eye protection		Wear face-shield and protective suit for problems.	abnormal processing
Skin and body protection	(Choose body protection in relation to its concentration and amount of dangerous the specific work-place.	
Protective measures	: \	Wash contaminated clothing before re-	use.
Hygiene measures	i	Remove and wash contaminated clothi including the inside, before re-use. Wash face, hands and any exposed sk handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	water-white
Odour	:	Odourless or mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	not determined
Boiling point/boiling range	:	> 230 °C (> 446 °F)
Flash point	:	> 93.4 °C (> 200.1 °F) Method: Pensky-Martens closed cup
Fire Point	:	No data available
Evaporation rate	:	No data available
Flammability	:	Remarks: No data available
Auto-Ignition Temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0.1 kPa (68 °F / 20 °C)
Relative vapour density	:	No data available
Relative density	:	< 1
Solubility(ies) Water solubility	:	insoluble

Page: 5 / 11



BLANDOL[®] WHITE MINERAL OIL

000003009553

Version 1.2	Revision Date 2023/03/07	Print Date 2023/03/07
Partition coefficient: n- octanol/water	: log Pow: > 6	
Viscosity Viscosity, kinematic	: < 20.5 cSt (104 °F / 40 °C) < 100 sus (100 °F / 38 °C)	
Explosive properties	: Do not pressurize, cut, weld, bra expose containers to heat or sou	
Molecular weight	: 212 - 702 g/mol	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Reactive with oxidising agents.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Eye contact Ingestion Inhalation Skin contact Acute toxicity	of	exposure
Product:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,
Skin corrosion/irritation		
Product:		
Remarks	•	Non-irritating to the skin. Heated material can cause thermal burns.

00

00003009553			
ersion 1.2		Revision Date 2023/03/07	Print Date 2023/03/07
Serious eye damage/eye irrit	ati	on	
Product:			
Remarks	:	Non-irritating to the eyes. Heated ma burns.	terial can cause thermal
Respiratory or skin sensitisa	tic	n	
<u>Product:</u> Exposure routes: Skin cor Species: Guinea pig Result: Not a skin sensitiz Remarks: No evidence of	er.		
Germ cell mutagenicity			
Product: Genotoxicity in vitro	:	Remarks: Not considered to be a ger	m cell mutagen.
Carcinogenicity			
Product:			
Remarks	:	The mineral oils in the product contait 346). Not considered to be carcinoge	
Reproductive toxicity			
Product:			
Effects on fertility	:	Remarks: Not considered to be toxic system.	to the reproductive
Effects on foetal development	:	Remarks: Not considered to be terate	ogenic.
STOT - single exposure			
<u>Product:</u> Remarks	:	Acute exposure studies show no evic	lence of systemic toxicity.
STOT - repeated exposure			

Product:

Remarks

: Repeat dose toxicity data shows no evidence of target organ toxicity.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

BLANDOL[®] WHITE MINERAL OIL

000003009553

Version 1.2

Revision Date 2023/03/07

Print Date 2023/03/07

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Product:	
Toxicity to fish	: LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other a aquatic invertebrates	: EL50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic : plants	: Remarks: No data available
Toxicity to microorganisms	: Remarks: No data available
Persistence and degradability	y .
Product:	
Biodegradability	: Result: Inherently biodegradable.
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.
Contaminated packaging	:	Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good



BLANDOL® WHITE MINERAL OIL

000003009553

Version 1.2

Revision Date 2023/03/07

Print Date 2023/03/07

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

49 CFR

Not regulated as a dangerous good

Remarks

: Freight Description Road: 65 Petroleum Oil, N.O.I.B.N.

SECTION 15. REGULATORY INFORMATION

SARA 304 Extremely Hazard	ous Substances Reportable Quantity		
This material does not contain	any components with a section 304 EHS RQ.		
SARA 302 Extremely Hazard	ous Substances Threshold Planning Quantity		
This material does not contain	any components with a section 302 EHS TPQ.		
SARA 311/312 Hazards	: Aspiration hazard		
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
Clean Water Act			
Not applicable			
US State Regulations			
Massachusetts Right To Kn	w		
White mineral oil (p	troleum): 8042-47-5		
Pennsylvania Right To Kno			
Product does not c	ntain any listed chemicals		
New Jersey Right To Know			
Product does not c	ntain any listed chemicals		
New York City Hazardous S			
Product does not contain any listed chemicals			
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. For more information go to www.P65Warnings.ca.gov.		
The components of this pro	uct are reported in the following inventories:		
TSCA	: All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
AIIC	: On the inventory, or in compliance with the inventory		
DSL	: On the inventory, or in compliance with the inventory		
ENCS	: On the inventory, or in compliance with the inventory		
KECI	: On the inventory, or in compliance with the inventory		



sion 1.2

BLANDOL® WHITE MINERAL OIL

000003009553

Version 1.2	Revision Date 2023/03/07	Print Date 2023/03/07
PICCS	: On the inventory, or in compliance with	th the inventory
IECSC	: On the inventory, or in compliance with	th the inventory
NZIoC	: On the inventory, or in compliance with	th the inventory
EINECS	: On the inventory, or in compliance with	th the inventory
TCSI	: On the inventory, or in compliance with	h the inventory

SECTION 16. OTHER INFORMATION



Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA P0		USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -

sonneborn AN HF SINCLAIR BRAND

BLANDOL[®] WHITE MINERAL OIL

000003009553

Version 1.2

Revision Date 2023/03/07

Print Date 2023/03/07

Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Prepared by	:	Product Safety: +1-724-756-2210
Revision Date Date format	-	2023/03/07 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

