SAFETY DATA SHEET

ESTEREX™ P62

Ex_xonMobil

1/10

Section 1. Identification

| Product name | : ESTEREX™ P62 | |
|------------------------------------|--|--|
| Product description | : synthetic ester | |
| Relevant identified uses of | the substance or mixture and uses advised against | |
| Identified uses | : Base oil | |
| Uses advised against | : This product is not recommended for any industrial, professional or consumer use other than the identified uses above. | |
| Supplier | : ExxonMobil Product Solutions Company (a division of Exxon Mobil Corporation) | |
| | SDS – LOC. 106 22777 Springwoods Village Parkway Spring, TX_77389-1425_USA | |
| 24-Hour emergency telephone number | : 1-800-424-9300 / +1 703-741-5970 / +1-703-527-3887 (CHEMTREC) | |
| Supplier General Contact | : (832) 624-8500 | |
| SDS Internet Address | : www.sds.exxonmobil.com | |
| Section 2. Hazards identification | | |

| OSHA/HCS status | : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|---|
| Classification of the substance or mixture | : Not classified. |
| Contains | : 1,2-benzenedicarboxylic acid, di-c9-11-branched alkyl esters, c10-rich |
| Hazards not otherwise classified | : None known. |
| Note | : This material should not be used for any other purpose than the intended use in Section 1 without expert advice. Health studies have shown that chemical exposure may cause potential human health risks which may vary from person to person. |

Section 3. Composition/information on ingredients

| Substance/mixture | Substance | |
|-------------------|--|---|
| Chemical name | 1,2-benzenedicarboxylic acid, di-c9-11-branched alkyl esters, c10-ricl | h |

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necess | ary first aid measures |
|-----------------------|---|
| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |

Section 4. First aid measures

| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury. |
|-------------------------------|---|
| Ingestion | : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Most important symptoms/ef | fects, acute and delayed |
| Potential acute health effect | <u>s</u> |
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| | |

Over-exposure signs/symptoms

Eye contact

: No specific data.

- Inhalation: No specific data.Skin contact: Local necrosis as evidenced by delayed onset of pain and tissue damage a few hours
after injection.
- Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

| Notes to physician | : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
|----------------------------|--|
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Unsuitable extinguishing media | : Do not use water jet. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous combustion products | : Incomplete combustion products, Oxides of carbon, Smoke, Fume |
| Special protective actions for fire-fighters | : Use standard firefighting procedures and consider the hazards of other involved materials. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Assure an extended cooling down period to prevent re-ignition. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

 Date of issue/Date of revision
 : 19 August 2024
 Date of previous issue
 : 27 February 2024
 Version
 : 1.01

2/10

Section 6. Accidental release measures

NOTIFICATION PROCEDURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. US regulations require reporting releases of this material to the environment which exceed the applicable reportable quantity or oil spills which could reach any waterway including intermittent dry creeks. The National Response Center can be reached at (800)424-8802.

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
|--------------------------------|-----|---|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | ont | ainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in containers for diagonal page fixed as follows. |

container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants. Warn other shipping. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). |
|--|--|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Static Accumulator | : This material is a static accumulator. A liquid is typically considered a nonconductive, static accumulator if its conductivity is below 100 pS/m (100x10E-12 Siemens per meter) and is considered a semiconductive, static accumulator if its conductivity is below 10,000 pS/m. Whether a liquid is nonconductive or semiconductive, the precautions are the same. A number of factors, for example liquid temperature, presence of contaminants, anti-static additives and filtration can greatly influence the conductivity of a liquid. |

Section 7. Handling and storage

| Conditions for safe storage, | : Store in accordance with local regulations. Store in original container protected from |
|------------------------------------|---|
| including any incompatibilities | direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|--|
| 1,2-benzenedicarboxylic acid, di- c9-11-branched alkyl esters, c10-rich 1,2-benzenedicarboxylic acid dic9-11 branched | ExxonMobil (COMPANY) TWA: 5 mg/m ³ . Form: Aerosol ExxonMobil (COMPANY) |
| alkyl esters, c10 rich | TWA 8 hours: 5 mg/m ³ . Form: Aerosol |

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------------------|---|---|
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

Individual protection measures **Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. **Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. **Skin protection** Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. : Personal protective equipment for the body should be selected based on the task being **Body protection** performed and the risks involved and should be approved by a specialist before handling this product. : Appropriate footwear and any additional skin protection measures should be selected Other skin protection based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Based on the hazard and potential for exposure, select a respirator that meets the **Respiratory protection** appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

4/10

Section 9. Physical and chemical properties and safety characteristics

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Contact the Supplier for additional information.

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

| <u>Appearance</u> | | |
|--|---|--|
| Physical state | : Liquid. [Clear] | |
| Color | : Colorless | |
| Odor | : Mild | |
| Odor threshold | : Not available. | |
| рН | : Not applicable. | |
| Melting point/freezing point | : -50°C (-58°F) | |
| Boiling point or initial boiling point and boiling range | : >250°C (>482°F) | |
| Flash point | : Closed cup: >225°C (>437°F) [ASTM D-93] | |
| Evaporation rate | : <0.01 (butyl acetate = 1) | |
| Flammability | : Ignitable | |
| Lower and upper explosion limit/flammability limit | : Not available. | |
| Vapor pressure | : <0.08 mm Hg [20 °C] | |
| Relative vapor density | : >1 [Air = 1] | |
| Relative density | : 0.965 to 0.97 | |
| Density | : 0.97 g/cm³ [20°C (68°F)] | |
| Solubility in water | : Negligible | |
| Partition coefficient: n- octanol/water | : 8.8 | |
| Auto-ignition temperature | : >400°C (>752°F) | |
| Decomposition temperature | : Not available. | |
| Viscosity | : 130 cSt [20 °C] | |
| Molecular weight | : 446 | |
| Particle characteristics | | |
| Median particle size | : Not applicable. | |
| Hygroscopic | : No | |
| Coefficient of Thermal Expansion | : 0.00076 per Deg C | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. | | | | |
|------------------------------------|--|--|--|--|--|
| Chemical stability | : The product is stable. | | | | |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. | | | | |
| Conditions to avoid | : High energy sources of ignition. Excessive heat. | | | | |
| Incompatible materials | : Strong oxidizers | | | | |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | | | |
| Date of issue/Date of revision | : 19 August 2024 Date of previous issue : 27 February 2024 Version : 1.01 5/10 | | | | |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Acute toxicity | Test | Spacias | Result | Duration |
|--|---|------------------------|--|-------------------------|
| Product/ingredient name | | Species | | |
| 1,2-benzenedicarboxylic acid, di-c9-11-branched alkyl esters, c10-rich | LC50 Inhalation Vapor | Rat | >0.13 mg/l | 6 hours |
| | LD50 Dermal LD50 Oral | Rabbit Rat | >3160 mg/kg >62080 mg/kg | - |
| Conclusion/Summary | | | | |
| Inhalation | : Minimally Toxic. Data (s) equivalent or simila | | test data for structurally e 403 | similar materials. Te |
| Dermal | : Minimally Toxic. Data available. Based on test data for structurally similar materials. Tes (s) equivalent or similar to OECD Guideline 402 | | | |
| Oral | : Minimally Toxic. Data (s) equivalent or simila | | | similar materials. Te |
| Irritation/Corrosion | | | | |
| Conclusion/Summary | | | | |
| Skin | for structurally similar | materials. Test(s) eq | eratures. Data available uivalent or similar to OE | CD Guideline 404 |
| Eyes | structurally similar ma | terials. Test(s) equiv | eyes. Data available. B alent or similar to OECD | Guideline 405 |
| Respiratory | material. | mbient/normal handli | ing temperatures. No er | id point data for |
| Respiratory or skin sensiti | ization | | | |
| Conclusion/Summary | | | | |
| Skin | | (s) equivalent or sim | ilar to OECD Guideline 4 | 06 |
| Respiratory | : Not expected to be a r | espiratory sensitizer. | . No end point data for n | naterial. |
| <u>Mutagenicity</u> | | | | |
| Conclusion/Summary | | | Data available. Based on alent or similar to OECD | |
| Carcinogenicity | | | | |
| Conclusion/Summary | : Not expected to cause materials. Test(s) equ | | able. Based on test data DECD Guideline 451 | for structurally simila |
| Reproductive toxicity | | | | |
| Conclusion/Summary | • | | . Data available. Based alent or similar to OECD | |
| Specific target organ toxic | | | | |
| Conclusion/Summary | material. | e organ damage from | a single exposure. No | end point data for |
| Specific target organ toxic | <u>sity (repeated exposure)</u> | | | |
| Product/ingredient name | | Category | Target orga | ins |
| 1,2-benzenedicarboxylic aci esters, c10-rich | id, di-c9-11-branched alkyl | Not applicabl | e | |
| Conclusion/Summary | | st data for structural | n prolonged or repeated o ly similar materials. Testi | |
| Aspiration hazard | | | | |
| Conclusion/Summary | : Not expected to be an material. Data availab | | Based on physico-chemi | cal properties of the |
| Other information | | | | |
| | | | | |

Section 11. Toxicological information

| | • |
|----------|--|
| Contains | : Di-isodecyl phthalate (DIDP) has been tested in reproductive toxicology studies in laboratory rats (two-generation studies). There were no effects on fertility, reproductive performance, or evidence of alteration of endocrine processes. A small, statistically significant decrease in offspring survival was observed. In evaluating these and related studies, the EU Risk Assessment for DIDP has concluded that classification and labeling is not required for any effect including reproductive and developmental effects. In addition the NTP Center for Evaluation of Risks to Human Reproduction has concluded that there is negligible concern for reproductive effects in adults and minimal concern for developmental effects in fetuses and children due to DIDP exposure. |
| Product | : Di-isodecyl phthalate (DIDP) has been tested in reproductive toxicology studies in laboratory rats (two-generation studies). There were no effects on fertility, reproductive performance, or evidence of alteration of endocrine processes. A small, statistically significant decrease in offspring survival was observed. In evaluating these and related studies, the EU Risk Assessment for DIDP has concluded that classification and labeling is not required for any effect including reproductive and developmental effects. In addition the NTP Center for Evaluation of Risks to Human Reproduction has concluded that there is negligible concern for reproductive effects in adults and minimal concern for developmental effects in fetuses and children due to DIDP exposure. |

Section 12. Ecological information

The information given is based on data for the material, components of the material, or for similar materials, through the application of bridging principals.

| : | Not expected to be harmful to aquatic organisms. |
|---|--|
| : | Not expected to demonstrate chronic toxicity to aquatic organisms. |
| L | |
| : | Material Expected to be readily biodegradable. |
| | |
| | |
| | |
| | |
| | |
| : | No known significant effects or critical hazards. |
| | : 2 : |

Section 13. Disposal considerations

| Disposal methods | The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. |
|------------------|--|
|------------------|--|

Section 14. Transport information

| | DOT Classification | TDG Classification | IMDG | ΙΑΤΑ |
|-------------------------------|--------------------|--------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - |
| Transport hazard class(es) | - | - | - | - |
| Label(s) / Marks | | | | |
| Packing group | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. |

Additional information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined **U.S. Federal regulations**

TSCA 12(b) - Chemical export notification

| Not applicable. | | |
|---|---|------------|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : | Not listed |
| Clean Air Act Section 602 Class I Substances | : | Not listed |
| Clean Air Act Section 602 Class II Substances | : | Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : | Not listed |
| DEA List II Chemicals (Essential Chemicals) | ; | Not listed |

SARA 302/304

Composition/information on ingredients

No products were found.

| SARA 304 RQ | : Not applicable. |
|-------------|---------------------------------------|
| | · · · · · · · · · · · · · · · · · · · |

SARA 311/312 **Classification**

: Not applicable.

SARA 313

This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

State regulations

Massachusetts

: None of the components are listed.

| Date of issue/Date of revision : 19 A | August 2024 Date of previous is | sue : 27 February 2024 | Version : 1.01 | 8/10 |
|---------------------------------------|---------------------------------|------------------------|----------------|------|
|---------------------------------------|---------------------------------|------------------------|----------------|------|

Section 15. Regulatory information

| Coolion 10. Roge | | |
|--|--------------------------------------|--|
| New York | : None of the | components are listed. |
| New Jersey | : None of the components are listed. | |
| Pennsylvania | : None of the | components are listed. |
| Illinois | : None of the | components are listed. |
| California Prop. 65 | | |
| WARNING: Reproduct | ive Harm - www.P6 | 5Warnings.ca.gov. |
| <u> </u> | | |
| Inventory list | | |
| Australia inventory (AllC | ;) | : All components are listed or exempted. |
| Canada inventory (DSL | -NDSL) | : All components are listed or exempted. |
| China inventory (IECSC) |) | : All components are listed or exempted. |
| Japan inventory (CSCL) | | : All components are listed or exempted. |
| Japan inventory (Indust Health Act) | rial Safety and | : All components are listed or exempted. |
| New Zealand Inventory ((NZIoC) | of Chemicals | : All components are listed or exempted. |
| Philippines inventory (P | ICCS) | : All components are listed or exempted. |
| Korea inventory (KECI) | | : All components are listed or exempted. |
| Taiwan Chemical Substa (TCSI) | ances Inventory | : All components are listed or exempted. |
| United States inventory | (TSCA 8b) | : All components are active or exempted. |
| | | |

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification Not classified.

| : 19 August 2024 |
|--------------------|
| : 27 February 2024 |
| : 1.01 |
| |

Section 16. Other information

| Key to abbreviations | : ATE = Acute Toxicity Estimate |
|--------------------------|---|
| | BCF = Bioconcentration Factor |
| | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
| | IATA = International Air Transport Association |
| | IBC = Intermediate Bulk Container |
| | IMDG = International Maritime Dangerous Goods |
| | LogPow = logarithm of the octanol/water partition coefficient |
| | MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| | N/A = Not available |
| | SGG = Segregation Group |
| | UN = United Nations |
| References | : Not available. |
| Vindicates information t | hat has shanged from providually issued version |

VIndicates information that has changed from previously issued version.

| Product code : 11519 | 998 |
|----------------------|-----|
|----------------------|-----|

Notice to reader

The information and recommendations contained herein are, to the best of ExxonMobil's knowledge and belief, accurate and reliable as of the date issued. You can contact ExxonMobil to insure that this document is the most current available from ExxonMobil. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. The term, "ExxonMobil" is used for convenience, and may include any one or more of ExxonMobil Chemical Company, Exxon Mobil Corporation, or any affiliates in which they directly or indirectly hold any interest.