

LICOCENE PP 6502 GR

Page 1

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

SECTION 1. IDENTIFICATION

Identification of the company:

Clariant Corporation
500 East Morehead Street
Charlotte, NC, 28202
Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710
e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC**Trade name:** LICOCENE PP 6502 GR**Material number:** 224632**CAS number:** 9003-07-0**Primary product use:** Additive**Chemical family:** polypropylene wax

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243 Take precautionary measures against static discharge.
P233 Keep container tightly closed.

Other hazards

Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : polypropylene wax

LICOCENE PP 6502 GR

Page 2

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

CAS-No. : 9003-07-0

Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

SECTION 4. FIRST AID MEASURES

- General advice : Get medical advice/ attention if you feel unwell.
- If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash with soap and water. Contact physician if irritation or other symptoms occur. If hot wax strikes skin, drench or immerse the area in water to assist cooling. Do not remove wax from a burn after it cools. Consult a physician.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : If conscious, give the victim plenty of water to drink.
Consult a physician.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No hazards known at this time.
The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water mist
Foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : Water spray jet
- Specific hazards during firefighting : None known.

Emits toxic fumes under fire conditions. This product presents

LICOCENE PP 6502 GR

Page 3

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

no unusual fire or explosion hazards while sealed in a shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static spark or flame initiation.

Further information : Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.

Special protective equipment for firefighters : Wear personal protective equipment.
In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
Small spills may be flushed to the sewer or swept up. Larger spills should be collected by shovelling into appropriate waste collection containers. Clean-up by flushing with water if desired or removal of contaminated soil. Utilize recommended clothing and equipment.

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.

Methods and materials for containment and cleaning up : Take up mechanically

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.

Observe the general rules of industrial fire protection

Advice on safe handling : Avoid dust formation. Keep away from sources of ignition.
Lead off electrostatic charges.
Avoid inhalation, ingestion and contact with skin and eyes.
Wash thoroughly after handling.

Further information on storage conditions : Store in original container.
Keep container tightly closed.
Store in a cool, dry, well-ventilated area.

LICOCENE PP 6502 GR

Page 4

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.

Hand protection
Remarks : Nitrile rubber gloves.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear suitable protective equipment.

Protective measures : When working with hot material, avoid contact with skin.

Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat, drink or smoke.
Use protective skin cream before handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Granules

Colour : white

Odour : not specified

pH : Not applicable

Softening point : approx. 298 °F / 148 °C
Method: ASTM D 3104

Boiling point : no data available

Flash point : not tested.

Self-ignition : Method: Expert judgement

LICOENE PP 6502 GR

Page 5

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

The substance or mixture is not classified as pyrophoric. The substance or mixture is not classified as self heating.

Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	< 0.1 mbar Method: calculated
Relative vapour density	:	Not applicable
Density	:	0.90 g/cm ³ (73 °F / 23 °C) Method: ISO 1183
Solubility(ies) Water solubility	:	insoluble (68 °F / 20 °C)
Partition coefficient: n-octanol/water	:	not tested.
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No decomposition if used as directed.
Viscosity Viscosity, dynamic	:	approx. 1,500 mPa.s (338 °F / 170 °C) Method: DIN 53019
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive Method: Expert judgement GLP: no
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Method: Expert judgement GLP: no The product does not contain organic peroxide-groups which result from either the manufacturing process or from added ingredients.
Metal corrosion rate	:	Not applicable
Particle size	:	no data available

SECTION 10. STABILITY AND REACTIVITY

LICOCENE PP 6502 GR

Page 6

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions. The substance or mixture does not emit flammable gases in contact with water. Not corrosive to metals
Conditions to avoid	:	None known.
Incompatible materials	:	no data available
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed The product does not contain any chemical groups which suggest self-reactive properties, nor is the estimated SADT less than 75 °C, nor is the exothermic decomposition energy higher than 300 J/g.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Eye contact
Skin contact
Inhalation

Acute toxicity**Product:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation**Product:**

Result: No skin irritation

Serious eye damage/eye irritation**Product:**

Result: No eye irritation

LICOCENE PP 6502 GR

Page 7

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

Respiratory or skin sensitisation**Product:**

Remarks: not tested.

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Remarks: not tested.

Germ cell mutagenicity - : No information available.
Assessment**Carcinogenicity****Product:**Carcinogenicity - : No information available.
Assessment**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Product:**Reproductive toxicity - : No information available.
Assessment**Repeated dose toxicity****Product:**

Remarks: not tested.

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

Further information**Product:**

Remarks: The product has not been tested. The statements are derived from products of a similar composition.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : Remarks: not tested.

Toxicity to daphnia and other aquatic invertebrates : Remarks: not tested.

Toxicity to algae/aquatic plants : Remarks: not tested.

Toxicity to microorganisms : Remarks: not tested.

Persistence and degradability**Product:**

Biodegradability : Remarks: not tested.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: not available

Mobility in soil

no data available

Other adverse effects**Product:**

Environmental fate and pathways : Remarks: no data available

Additional ecological information : Product is insoluble in water
Harmful effects to fish and bacteria: not harmful
May be separated mechanically in waste water plants.
The ecotoxicity of the product has not been tested. The information given is based on products of similar structure or composition.

LICOCENE PP 6502 GR

Page 9

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

RCRA - Resource : No -- Not as sold.

Conservation and Recovery
Authorization Act

Waste Code : none

Waste from residues : Can be landfilled or incinerated, when in compliance with local regulations.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity


This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure

LICOCENE PP 6502 GR

Page 11

Substance key: 000000273019

Revision Date: 05/06/2022

Version : 2 - 2 / USA

Date of printing :03/10/2025

Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date : 05/06/2022

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN