

Licocene PP 1502 Fine Grain

Page 1

Substance key: 000000161104	Revision Date: 08/22/2025
Version: 4 - 1 / USA	Date of printing :08/27/2025

SECTION 1. IDENTIFICATION

Identification of the

company:

Clariant Corporation

500 East Morehead Street

Charlotte, NC, 28202

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Licocene PP 1502 Fine Grain

9010-79-1

Material number: 197983

Primary product use: Additive

Chemical family: 1-Propene, polymer with ethene

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Not a hazardous substance or mixture.

Other hazards

CAS number:

None known.

GHS label elements

Not a hazardous substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : 1-Propene, polymer with ethene

CAS-No. : 9010-79-1

Components

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 4. FIRST AID MEASURES



Licocene PP 1502 Fine Grain

Page 2

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

General advice : Get medical advice/ attention if you feel unwell.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Never give anything by mouth to an unconscious person.

Get immediate medical advice/ attention.

Give oxygen or artificial respiration if needed.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

If skin irritation occurs, seek medical advice/attention.

In case of eye contact : Immediately flush eye(s) with plenty of water.

If easy to do, remove contact lens, if worn.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms

and effects, both acute and

delayed

The possible health hazards known are those derived from the

labelling (see corresponding section) and/or provided in this

section

The possible symptoms known are those derived from the

labelling (see section 2).

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam

Dry powder

Carbon dioxide (CO2)

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion

products

Carbon oxides Hydrocarbons

Further information : In the event of fire and/or explosion do not breathe fumes.

Do not allow run-off from fire fighting to enter drains or water



Licocene PP 1502 Fine Grain

Page 3

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

courses.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

Avoid breathing dust. Avoid dust formation.

Collect into suitable container. Electrical grounding of equipment is required when handling powder to prevent

possible dust explosion.

Prevent from entering into soil, ditches, sewers, waterways

and/or groundwater.

Environmental precautions

The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for containment and cleaning up

Avoid dust formation.

Sweep up and shovel into suitable containers for disposal.

Clean contaminated surface thoroughly.

Treat recovered material as described in the section "Disposal

considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Keep away from heat and sources of ignition.

Observe the general rules of industrial fire protection Cool endangered containers with water spray jet.

Advice on safe handling : Use only with adequate ventilation/personal protection.

For personal protection see section 8. Avoid contact with skin, eyes and clothing.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Avoid dust formation.

Conditions for safe storage : Ke

Keep containers tightly closed in a dry, cool and well-

ventilated place.



Licocene PP 1502 Fine Grain

Page 4

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

Handle and open container with care.

Keep away from sources of ignition - No smoking.

Materials to avoid : When used and handled as intended, none.

Further information on storage stability

Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Use adequate exhaust ventilation and/or dust collection to

keep dust levels below exposure limits.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Remarks : Nitrile rubber gloves.

Eye protection : Wear safety glasses with side shields or goggles.

Skin and body protection : Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

Protective measures : Observe the usual precautions for handling chemicals.

Avoid breathing dust or vapour.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Use protective skin cream before handling the product. Wash hands before breaks and at the end of workday. Take off immediately all contaminated clothing and wash it

before reuse.



Licocene PP 1502 Fine Grain

Page 5

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

Appearance : granules

Colour : white

Odour : not specified

Odour Threshold : not determined

pH : Not applicable

Softening point : 180.5 - 194.7 °F / 82.5 - 90.4 °C

Boiling point : not determined

Flash point : not tested.

Evaporation rate : not tested.

Flammability (solid, gas) : Not expected to form explosive dust-air mixtures.

Self-ignition : Method: Expert judgement

GLP: no

The product melts below 160 °C. Therefore, no further testing

of self-heating properties is required.

Method: Expert judgement

GLP: no

The substance or mixture is not classified as pyrophoric.

Burning number : 2

Short flaring up without spreading

Upper explosion limit / upper

flammability limit

not tested.

Lower explosion limit / Lower :

flammability limit

not tested.

Vapour pressure : < 0.1 hPa (68 °F / 20 °C)

Relative vapour density : not tested.

Relative density : no data available

Density : approx. 0.87 g/cm3 (73 °F / 23 °C)

Method: ISO 1183

GLP: no



Licocene PP 1502 Fine Grain

Page 6

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

Solubility(ies)

Water solubility : insoluble (68 °F / 20 °C)

Solubility in other solvents : not tested.

Partition coefficient: n-

octanol/water

not tested.

Auto-ignition temperature : not determined

Decomposition temperature : No decomposition if used as directed.

Viscosity

Viscosity, dynamic : approx. 1,800 mPa.s (338 °F / 170 °C)

Method: DIN 53019

GLP: no

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Method: Expert judgement

GLP: no

Oxidizing properties : Method: Expert judgement

GLP: no

The product does not contain organic peroxide-groups which result from either the manufacturing process or from added

ingredients.

The substance or mixture is not classified as oxidizing.

Method: Expert judgement

GLP: no

Surface tension : Not applicable

Dust explosion class : not capable of dust explosion

Metal corrosion rate : no data available

Minimum ignition energy : > 1,000 mJ

Method: modified Hartmann tube

Particle size : not tested.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.



Licocene PP 1502 Fine Grain

Page 7

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

Chemical stability : Stable

Possibility of hazardous

reactions

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

Conditions to avoid : None

Incompatible materials : none

Hazardous decomposition

products

When handled and stored appropriately, no dangerous

decomposition products are known

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Eye contact Ingestion Inhalation

Acute toxicity

Not classified

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : Remarks: no data available

Skin corrosion/irritation

Not classified

Product:

Remarks : not tested.

Serious eye damage/eye irritation

Not classified

Product:

Remarks : not tested.

Respiratory or skin sensitisation

Skin sensitisation

Not classified

Respiratory sensitisation

Not classified



Licocene PP 1502 Fine Grain

Page 8

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

Product:

Remarks : not tested.

Germ cell mutagenicity

Not classified

Product:

Genotoxicity in vitro : Remarks: not tested.

Carcinogenicity

Not classified

Product:

Remarks : not tested.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified

Product:

Effects on fertility : Remarks: not tested.

STOT - single exposure

Not classified

STOT - repeated exposure

Not classified

Repeated dose toxicity

Product:

Remarks : not tested.

Aspiration toxicity

Not classified

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).



Licocene PP 1502 Fine Grain

Page 9

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

Further information

Product:

Remarks : The product has not been tested. The statements are derived

from products of a similar composition.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: not tested.

Toxicity to daphnia and other :

aquatic invertebrates Remark

Remarks: not tested.

Toxicity to algae/aquatic

plants Remarks: not tested.

Toxicity to microorganisms : Remarks: not tested.

Persistence and degradability

Product:

Biodegradability : Remarks: The product is slightly soluble in water. It can be

eliminated from water by abiotic processes.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil no data available

Other adverse effects

Product:

Environmental fate and

pathways

: Remarks: no data available

Results of PBT and vPvB

assessment

Remarks: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource : No -- Not as sold.

Conservation and Recovery



Licocene PP 1502 Fine Grain

Page 10

Substance key: 000000161104	Revision Date: 08/22/2025
Version: 4 - 1 / USA	Date of printing :08/27/2025

Authorization Act

Waste from residues : Product should be taken to a suitable and authorized waste

disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator

and/or the competent Authorities

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as

product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restrictedIATA not restrictedIMDG not restricted

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307



Licocene PP 1502 Fine Grain

Page 11

Substance key: 000000161104	Revision Date: 08/22/2025
Version: 4 - 1 / USA	Date of printing :08/27/2025

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL


TSCA : On TSCA Inventory, All components are compliant with the

TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test



Licocene PP 1502 Fine Grain

Page 12

 Substance key: 000000161104
 Revision Date: 08/22/2025

 Version: 4 - 1 / USA
 Date of printing: 08/27/2025

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Observe national and local legal requirements Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Revision Date : 08/22/2025

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN