# SAFETY DATA SHEET



### **Section 1. Identification**

Product identifier : ADDITIN RC 8012

Material Number : 56681756

Chemical name : 9-Octadecenoic acid (Z)-, isooctyl ester, sulfurized

Identified uses : Friction and wear reducer
Supplier/Manufacturer : LANXESS Corporation
Rhein Chemie Additives

111 RIDC Park West Drive Pittsburgh, PA 15275-1112

USA

For information: US/Canada (800) LANXESS

International +1 412 809 1000

In case of emergency : Chemtrec (800) 424-9300

International (703) 527-3887

Lanxess Emergency Phone (800) 410-3063.

### Section 2. Hazards identification

**HAZCOM Standard Status**: While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), the SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for

employees and other users of this product.

Physical state : Liquid.

Color : Brown. [Light]
Classification of the : Not classified.

substance or mixture

Signal word : No signal word.

**Hazard statements**: No known significant effects or critical hazards.

Hazard Not Otherwise Classified (HNOC)

elements

: None known.

Precautionary statements
Prevention

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Supplemental label : Store in original container protected from direct sunlight in a dry, cool and well-ventilated

area, away from incompatible materials and food and drink.

# Section 3. Composition/information on ingredients

Substance/mixture : Substance

Chemical name : 9-Octadecenoic acid (Z)-, isooctyl ester, sulfurized

**CAS number** : 68611-22-3

Ingredient name	%	CAS number
9-Octadecenoic acid (Z)-, isooctyl ester, sulfurized	100	68611-22-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of first aid measures**

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Skin contact

Get medical attention if symptoms occur.

: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position Ingestion

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Potential acute health effects

Eve contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards. Ingestion

### Over-exposure signs/symptoms

**Eye contact** : No specific data. Inhalation : No specific data. Skin contact : No specific data. Ingestion : No specific data.

### Potential chronic health effects

No known significant effects or critical hazards.

Notes to physician : Treat symptomatically. No specific treatment.

**Protection of first-aiders** : No special measures required.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire. In case of fire, use water spray (fog), foam or dry chemical.

: In a fire or if heated, a pressure increase will occur and the container may burst. Vapors

**Unsuitable extinguishing** 

media

: None known.

Specific hazards arising from the chemical

may form explosive mixtures with air. : Decomposition products may include the following materials:

**Hazardous thermal** decomposition products

Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

sulphur dioxide Hydrogen sulphide

**ADDITIN RC 8012** 2/7 56681756 Version 3

## Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up : Stop leak if without risk. Move containers from spill area. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible. absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Prevent entry into sewers, water courses, basements or confined areas.

## Section 7. Handling and storage

### **Precautions for safe handling**

**Protective measures** 

: Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe storage: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers or liners may retain some product residues.

## Section 8. Exposure controls/personal protection

### Occupational exposure limits

No exposure limit value known.

**Appropriate engineering** controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protection

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection

: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin protection **Eye/face protection Medical Surveillance**  : Permeation resistant clothing and foot protection. Permeation resistant gloves.

: If contact with product is possible, wear safety glasses with side shields.

: Not available.

## Section 9. Physical and chemical properties

Physical state : Liquid.

Color : Brown. [Light]
Odor : Characteristic.
Odor threshold : Not available.
pH : Not available.
Boiling point : Not available.
Melting point : -19°C (-2,2°F)

Flash point : Closed cup: 215°C (419°F)

Evaporation rate: Not available.Explosion limits: Not available.Vapor pressure: Not available.Density: 0,95 g/cm³

**Specific gravity (Relative** 

density)

0.95

Partition coefficient: n-

octanol/water

: 2,9

Vapor density : Not available.

Viscosity : Kinematic: 0,6 cm<sup>2</sup>/s

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

## Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability**: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : Extremes of temperature and direct sunlight.

Incompatible materials : Reducing agents, oxidizing agents, acids and bases

Hazardous decomposition : Under normal condit

products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **Section 11. Toxicological information**

Information on the likely routes of exposure

Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Potential chronic health effects

**Short term exposure** 

**Potential immediate** 

: Not available.

effects

Long term exposure

ADDITIN RC 8012 56681756 Version 3 **4/7** 

## Section 11. Toxicological information

Potential delayed effects : Not available.

: No known significant effects or critical hazards.

General Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Fertility effects** 

### Information on toxicological effects

### **Carcinogenicity**

Product/ingredient name	CAS#	IARC	NTP	OSHA
9-Octadecenoic acid (Z)-, isooctyl ester, sulfurized	68611-22-3	Not classified.	Not classified.	Not classified.

## Section 12. Ecological information

### **Toxicity**

Not available.

**Conclusion/Summary** : Not available.

Persistence and degradability

: Not available. Conclusion/Summary

**Bioaccumulative potential** 

Product/ingredient name	LogPow	BCF	Potential
9-Octadecenoic acid (Z)-, isooctyl ester, sulfurized	2,9	-	low

### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal state, provincial and or local environmental controls

#### **RCRA** classification

: : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

# **Section 14. Transport information**

**ADDITIN RC 8012** 56681756 Version 5/7

#### **Section 14. Transport information UN** number PG\* Regulatory **Proper shipping** Classes Label Additional information information name **DOT Classification** Not regulated. **IMDG Class** Not regulated. **IATA-DGR Class** Not regulated.

PG\*: Packing group

RQ : 0 lbs

# Section 15. Regulatory information

SARA 311/312 : None
SARA Title III Section 302 : None

**Extremely Hazardous** 

**Substances** 

SARA Title III Section 313

**Toxic Chemicals** 

: None

US EPA CERCLA Hazardous Subtances (40

CFR 302.4)

State regulations

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections on the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

<u>Ingredient name</u> <u>CAS number</u> <u>State Code</u> <u>Concentration</u>

(%) 100

9-Octadecenoic acid (Z)-, isooctyl ester, 68611-22-3

sulfurized

Massachusetts Substances: MA - S

Massachusetts Extraordinary Hazardous Substances: MA - Extra HS

New Jersey Hazardous Substances: NJ - HS

Pennsylvania RTK Hazardous Substances: PA - RTK HS Pennsylvania Special Hazardous Substances: PA - Special HS

### California Prop. 65


To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

U.S. Toxic Substances : Listed on the TSCA Inventory.

**Control Act** 

## Section 16. Other information

Hazardous Material Information System



0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme \*=Chronic

The customer is responsible for determining the PPE code for this material. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

ADDITIN RC 8012 56681756 Version 3 **6/7** 

### Section 16. Other information

National Fire Protection Association (U.S.A.)



0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Date of issue : 08-25-2015 Date of previous issue : 07-23-2015

Version : 3

**Product Safety and Regulatory Affairs** 

**✓** Indicates information that has changed from previously issued version.

#### **Notice to reader**

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of LANXESS Corporation. The information in this SDS relates only to the specific material designated herein. LANXESS Corporation assumes no legal responsibility for use of or reliance upon the information in this SDS.