



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

SECTION 1. IDENTIFICATION

Product identifier

Trade name : ZINC STEARATE TX VEG HYDENSE CODE 8600

Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Manufacture of plastics products, Manufacture of rubber products, Manufacture of soap and detergents, cleaning and polishing mixtures, Manufacture of paper and paperboard, Manufacture of glues
Polymer additive
Lubricant and release agent, water repellent agent

Recommended restrictions on use : None known.

Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC
5890 Highland Ridge Drive
Cincinnati, OH 45232

Telephone : Day 330-602-1528\ or 330-602-1531
: Night 513-207-1620 or 513-604-2327

E-mail address : Hotline.PS@baerlocher.com

Responsible/issuing person : Product Safety Department

Emergency telephone number (0 - 24 h)

Tel.: 800-424-9300 USA or 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Other hazards

Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : Zinc salt of C16 - C18 fatty acids.
CAS-No. 557-05-1



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.

In case of skin contact : Wash off with plenty of water.

In case of eye contact : Rinse with plenty of water.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed : No information available.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
Sand

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Smoke and fumes, toxic.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Remove all sources of ignition.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Methods and materials for containment and cleaning up : Use mechanical handling equipment.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Take precautionary measures against static discharges.
Keep away from sources of ignition - No smoking.
Avoid formation and buildup of dust.



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

Conditions for safe storage : Store at room temperature in the original container.
Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Zinc compounds	Trade Secret	PEL	15 mg/m ³ (total dust)	OSHA Z-1
		PEL	5 mg/m ³ (Respirable frac- tion)	OSHA Z-1
		TWA	10 mg/m ³ (total dust)	NIOSH REL
		TWA	5 mg/m ³ (Respirable frac- tion)	NIOSH REL
		TWA	10 mg/m ³ (Respirable dust)	ACGIH
		TWA	5 mg/m ³ (Respirable frac- tion)	ACGIH
General limits for air contami- nants (PNOC)	Not Assigned	air 8 h (total dust)	15 mg/m ³	OSHA Z-3
		air 8 h (Res- pirable frac- tion)	5 mg/m ³	OSHA Z-3
		air 8 h (in- halable dust)	10 mg/m ³	ACGIH
		air 8 h (Res- pirable frac- tion)	3 mg/m ³	ACGIH

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an
approved filter.
Half mask with a particle filter P2 (EN 143)

P1 filter respirator for inert particles

Hand protection

Remarks : protective gloves acc. to EN 374, e.g. neoprene

Eye protection : Safety glasses



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

Skin and body protection	:	Long sleeved clothing
Protective measures	:	antistatic shoes
Hygiene measures	:	When using do not eat or drink. Do not smoke. Wash hands before breaks and at the end of workday. Shower or bathe at the end of working. Keep working clothes separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Pastilles
Color	:	off-white
Odor	:	slight
Odor Threshold	:	No data available
pH	:	7 - 9 (20 °C)
Melting point/range	:	120 - 122 °C Method: Kofler Hot Bar (OECD 102)
Boiling point/boiling range	:	No data available
Flash point	:	>> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit	:	No data available
Lower explosion limit	:	30-35 g/m ³
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.10 g/cm ³ Method: OECD Test Guideline 109
Solubility(ies)		
Water solubility	:	0.9 mg/l (20 °C) Method: OECD Test Guideline 105
Partition coefficient: n-	:	Pow: 1.2Method: OECD Test Guideline 107



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No decomposition if stored and applied as directed.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Conductivity : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable at normal ambient temperature and pressure.

Chemical stability : No decomposition if stored normally.

Possibility of hazardous reactions : Risk of dust explosion.

Conditions to avoid : Avoid dust formation.
Keep away from heat and sources of ignition.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Remarks: Read-across (Analogy)

LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423

Remarks: Based on available data, the classification criteria are not met.

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

LC50 (Rat): > 50 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

Remarks: Based on available data, the classification criteria are not met.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Species: Rabbit
Method: OECD Test Guideline 404
Result: not irritating
Remarks: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Species: Rabbit
Result: not irritating
Method: OECD Test Guideline 405
Remarks: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Skin sensitisation
Patch test on human volunteers did not demonstrate sensitisation properties.
Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation
Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: Read-across (Analogy)
: Method: standardised international/national methodology
Result: negative
Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Remarks: Read-across (Analogy)
: Method: standardised international/national methodology
Result: negative
Remarks: Based on available data, the classification criteria are not met.



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

Carcinogenicity

Product:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or OSHA at or above reportable quantities.

Reproductive toxicity

Product:

Effects on fertility : Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development : Remarks: Read-across (Analogy)
Remarks: Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Repeated dose toxicity

Product:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Based on available data, the classification criteria are not met.



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Directive 67/548/EEC, Annex V, C.1.

Remarks: Read-across (Analogy)

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg Zn/L
Exposure time: 96 h
Test Type: static test
Method: standardised international/national methodology

Remarks: Read-across (Analogy)

(Pimephales promelas (fathead minnow)): 0,330 - 0,780 mg Zn/L

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Remarks: Read-across (Analogy)

LC50 (Ceriodaphnia dubia (water flea)): 0.147 - > 0,53 mg Zn/l

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 19.3 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: semi-static test
Method: OECD Test Guideline 201
GLP: yes

Remarks: Value referred to the Water accumulated fraction (WAF).

EC10 (Pseudokirchneriella subcapitata (green algae)): 3.31 mg/l
Exposure time: 72 h



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

Test Type: semi-static test
Method: OECD Test Guideline 201
GLP: yes
Remarks: Value refered to the Water accumulated fraction (WAF).

Toxicity to fish (Chronic toxicity) : Remarks: Read-across (Analogy)

NOEC: 0,044 - 0,530 mg Zn/L
Test Type: Fresh water

Remarks: Read-across (Analogy)

NOEC: 0,025 mg Zn/L
Test Type: Marine water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: Read-across (Analogy)

NOEC: 0,037 - 0,400 mg Zn/L
Test Type: Fresh water

Remarks: Read-across (Analogy)

NOEC: 0,0056 - 0,9 mg Zn/L
Test Type: Marine water

Toxicity to bacteria : NOEC (Photobacterium phosphoreum): 1,560 mg/l

Exposure time: 0.5 h

Test Type: static test

Method: DIN 38412 T 34

GLP:

: GLP:

Remarks: Read-across (Analogy)

: EC50 (activated sludge): 5,2 mg Zn/l

Exposure time: 3 h

Test Type: static test

Method: OECD Test Guideline 209

GLP: no

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Not applicable



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

Mobility in soil

Product:

Mobility : Remarks: According to experience not expected

Other adverse effects

Product:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.

Endocrine disrupting potential : No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Consult an expert on the disposal of recovered material. Ensure disposal in compliance with government requirements and ensure conformity to local disposal regulations. Dispose in accordance with local, state and federal regulations.

Contaminated packaging : Empty containers must be handled with care due to product residue.

SECTION 14. TRANSPORT INFORMATION

National Regulations

DOT

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

SECTION 15. REGULATORY INFORMATION

SARA 313

: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	Wt.
Zinc Compounds (N982)	557-05-1	100

The components of this product are reported in the following inventories:

EINECS	listed
TSCA	listed
DSL	listed
AICS	listed
ECL	listed
ENCS	listed
PICCS	listed
CHINA	listed

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECA - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level;



ZINC STEARATE TX VEG HYDENSE CODE 8600

Version 1.3

Revision Date 08/05/2019

NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

HMIS III:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 08/05/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN