

English ver.4 Revision date: 4th.Jan.2021

### SECTION I: IDENDIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

### Product identifier name of the product

Substance Name

## HIKOTACK® P-110S

Chemical family

Petroleum hydrocarbon resin

Cas number

64742-16-1

**EC Number** 

265-116-8

Reach registration number

Polymer exempt

### • Relevant identified uses of the substance or mixture and uses advised against :

Identified uses

Additive for adhesives, paints, coatings, inks

Uses advised against

None known

### Details of the supplier of the safety data sheet

Company name

**KOLON INDUSTRIES** 

Address

9th FL, One&Only tower, Magokdong-ro 110,

Gangseo-gu, Seoul, KOREA (07793)

Telephone / Fax

(82) 2 3677 6121 / (82) 2 3677 6191

E-mail address

gilee74@kolon.com

### Emergency telephone

For emergency health, safety & environmental information

(82) 2 3671 6124

### **SECTION 2: HAZARDS IDENTIFICATION**

### Classification of the substance or mixture

HIKOTACK P-110S page1 of 14



English ver.4 Revision date: 4th.Jan.2021

## (EC) No 1272/2008[CLP]

Not classified as dangerous for supply/use.

### Label elements

Hazard pictograms

None

Signal word

None

Hazard statements

None

Additional precautionary statements

None

### Other hazards

None

## **SECTION 3: COMPOSITION, INFORMATION ON INGREDIENTS**

### General information

Component	Cas number	EC No	Weight % range
Petroleum hydrocarbon resin	64742-16-1	265-116-8	100

### Classification

Component	Classification
Petroleum hydrocarbon resin	CLP : Not classified

### **SECTION 4: FIRST AID MEASURES**

### Description of first aid measures

After eye contact

Get medical attention immediately.

After skin contact

Get medical attention if needed.

Dry and wash thoroughly contaminated clothing and shoes before reuse.

Remove contaminated clothing and shoes. Wash immediately skin.

With soap and water for at least 15 minutes.

### After inhalation

Give artificial respiration if victim is not breathing.

HIKOTACK P-110S page2 of 14



English ver.4 Revision date: 4th.Jan.2021

Move victim to non-contaminated place if side effect occurred.

Get medical attention immediately.

### After ingestion

Get medical attention if swallowed amount of substances.

### Most important symptoms and effects

### Both acute and delayed effects

Burns should be treated as thermal burns. The material will come off as healing occurs; therefore, immediate removal from the skin is not necessary.

### Indication of immediate medical attention and notes for physician hazards

#### Hazards

Contact with molten substance/product may cause severe burns to skin and eyes.

### **Treatment**

Treat symptomatically

#### **SECTION 5: FIRE FIGHTING MEASURES**

### Exitinguishing media

Suitable extinguishing media

Dry chemical, CO<sub>2</sub>, water spray, regular foam

Unsuitable extinguishing media

Not available

### Specific hazards arising from the substance or mixture

Thermal decomposition products

Carbon oxides, nitrogen oxides

Fire and explosive hazard

It could be a slight fire hazard.

### Advice for firefighters

Move containers from fire area if you can do it without risks.

Do not scatter spilled material with high pressure water streams.

Mank an embankment for further processing.

Use extinguishing agent suitable for type of surrounding fire.

Avoid inhalation of the substance or combustion products.

Stay upwind and keep out of low areas.

HIKOTACK P-110S page3 of 14



English ver.4 Revision date: 4th.Jan.2021

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Keep away from waterways and sewers.

Isolate exposed area.

Keep unauthorized personnel away.

Move materials to suitable containers for later disposal.

### Environmental precautions

Atomosphere

Not available

Land

Not available

Underwater

Do not release spillage into sewers.

### Methods and material for containment and cleaning up

Small spill

Dispose waste as waste synthesis resin(general waste).

Large spill

Collect and then recycle or dispose as a waste resin(general waste).

### Reference to other sections

See also section 8 and 13 of the safety data sheet.

### **SECTION 7: HANDLING AND STORAGE**

### Precautions for safe handling

Prevent skin and eye contact

Avoid contact in the molten state by heat and vapor inhalation.

When static electricity generates, remove by grounding, cleaning work space, and using articles preventing electrification.

## Conditions for safe storage, including any incompatibilities

Minimize generation and accumulation of dust store in a cool, dry, well-ventilated area.

Avoid contact with straight sunlight.

Store and use by regulation of central government and local self-government.

### Specific end use(s)

Adhesive, paints, coatings, inks

HIKOTACK P-110S page4 of 14



English ver.4 Revision date : 4th.Jan.2021

## **SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION**

### Control parameters

Occupational exposure limits

**ACGIH** regulation

Not available

Biological exposure index

Not available

**OSHA** 

TWA - 5 mg/m<sup>3</sup> (respirable dust fraction)

NIOSH regulation

Not available

EU regulation

Not available

### Exposure controls

### Appropriate engineering controls

Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of vapor below their respective threshold limit value. Check legal suitability of exposure level.

### Individual protection measures, such as personal protective equipment

### Respiratory protection

Wear NIOSH or european standard EN 149 approved full or half face piece(with goggles) respiratory protective equipment when necessary.

Air respirator are required in case of high frequency use or severe exposure

Air-purifying respirator(high efficiency particulate absorber)

In case of unknown concentrations or urgent risk of life/health

Air-line mask(combination airline breathing mask)

Air-breathing apparatus(full facepiece)

### Eye protection

Wear safety glasses(goggles) to protect eyes from dust.

### Hand protection

Wear appropriate protective gloves to prevent exposure of skin.

#### Body protection

Wear appropriate protective clothing to prevent exposure of skin.

## Environmental exposure controls

Not available

HIKOTACK P-110S page5 of 14



English ver.4 Revision date: 4th.Jan.2021

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## >Information on basic physical and chemical properties

Apperance

**Description** 

Solid

Color

Yellow

Odor

Petrochemical odor

Odor threshold

Not available

• pH

Not available

Melting point/freezing point

107~113°C(Softening point)

• Initial boiling point and boiling range

Not available

Flash point

>270°C

Evaporation rate

Not applicable

Flammability(solid, gas)

Not available

• Upper/lower flammability or explosive limits

Not applicable

Vapor pressure

Not applicable



English ver.4 Revision date: 4th.Jan.2021

## Solubility(ies)

Insoluble

### Vapor density

Not applicable

## Specific gravity

1.05~1.10

## Partition coefficient(n-octanol/water)

Not applicable

## Auto ignition temperature

Not available

## Decomposition temperature

Not available

## Viscosity

110 cps(200°C)

## Explosive properties

Not available

## Oxidizing properties

Not available

## Molecular weight

Approx. 1,500 (Mw)

### Other information

Surface tension

Not available

### **SECTION 10: STABILITY AND REACTIVITY**

## • Reactivity/chemical stability/possibility of hazardous reactions

Stable under normal temperatures and pressures.

It will not occur polymerization reaction.



English ver.4 Revision date: 4th.Jan.2021

### Condition to avoid

Avoid heat, flames, sparks and other sources of ignition.

### Incompatible materials

Strong oxidizing agent

### Hazardous decomposition products

Carbon oxides, nitrogen oxides

### **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on toxicology effects

### Acute toxicity

Oral: Not classified LD50 = 7,000mg/kg(rat)

Dermal: Not classified

Inhalation(dust/mist): Not classified

### Skin corrosion/irritation

Not classified

Skin irritation test: not irritative based on primary irritation index = 0

## Serious eye damage/irritation

Not classified

## Respiratory sensitization

Not available

### Skin sensitization

Not classified

#### Carcinogenicity

Not available

IARC: Not available NTP: Not available OSHA: Not available WISHA: Not available ACGIH: Not available

### Mutagenicity

Not available

### Reproductive toxicity

Not classified

## Specific target organ toxicity(single exposure)

Not available

### Specific target organ toxicity(repeat exposure)

Not classified

HIKOTACK P-110S page8 of 14



English ver.4 Revision date: 4th.Jan.2021

## **Aspiration hazard**

Not available

## **SECTION 12: ECOLOGICAL INFORMATION**

## Acute toxicity

Fish

Not classified

**Invertebrates** 

Not available

Crustacea

Not classified

Algae

Not classified

### Chronic toxicity

Fish

Not available

Crustacea

Not available

<u>Algae</u>

Not available

## Persistence and degradability

<u>Persistence</u>

Not readily degradable. And there were persistence possibility with insoluble.

**Degradability** 

Not available

## Bioaccumulative potential

Bioaccumulation

Not available

**Biodegradation** 

Non-biodegradable

### Mobility in soil

Not available

## Results of pbt and vPvB assessment

Not available

HIKOTACK P-110S page9 of 14



English ver.4 Revision date: 4th.Jan.2021

### Other adverse effects

Not available

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### Disposal method

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

### Disposal precaution

Consider the require attentions in accordance with waste treatment management regulation.

### **SECTION 14: TRANSPORT INFORMATION**

#### UN number

Not applicable

### • UN proper shipping name

Not applicable

### Transport hazard class

Not applicable

## Packing group

Not applicable

#### Environmental hazards

Not applicable

### Information note

In case of fire

Not applicable

In case of leakage

Not applicable

### • Transport in bulk according to annex II of marpol 73/78 and the ibc code

Not applicable

HIKOTACK P-110S page10 of 14



English ver.4 Revision date: 4th.Jan.2021

## **SECTION 15: REGULATORY INFORMATION**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU CLP 2008** 

Classification

Not regulated

Hazard statement codes

Not regulated

Precautionary statement codes

Not regulated

EU SVHC list

Not detected

EU Authorization list

Not applicable

EU Restriction list

Not applicable

### Inventory status

Country	Inventory	status
United states	TSCA	listed
Canada	DSL	listed
Europe	EINECS	listed
Australian	AICS/NICNAS	listed
Japan	MITI	listed
Korea	KECI	listed
Philippines	PICCS	listed
China	IECSC	listed

## Foreign regulatory information

U.S.A Management information

OSHA(29CFR1910.119)

Not regulated

CERCLA 103(40CFR302.4)

Not regulated

EPCRA 302(40CFR355.3)

Not regulated

HIKOTACK P-110S page11 of 14



English ver.4
Revision date: 4th.Jan.2021

EPCRA 304(40CFR355.4)
Not regulated
EPCRA 313(40CFR372.65)
Not regulated

### Chemical safety assessment

None

## **SECTION 16: OTHER INFORMATION**

### Indication of changes

<u>Version</u>

Rev. 4

Revision date

04 January 2021

### Abbreviation and acronyms

CLP: Classification labelling packaging regulation; regulation (EC) No 1272/2008

CAS no.: Chemical abstracts service number

DNEL: Derived no effect level

EC Number: EINECS and ELINCS number(see also einecs and elinecs)

EU: European union

OSHA: European agency for safety and health at work PBT: Persistent, bioaccumulative and toxic substance

PNEC(s): Predicted no effect concentration(s)

REACH: registration, evaluation, authorisation and restriction of chemicals

regulation EC No 1907/2006

SVHC: Substance of very high concern

vPvB: Very persistent and very bioaccumulative

### · Key literature reference and sources for data

Korea occupational health&safety agency(SDS)

(http://www.kosha.or.kr)

The product analysis conducted by research institute of KOLON INDUSTRIES, Inc. (chemical)

Korea testing and research institute for chemical industry skin irritation test data (TBH-000125(2004), test method: the notice 1999 of korea food and drug administration. Korea testing and research institute for chemical industry hazardous chemical substance analysis data

HIKOTACK P-110S page12 of 14



English ver.4 Revision date: 4th.Jan.2021

The SDS data published by antioxidant manufacturer

Chemical risk information platform(CHRIP) - (http://www.safe.nite.go.jp/english/db.html)

Quantitative structure activity relation(QSAR)

International uniform chemical information database(IUCLID) - (http://ecb.jrc.it/esis)

## Classification and procedure used to derive the classification for mixtures according to regulation (EC) No 1272/2008

Not applicable [CLP]

### Relevant r-phrases and/or h-statements(Number and full text)

Not applicable

### Trainging advice

Do not handle until all safety precautions have been read and understood

### Further information

This safety data sheet is based on the legal provisions of the reach regulation, as amended. Its contents are intended as a guide to the appropriate precautionary handling of the material. It is the responsibility.

### ANNEX TO THE SDS

### Exposure assessment

HIKOTACK P-110S is not classified for human health or the environment, is not a CMR and is not PBT or vPvB. An exposure assessment and the calculation of risk characterization ratios are therefore not required.

The information contained herein is to the best of our knowledge and belief accurate. Since SDS is to provide information on the health/safety/environment to users of the substance, data written here do not mean to ensure properties of matter or spec.

HIKOTACK P-110S page13 of 14