



SAFETY DATA SHEET

Issue Date 03-Mar-2017

Revision Date 16-Jul-2025

Version 1

1. IDENTIFICATION

Product identifier

Product Name Kaneka Kane Ace M-570

Other means of identification

Product Code RM00056
UN/ID no Not regulated
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Kaneka North America LLC
6161 Underwood Road
Pasadena, TX 77507
Telephone: 281-447-0755
Email: Product.Stewardship@Kaneka.com

Emergency telephone number

Company Phone Number 281-474-1814
Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

Not classified

Hazard statements

None

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance powder

Physical state Solid

Odor Slight acrylic Ester

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May form combustible dust concentrations in air

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance
Chemical Family Impact Modifier Resin.

Chemical Name	CAS No	Weight-%	Trade Secret
Acrylic Polymer	Proprietary	>/=98.5	*
Water	7732-18-5	<1.5	*

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.
*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician if irritation persists.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Consult a physician if necessary.
Inhalation	Move to fresh air in case of accidental inhalation of vapors. If breathing is irregular or stopped, administer artificial respiration. Administer oxygen if breathing is difficult. Call a physician.
Ingestion	Do NOT induce vomiting. If swallowed, call a poison control center or physician immediately.

Most important symptoms and effects, both acute and delayed
Symptoms May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed
Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire Dry chemical or CO2.

Large Fire Water spray or fog. Move containers from fire area if you can do it without risk.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire. Remove all sources of ignition. Keep away from heat.

Specific hazards arising from the chemical

Dusts or fumes may form explosive mixtures in air.

Hazardous combustion products Carbon oxides. Hydrocarbons.

Explosion data
Sensitivity to Mechanical Impact Not impact sensitive.

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective gloves/protective clothing and eye/face protection.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Cover powder spill with plastic sheet or tarp to minimize spreading. Prevent dust cloud.

Methods for cleaning up Avoid creating dust. Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal. Sweep-up or vacuum spilled solid (an explosion-proof vacuum should be used).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Protect from direct sunlight. Keep from freezing.

Incompatible materials Strong oxidizing agents. oxidized and non-oxidized hydrocarbons.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Cumene 98-82-8	TWA: 50 ppm	TWA: 50 ppm TWA: 245 mg/m ³ (vacated) TWA: 50 ppm (vacated) TWA: 245 mg/m ³ (vacated) S* S*	IDLH: 900 ppm TWA: 50 ppm TWA: 245 mg/m ³
1,3-Butadiene 106-99-0	TWA: 2 ppm	TWA: 1 ppm (vacated) TWA: 1000 ppm Butadiene (vacated) TWA: 2200 mg/m ³ Butadiene STEL: 5 ppm see 29 CFR 1910.1051	IDLH: 2000 ppm
n-Butyl acetate 123-86-4	STEL: 150 ppm TWA: 50 ppm	TWA: 150 ppm TWA: 710 mg/m ³ (vacated) TWA: 150 ppm (vacated) TWA: 710 mg/m ³ (vacated) STEL: 200 ppm (vacated) STEL: 950 mg/m ³	IDLH: 1700 ppm TWA: 150 ppm TWA: 710 mg/m ³ STEL: 200 ppm STEL: 950 mg/m ³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers. Mechanical ventilation should be grounded due to potential accumulation of dusts.

Individual protection measures, such as personal protective equipment

- Eye/face protection** Wear safety glasses with side shields (or goggles).
- Skin and body protection** Wear protective gloves and protective clothing. Nitrile. Neoprene. Tyvec.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	Odor	Slight acrylic Ester
Appearance	powder	Odor threshold	No data available
Color	white		

<u>Property</u>	<u>No data available</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	1.0-1.2	
Water solubility	Insoluble in water	
Solubility in other solvents	organic solvents (toluene, benzen, etc.)	
Partition coefficient	No information available	
Autoignition temperature	460-470 °C	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	May form explosive mixtures with air	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No data available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under conditions of normal temperature and pressure.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Incompatible materials. Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents. oxidized and non-oxidized hydrocarbons.

Hazardous Decomposition Products

Carbon oxides. Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Irritating to eyes, skin and respiratory tract
Inhalation	May cause irritation of respiratory tract.
Eye contact	May cause irritation.
Skin contact	May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.
Ingestion	May cause irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-

Information on toxicological effects

Symptoms May cause an allergic skin reaction.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Irritating to eyes and skin.
Sensitization	Repeated or prolonged contact may cause allergic reactions in very susceptible persons. May cause sensitization in susceptible persons.
Germ cell mutagenicity	None known.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
Developmental Toxicity	No information available.
STOT - single exposure	None under normal use conditions.
STOT - repeated exposure	None under normal use conditions.
Aspiration hazard	Not applicable.

Numerical measures of toxicity - Currently there is no toxicological data available for these products. Similar polymers have an LD50 Oral-Mouse of >10,000 mg/kg

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

Release of large quantities of these products to a terrestrial or aquatic environment may cause harm to contaminated plants and animals.

Persistence and degradability

Not readily biodegradable.

Bioaccumulation

MATERIAL DOES NOT BIOACCUMULATE.

Mobility in soil

Other adverse effects No data currently available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Listed on U.S. TSCA
DSL/NDSL	Listed on the DSL
EINECS/ELINCS	REACH Compliant
ENCS	Listed on ENCS
IECSC	Listed on IECSC
KECL	Listed on KECL
PICCS	Listed on PICCS
AICS	Listed on the AICS

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Styrene 100-42-5	1000 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Styrene 100-42-5	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

Chemical Name	California Proposition 65
Styrene - 100-42-5	Carcinogen

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 2	Flammability 1	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X

Issue Date 03-Mar-2017

Revision Date 06-May-2020

Revision Note

Not applicable

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet