

CERIDUST 9615 A

Page 1

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Plastics & Coatings (Deutschland) GmbH Frankfurt am Main, 65926 Telephone No.: +49 69 305 18000 Information of the substance/preparation: Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com
	Emergency tel. number: +1 800-424-9300 CHEMTREC
Trade name: Material number:	CERIDUST 9615 A 105192

Primary product use:	Additive
Chemical family:	Polyethylene wax, modified

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements	
---------------------------	--

Signal word	:	Warning
Hazard statements	:	May form combustible dust concentrations in air.
Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P243 Take precautionary measures against static discharge. P233 Keep container tightly closed.

Other hazards

Dust can form an explosive mixture in air. Avoid dust formation and electrostatic charging.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components



CERIDUST 9615 A

Page 2

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

Chemical name			CAS-No.	Concentration (% w/w)
Product			Not Assigned	100
CTION 4. FIRST AID MEASURES				
General advice	:	Get	medical advice/ att	ention if you feel unwell.
If inhaled	:	Give Get	immediate medical	I respiration if needed.
In case of skin contact	:	othe imm	er symptoms occur. herse the area in wa	ater. Contact physician if irritation or If hot wax strikes skin, drench or ater to assist cooling. Do not remove t cools. Consult a physician.
In case of eye contact	:	for a Get	at least 15 minutes.	plenty of water, also under the eyelids
If swallowed	:	Doi	vallowed, DO NOT not give anything to a physician immed	drink.
Most important symptoms and effects, both acute and delayed	:	labe The	elling (see section 2	s known are those derived from the). wn are those derived from the labelling
Notes to physician	:	Trea	at symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Foam Water spray jet Dry powder
Unsuitable extinguishing media	:	High volume water jet Carbon dioxide (CO2)
Specific hazards during firefighting	:	None known.
		Electrical grounding of equipment is required to prevent possible dust explosion. Emits toxic fumes under fire conditions.



CERIDUST 9615 A

Page 3

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

Further information	:	Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.
Special protective equipment for firefighters	:	Impervious clothing Protective helmets

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Wear suitable protective equipment. Collect into suitable container. Electrical grounding of equipment is required when handling powder to prevent possible dust explosion.
Environmental precautions	:	The product should not be allowed to enter drains, water courses or the soil.
Methods and materials for containment and cleaning up	:	Take up mechanically

SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	Keep away sources of ignition.	
	Take measures to prevent the build up of electrostatic charge.	
	Observe the general rules of industrial fire protection	
Advice on safe handling :	Avoid dust formation. Keep away from sources of ignition. Lead off electrostatic charges. Avoid inhalation, ingestion and contact with skin and eyes. Wash thoroughly after handling.	
Further information on : storage conditions	Store in original container. Keep container tightly closed. Store in a cool, dry, well-ventilated area.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	



CERIDUST 9615 A

Page 4

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

N,N'-Ethylenedi(stearamide)		110-30-5	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
			TWA (Respirable particulate matter)	3 mg/m3	ACGIH
Engineering measures	:		exhaust ventila els below exposi	tion and/or dust colle ure limits.	ction to
Personal protective equipme	nt				
Respiratory protection	:			respirators following ons where dust or fu	me may be
Hand protection Remarks	:	Nitrile rubber	gloves.		
Eye protection	:	Safety glasses	s or chemical sp	lash goggles.	
Skin and body protection	:	Wear suitable	protective equip	oment.	
Protective measures	:	When working	with hot materia	al, avoid contact with	skin.
Hygiene measures	:	When using d	o not eat, drink o	d at the end of worko or smoke. ore handling the proc	-

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: fine powder
Colour	: white
Odour	: not specified
Odour Threshold	: not required
рН	: Not applicable
Drop point	: approx. 284 °F / 140 °C Method: DIN/ISO 2176
Boiling point	: not determined



CERIDUST 9615 A

Page 5

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

Flash point	:	approx. 500 °F / 260 °C
		Method: DIN 51758
Evaporation rate	:	not determined
Self-ignition	:	Method: Expert judgement The substance or mixture is not classified as pyrophoric. The substance or mixture is not classified as self heating.
Burning number	:	2 (68 °F / 20 °C) Method: VDI 2263, ESCIS, Vol. 1 GLP: no Short flaring up without spreading
		2 (212 °F / 100 °C) Method: VDI 2263, ESCIS, Vol. 1 GLP: no Short flaring up without spreading
Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	no data available
Density	:	ca. 0.99 g/cm3 (73 °F / 23 °C) Method: ISO 1183
Solubility(ies) Water solubility	:	insoluble (68 °F / 20 °C)
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	500 °F / 260 °C Method: DIN EN 50281-2-1
Decomposition temperature	:	The product does not contain any chemical groups which suggest self-reactive properties, nor is the estimated SADT less than 75 °C, nor is the exothermic decomposition energy higher than 300 J/g.



CERIDUST 9615 A

Page 6

Substance key: SXR021259		Revision Date: 05/10/2022
Version : 5 - 6 / USA		Date of printing :07/18/2022
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive Method: Expert judgement
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Method: Expert judgement GLP: no The product does not contain organic peroxide-groups which result from either the manufacturing process or from added ingredients.
Molecular weight	:	no data available
Dust deflagration index (Kst)	:	359 m.b_/s
Dust explosion class	:	St3
Metal corrosion rate	:	Not applicable
Minimum ignition energy	:	1 - 3 mJ Method: DIN EN 13821 with inductive electrical resistance

1 - 3 mJ Method: DIN EN 13821 without inductive electrical resistance

Particle size : 6 µm Method: ISO 13320-1 Median value

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use. The substance or mixture does not emit flammable gases in contact with water. Not corrosive to metals Risk of dust explosion. Stable
Conditions to avoid	:	None
Incompatible materials	:	none



CERIDUST 9615 A

Page 7

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

Hazardous decomposition
products:When handled and stored appropriately, no dangerous
decomposition products are known
The product does not contain any chemical groups which
suggest self-reactive properties, nor is the estimated SADT
less than 75 °C, nor is the exothermic decomposition energy
higher than 300 J/g.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Skin contact Inhalation

Acute toxicity

Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	Remarks: no data available
Acute dermal toxicity	:	Acute toxicity estimate: 5,000 mg/kg Method: Calculation method

Skin corrosion/irritation

Product:

Species: Rabbit Exposure time: 72 h Assessment: No skin irritation Result: No skin irritation

Serious eye damage/eye irritation

Product:

Species: Rabbit Result: No eye irritation Assessment: No eye irritation

Respiratory or skin sensitisation

Product:

Remarks: no data available

Germ cell mutagenicity

Product: Germ cell mutagenicity -Assessment

: No information available.



CERIDUST 9615 A

Page 8

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

Carcinogenicity	
Product:	
Carcinogenicity - Assessment	: No information available.
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	
Product:	
Reproductive toxicity - Assessment	: No information available.
STOT - single exposure	
Product: Remarks: no data available	
STOT - repeated exposure	
Product:	
Remarks: no data available	
Repeated dose toxicity	
Product:	
Remarks: This information is r	not available.
Aspiration toxicity	
Product:	
no data available	
Experience with human exp	osure
Product:	
General Information	: The possible symptoms known are those derived from the labelling (see section 2).



CERIDUST 9615 A

Page 9

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

Further information

Product:

Remarks: According to experience, the product is considered to be harmless to health if used in the correct manner

By analogy with a product of similar composition

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish		
	•	Remarks: no data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: no data available
Toxicity to algae/aquatic plants	:	Remarks: no data available
Toxicity to microorganisms	:	Remarks: no data available
Persistence and degradabilit	ty	
Product:		
Biodegradability	:	Remarks: This property is substance-specific and therefore cannot be given for the preparation.
Bioaccumulative potential		
Bioaccumulative potential Product:		
•	:	Remarks: no data available
Product:	:	Remarks: no data available
Product: Bioaccumulation Mobility in soil	:	Remarks: no data available
Product: Bioaccumulation Mobility in soil no data available	:	Remarks: no data available Remarks: no data available



CERIDUST 9615 A

Page 10

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
RCRA - Resource Conservation and Recovery Authorization Act	:	This product, if discarded as sold, is not a Federal RCRA hazardous waste.
Waste Code	:	NONE
Waste from residues	:	Dispose of spilled or waste product, contaminated soil and other contaminated materials in licensed landfill or treatment facility in accordance with all local, state, and federal regulations.
Contaminated packaging	:	Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14. TRANSPORT INFORMATION

DOT	not restricted		
ΙΑΤΑ	not restricted		
IMDG	not restricted		

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Combustible dust
SARA 311/312 Hazards	: Compustible dust

SARA 313: This material does not contain any chemical components with
known CAS numbers that exceed the threshold (De Minimis)
reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).



CERIDUST 9615 A

Page 11

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

TSCA

: On TSCA Inventory, All components are compliant with the TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;



CERIDUST 9615 A

Page 12

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date

: 05/10/2022

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.



CERIDUST 9615 A

Page 13

Substance key: SXR021259	Revision Date: 05/10/2022
Version : 5 - 6 / USA	Date of printing :07/18/2022

US/EN