

TOYOCAT-SX60

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

PRODUCT IDENTIFIER:

MANUFACTURER:

ADDRESS:

TOYOCAT-SX60

TOSOH SPECIALTY CHEMICALS USA, Inc.

1720 Windward Concourse, Suite 125

Alpharetta, Georgia 30005

PHONE:

1-770-442-9501

EMERGENCY PHONE:

CHEMTREC 1-800-424-9300 OR 1-703-527-3887

RECOMMENDED USE:

General industrial products

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

Skin corrosion/irritation

Category 2

HAZARD SYMBOL:



SIGNAL WORD:

WARNING

HAZARD STATEMENTS:

Causes skin irritation

PREVENTION:

Wash thoroughly after handling.

Wear protective gloves.

RESPONSE:

If on skin (or hair): Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention.

Take off contaminated clothing and wash it

before reuse.



3. COMPOSITION/INFORMATION ON INGREDIENTS

OSHA

Chemical NameCAS #Hazardous(Y/N)Concentration (%)Substituted amineConfidentialY30-70SolventConfidentialY30-70

The exact identities of the ingredients of this product are considered confidential because they are a trade secret. The hazards associated with these ingredients are addressed in this document.

4. FIRST AID MEASURES

EYE CONTACT: Hold eyelids open and flush with a steady, gentle

stream of water for at least 15 minutes. Seek medical attention if eye irritation develops or

persists.

SKIN CONTACT: Remove contaminated clothing and shoes. Wash

with plenty of water, for at least 15 minutes. Seek medical attention if skin irritation develops or persists. Launder contaminated clothing and

shoes before re-use.

INGESTION: Do not induce vomiting. If victim is conscious and

alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek immediate medical attention. Do

not leave victim unattended.

INHALATION: If respiratory irritation or distress occurs, remove

victim to fresh air. Seek immediate medical

attention.

NOTES TO PHYSICIAN: All treatments should be based on observed

signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this

product may have occurred. Treat

symptomatically. No specific antidote available.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Water spray, fog, dry chemical, foam, CO₂

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Closed containers may rupture due to buildup of

pressure when exposed to extreme heat.



5. FIRE FIGHTING MEASURES (continued)

SPECIAL PROTECTIVE EQUIPMENT

FOR FIRE FIGHTERS:

Firefighters should wear NIOSH/MSHA-approved self-contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.

HAZARDOUS DECOMPOSITION

MATERIALS UNDER FIRE CONDITIONS: Oxides of carbon, oxides of nitrogen, ammonia.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Wear appropriate protective gear for the situation. (See Personal Protection Information in Section 8).

ENVIROMENTAL PRECAUTIONS:

Do not flush to drain. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

METHOD FOR CLEAN UP:

Extinguish or remove all sources of ignition. Absorb with an inert absorbent, sweep up and place in an appropriate closed container. Clean up residual material by washing area with water. Collect washings for disposal. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Handle material with suitable protection (See Section 8). Handle with adequate ventilation. Avoid breathing vapors. Avoid contact with eyes, skin and clothing.

VENTILATION:

General area dilution/exhaust ventilation.

CONDITIONS FOR SAFE STORAGE:

Store upright in a cool, dry, well ventilated area out of direct sunlight. Keep away from heat, open flames and ignition sources. Keep container tightly closed. Do not reuse container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES:

Set up hand-wash station and eyewash station

near work area.

General area dilution/exhaust ventilation.

EXPOSURE LIMITS:

None

SAFETY DATA SHEET: TOYOCAT- SX60- US-GHS Version Date Prepared: April 20, 2017 Supercedes: None (Page 3 of 7)



8. EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

PERSONAL PROTECTION MEASURES:

Respiratory protection:

When respirators are required, select

NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with regulatory standards and/or industrial recommendations. Self-contained or

supplied-air respiratory equipmment is

recommended.

Eye protection:

Safety glasses with side shields, goggles or face

shield are recommended.

Skin protection:

Skin contact should be minimized through the use of chemical-resistant gloves and boots, and

suitable protective clothing.

The following general measures should be taken when working or handling this material:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes of contact with this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

COLOR:

ODOR:

pH:

MELTING POINT:

BOILING POINT:

FLASH POINT:

AUTOIGNITION POINT:

EXPLOSIVE LIMITS(Lower):

EXPLOSIVE LIMITS(Upper): VAPOR PRESSURE:

VAPOR DENSITY:

EVAPORATION RATE:

RELATIVE DENSITY:

SOLUBILITY IN WATER:

PARTITION COEFFICIENT:

DECOMPOSITION TEMPERATURE:

VISCOSITY:

Liquid

Pale yellow

Ammonia-like

11 (@10% in methanol)

No data available

No data available

221F (105C)

No data available

No data available

No data available

< 13 Pa @ 20C (68F)

5.08 (Air = 1)

No data available

0.87

Insoluble

No data available

No data available

21 m.Pa.s @ 77F(25C)

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:

This material is stable under normal handling and

storage conditions described in Section 7.

CONDITIONS TO AVOID:

Heat, open flame, sparks, direct sunlight.

SAFETY DATA SHEET: TOYOCAT- SX60- US-GHS Version Date Prepared: April 20, 2017 Supercedes: None (Page 4 of 7)



10. STABILITY AND REACTIVITY (continued)

INCOMPATIBLE MATERIALS: Strong oxidizing agents, strong acids, copper,

zinc, aluminum and their alloys.

HAZARDOUS DECOMPOSITION

PRODUCTS:

Oxides of carbon, oxides of nitrogen, ammonia.

HAZARDOUS POLYMERIZATION: Not applicable

11. TOXICOLOGICAL INFORMATION

EYE CORROSION/IRRITATION:

Not an eye irritant, rabbit ((Data for solvent).

Moderate skin irritant, rabbit (Data for solvent).

ACUTE TOXICITY:

ACUTE ORAL TOXICITY: LD 50 > 2500 mg/kg, rat (Data for substituted

amine).

ACUTE DERMAL TOXICITY:

ACUTE INHALATION TOXICITY:

No data available.

No data available.

SKIN SENSITIZATION No data available.

GENETIC TOXICITY

No data available.

CARCINOGENICITY: This product does not contain any substances

that are considered by OSHA, NTP, IARC or ACGIH to be "probable" or "suspected" human

carcinogens.

REPRODUCTIVE TOXICITY: No data available.

STOT-SINGLE EXPOSURE: No data available.

STOT-REPEATED EXPOSURE: No data available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.

PERSISTENCE AND DEGRADABILITY: No data available.

MOBILITY IN SOIL: No data available.



13. DISPOSAL CONSIDERATION (INCLUDING CONTAINER)

RESIDUAL WASTE:

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS

incomplete, inaccurate or otherwise

inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from Federal laws and regulations. Consult state and local regulations regarding the proper disposal

of this material.

CONTAMINATED VESSELS AND

CONTAINERS:

Rinse containers before disposal. Do not allow

rinsate to enter the water systems. EPA Hazardous Waste = No

14. TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:

NOT REGULATED

UN NUMBER:

None

UN CLASS or DIVISION:

None

UN PACKING GROUP:

None None

LABELS: EMERGENCY GUIDE#:

None

15. REGULATORY INFORMATION

Inventory Status:

US (TSCA): Yes

Canada (DSL): Yes

EU (REACH): Pre-registered

Australia (AICS): Yes Japan (METI): Yes Korea (KECL): Yes

Where: Yes = all ingredients are listed on the inventory, Exempt = All ingredients are either on the inventory or exempt from the requirements of listing, No = Not determined, or one or more ingredients are not on the inventory and are not exempt from listing

SARA Title III Hazard Classes:

Fire Hazard: No

Reactive Hazard: No

Release of Pressure: No Acute Health Hazard: Yes

Chronic Health Hazard: No

SARA Extremely Hazardous Substances/CERCLA Hazardous Substances: None

California Proposition 65: This product does not contain any components that are regulated under Proposition 65.

SAFETY DATA SHEET: TOYOCAT- SX60- US-GHS Version Date Prepared: April 20, 2017 Supercedes: None (Page 6 of 7)



16. OTHER INFORMATION INCLUDING INFORMATION ON PREPARATION AND REVISION OF THIS SDS

National Fire Protection Association ("NFPA") Hazard Ratings:

Health: 1 (Slight)

Flammability: 1 (Slight) Reactivity: 0 (Minimal)

National Paint and Coatings Hazardous Materials Identification System ("HMIS") Hazard Ratings:

Health: 1 (Slight)

Flammability: 1 (Slight)

Physical Hazard: 0 (Minimal)

HISTORY:

Date previous SDS:

Date of issue: Reasons for Revision: None

April 20, 2017 GHS Format

Disclaimer: The information set forth herein has been gathered from standard reference materials and/or TOSOH SPECIALTY CHEMICALS USA, INC and its related, subsidiary and affiliated companies' test data and is to the best knowledge and belief of TOSOH SPECIALTY CHEMICALS USA, INC and its related, subsidiary and affiliated companies, accurate and reliable. Such information is offered solely for your consideration, investigation, and verification. and is not suggested or guaranteed that the hazard precautions or procedures mentioned are the only ones that exist. TOSOH SPECIALTY CHEMICALS USA, INC and its related, subsidiary and affiliated companies make no warranties, express or implied, and expressly disclaim any and all such warranties with respect to the use of such information or the use of specific material identified herein in combination with any other material or process, and assume no responsibility therefor. TOSOH SPECIALTY CHEMICALS USA, INC and its related, subsidiary and affiliated companies make no representation or warranty, express or implied, and EXPRESSLY DISCLAIM ANY AND ALL SUCH WARRANTIES, as to the usefulness, sufficiency, MERCHANTABILITY or FITNESS FOR ANY PURPOSE whatsoever of the materials identified herein. The purchaser bears sole responsibility for testing, evaluating and determining the suitability of these materials for whatever use(s), manufacturing and refining processes, and any other such application(s) for which it intends or ultimately makes of these materials. Purchaser bears sole responsibility for obtaining any and all regulatory, legal and governmental approval necessary for such use(s).

END OF SAFETY DATA SHEET

SAFETY DATA SHEET: TOYOCAT- SX60- US-GHS Version Date Prepared: April 20, 2017 Supercedes: None (Page 7 of 7)