

Printing date 04/25/2024

Version 8.00

Reviewed on 04/25/2024

**1 Identification****Product identifier**

**Trade name:** KRONOS Titanium Dioxide (non-pigmentary)  
**Product Codes** KRONOS 1020; KRONOS 3025

**CAS Number:** 13463-67-7

**EC number:** 236-675-5

**Relevant identified uses of the substance or mixture** Additive for application in  
Glass, vitreous enamels, ceramic products

**Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:** KRONOS (US), Inc.  
5430 LBJ Freeway, Suite 1700  
Dallas, Tx 75240  
+1 (972) 233-1700

**Emergency telephone number:** CHEMTREC: +1-800-424-9300 for transportation emergencies only (U.S.)  
KRONOS: +1-800-866-5600 for other product information (8:00 am – 5:00 pm, central time U.S.)

**2 Hazard(s) identification**

**Classification of the substance or mixture** The substance is not classified, according to the Globally Harmonized System (GHS).

**Label elements**  
**GHS label elements** Not applicable  
**Hazard pictograms** Not applicable  
**Signal word** Not applicable  
**Hazard statements** Not applicable

**Other hazards** No further relevant information available.

**3 Composition/information on ingredients****Chemical characterization: Substances**

**CAS No. Description:** CAS: 13463-67-7 Titanium dioxide  
**EC number:** 236-675-5

**4 First-aid measures****Description of first aid measures**

**General information** No special measures required.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact** Wash with water and soap and rinse thoroughly.

(Contd. on page 2)

US

**Printing date 04/25/2024**
**Version 8.00**
**Reviewed on 04/25/2024**
**Trade name: KRONOS Titanium Dioxide (non-pigmentary)**

(Contd. of page 1)

**After eye contact**                      **Rinse opened eye for several minutes under running water.  
If symptoms persist consult doctor.**

**After swallowing**                      **No special measures required.**

**Most important symptoms and effects, both acute and delayed**    **No further relevant information available.**

**Indication of any immediate medical attention and special treatment needed**                      **No further relevant information available.**

### 5 Fire-fighting measures

**Extinguishing media**  
**Suitable extinguishing agents**                      **Use fire fighting measures that suit the environment.  
The product is not flammable.**

**Special hazards arising from the substance or mixture**                      **None**

**Advice for firefighters**  
**Protective equipment:**                      **Use protective measures that suit the hazard conditions.**

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**                      **Not required.**

**Environmental precautions:**                      **No special measures required.**

**Methods and material for containment and cleaning up:**                      **Collect mechanically.  
Avoid formation of dust.**

**Reference to other sections**                      **See Section 8 for information on personal protective equipment.  
See Section 13 for disposal information.**

### 7 Handling and storage

**Handling**  
**Precautions for safe handling**                      **Provide vacuum dust collection if dust is formed.**  
**Information about protection against explosions and fires:**                      **No special measures required.  
The product is not flammable**

(Contd. on page 3)

Printing date 04/25/2024

Version 8.00

Reviewed on 04/25/2024

Trade name: KRONOS Titanium Dioxide (non-pigmentary)

(Contd. of page 2)

Conditions for safe storage, including any incompatibilities

Requirements to be met by

storerooms and receptacles: No special requirements.

Information about storage in one

common storage facility: Not required.

Further information about

storage conditions: Store in dry conditions.

## 8 Exposure controls/personal protection

Additional information about

design of technical systems: No further data; see Section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 13463-67-7 Titanium dioxide

ACGIH - TLV Long-term value: 10 TWA, mg/m<sup>3</sup>  
respirable fraction 1mg/m<sup>3</sup> TWA

OSHA - PEL Long-term value: 15\* mg/m<sup>3</sup>  
\*total dust, 8 hr TWA

Exposure controls

Personal protective equipment

General protective and hygienic  
measures

The usual precautionary measures for handling chemicals should be followed.

Titanium dioxide pigments are not irritants but as with all fine powders can absorb moisture and natural oil from the surface of the skin during prolonged exposure. Prolonged exposure should be avoided by wearing suitable protective gloves and clothing.

Breathing equipment:

If workplace exposure limits are exceeded, use respiratory protection according to national regulations.

Protection of hands:

Check protective gloves prior to each use for their proper condition. Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves:

The selection of suitable gloves depends on the type of job, the characteristics of all substances to be handled and on further marks of quality, which may vary from manufacturer to manufacturer. If the product is used in a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses

(Contd. on page 4)

US

Printing date 04/25/2024

Version 8.00

Reviewed on 04/25/2024

Trade name: KRONOS Titanium Dioxide (non-pigmentary)

(Contd. of page 3)

Body protection: Protective work clothing.

**9 Physical and chemical properties**

## Information on basic physical and chemical properties

## General Information

## Appearance:

Form:	Powder
Color:	White
Odor:	Odorless
Odor threshold:	Not relevant

pH-value (100 g/l) at 20°C (68°F): 5 - 8

Melting point/Melting range: &gt;1800°C (&gt;3,272°F)

Boiling point/Boiling range: Not determined

Flash point: Not applicable

Flammability (solid, gaseous): Product is not flammable.

Auto igniting: Not applicable

Danger of explosion: Product is not explosive.

Density:	20°C	Anatase	3,9 g/cm <sup>3</sup> (30 lbs/ U.S. gal.)
		Rutile	4,2 g/cm <sup>3</sup> (35 lbs/U.S. gal.)

Bulk density at 20°C (68°F): 350 - 900 kg/m<sup>3</sup>

Evaporation rate: Not applicable.

Solubility in / Miscibility with  
Water: Insoluble

Partition coefficient (n-octanol/water): Not applicable

Viscosity:  
dynamic: Not applicable.

## Other information

No further relevant information available.

**10 Stability and reactivity**

Reactivity: The substance is stable under normal use conditions.

(Contd. on page 5)

US

Trade name: KRONOS Titanium Dioxide (non-pigmentary)

(Contd. of page 4)

**Chemical stability**
**Thermal decomposition /  
conditions to be avoided:**

No decomposition under normal use conditions.

**Possibility of hazardous  
reactions**

No dangerous reactions known

**Conditions to avoid**

No further data; see Section 7.

**Incompatible materials:**

No further data; see Section 7.

**Hazardous decomposition  
products:**

No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects**
**Acute toxicity:**
**LD/LC50 values that are relevant for classification:**

CAS: 13463-67-7 Titanium dioxide

Oral LD50 &gt; 5,000 mg/kg (rat) (OECD 425)

Dermal LD50 &gt; 5,000 mg/kg (rabbit)

Inhalative LC50/4h &gt; 6.8 mg/l (rat)

**Primary irritant effect:**
**on the skin:**

No irritant effect.

OECD 404:

**on the eye:**

No irritant effect

OECD 405:

No irritant effect

Like any foreign body, particles (dust) can cause mechanical irritation.

**Sensitization:**

No sensitizing effects known.

OECD 406, OECD 429

No sensitizing effects.

**Subacute to chronic toxicity:**

CAS: 13463-67-7 Titanium dioxide

Oral NOAEL 3,500 mg/kg/d (rat) (90 d)

Dermal NOAEL mg/kg/d  
no relevant data available

Inhalative NOAEC 10 mg/m<sup>3</sup> (rat) (90 d)

**Additional toxicological  
information:**

Titanium Dioxide

On February 18, 2020, the European Union (EU) published the delegated regulation classifying certain powder titanium dioxide (TiO<sub>2</sub>) as a suspected carcinogen (Category 2) via inhalation under

(Contd. on page 6)

Trade name: KRONOS Titanium Dioxide (non-pigmentary)

(Contd. of page 5)

EU Regulation No 1272/2008 on classification, labelling, and packing (CLP) of substances and mixtures. Classification requirements came into force on October 1, 2021, mandating hazard labels be placed on certain TiO<sub>2</sub> powder products and certain powder mixtures containing TiO<sub>2</sub> sold into the EU market. This classification of TiO<sub>2</sub> is not based on new science but instead on older scientifically questioned animal test data. Other studies and extensive data, including separate epidemiologic studies of TiO<sub>2</sub> workers, have shown no TiO<sub>2</sub>-specific links to cancer. TiO<sub>2</sub> has been characterized by IARC as possibly carcinogenic to humans (Group 2B) through inhalation (not ingestion). It has not been characterized as a potential carcinogen by either NTP or OSHA.

**Carcinogenic categories****IARC (International Agency for Research on Cancer)**

: 2B

**NTP (National Toxicology Program)**

Substance is not listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

**12 Ecological information****Toxicity****Toxicity to fish****CAS: 13463-67-7 Titanium dioxide****LC50 > 10,000 mg/l (Sheepshead minnow)**

(semi-static, OECD 203 (acute toxicity for fish))

&gt; 1,000 mg/l (Pimephales promelas)

(static, EPA-540/9-85-006, Acute Toxicity Test for Freshwater Fish)

**Toxicity to Daphnia and other aquatic invertebrates****CAS: 13463-67-7 Titanium dioxide****LC50 > 10,000 mg/l (Acartia tonsa)**

(ISO 14669 (1999); ISO 5667-16 (1998))

&gt; 1,000 mg/l (Daphnia magna)

(static, OECD 202 (daphnia acute immobilisation test))

**Toxicity to algae and aquatic plants****CAS: 13463-67-7 Titanium dioxide****EC50 > 100 mg/l (Pseudokirchneriella subcapitata)**

(static, OECD 201 (freshwater alga and cyanobacteria, growth inhibition test))

&gt; 10,000 mg/l (Skeletonema costatum)

(ISO 10253)

(Contd. on page 7)

US

Printing date 04/25/2024

Version 8.00

Reviewed on 04/25/2024

Trade name: KRONOS Titanium Dioxide (non-pigmentary)

(Contd. of page 6)

**Toxicity to sediment organisms**

CAS: 13463-67-7 Titanium dioxide

NOEC  $\geq$  100,000 mg/kg dw (*Hyalella azteca*)  
(semi-static, ASTM 1706)**Persistence and degradability** Not relevant for inorganic substances.**Bioaccumulative potential** Does not accumulate in organisms**Mobility in soil** The substance is immobile in soil.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation:**

Material is not a hazardous waste.

Disposal must be made according to all federal, state, and local  
(municipal) regulations.**Uncleaned packagings:****Recommendation:**

Disposal must be made according to official regulations.

**14 Transport information****UN-Number**

DOT, ADR/RID/ADN, ADN, IMDG, IATA Not applicable

**UN proper shipping name**

ADR/RID/ADN, ADN, IMDG, IATA Not applicable

**Transport hazard class(es)****DOT, ADR/RID/ADN, ADN, IMDG, IATA****Class** Not applicable**Packing group**

DOT, ADR/RID/ADN, IMDG, IATA Not applicable

**Environmental hazards** Not applicable.**Special precautions for user** Not applicable.**Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code** Not applicable.**Transport/Additional information:** Not dangerous according to the above specifications.**15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA****Section 355 (Extremely hazardous substances):**

Substance is not listed

(Contd. on page 8)

US

**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 04/25/2024

Version 8.00

Reviewed on 04/25/2024

**Trade name: KRONOS Titanium Dioxide (non-pigmentary)**

(Contd. of page 7)

**Section 313 (Specific toxic chemical listings):**

Substance is not listed

**Section 311 (TIER 1 notification)**

Substance is not listed.

**TSCA and Canada DSL Status:**

: ACTIVE

**Hazardous Air Pollutants**

Substance is not listed.

**CERCLA/SUPERFUND (40 CFR  
117, 302)**

Substance is not listed

**OCCUPATIONAL SAFETY AND  
HEALTH ACT (OSHA)**This product is a "hazardous chemical" under the OSHA Hazard  
Communication Standard.**New Jersey Right-to-Know List:**

Substance is listed.

**New Jersey Special Hazardous Substance List:**

Substance is not listed.

**Pennsylvania Right-to-Know List:**

Substance is listed.

**Pennsylvania Special Hazardous Substance List:**

Substance is not listed.

**WORKPLACE HAZARDOUS  
MATERIALS INFORMATION  
SYSTEM (WHMIS)**

Not a controlled product

**Carcinogenic categories****EPA (Environmental Protection Agency)**

Substance is not listed.

**TLV (Threshold Limit Value Notation established by ACGIH)**

: A4 Not classifiable as human carcinogen

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Contact:**

KRONOS (US), Inc.  
5430 LBJ Freeway, Suite 1700  
Dallas, Tx 75240  
e-mail: SDS-NA@kronosww.com

**Date of preparation / last  
revision**

04/25/2024

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)

US



**Safety Data Sheet  
acc. to OSHA HCS**

Printing date 04/25/2024

Version 8.00

Reviewed on 04/25/2024

**Trade name: KRONOS Titanium Dioxide (non-pigmentary)**

(Contd. of page 8)

DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit

\* Data compared to the previous  
version altered.

**Conformed to U.S. OSHA HCS 2012**

US