	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 1 de 10

COL 1440

1. IDENTIFICATION OF PRODUCT AND COMPANY

Trade name:	COL 1440
Internal number – SDS	004
Company:	Socer RB Industria e Comercio LTDA – Filial Manduri
Address:	Estrada Municipal Manduri-São Berto, km 10 CEP: 18780-000 – Mailbox: 40.
Phone	(+55) (14) 3356 - 1511
Fax:	-----
Emergency phone:	0800-3700222
E-mail and site:	fispq@resinasbrasil.com.br http://www.gruporesinasbrasil.com.br/
Main recommended uses:	Manufacture; Industrial manufacture of rosin resin; Industrial formulation.
Restriction Uses:	No use restrictions are known.

2. HAZARDS IDENTIFICATION

Classified in accordance with REACH/ECHA - Based on the Global Harmonized System (GHS) -
in accordance with REGULATION (CE) N° 1272/2008 THE EUROPEAN PARLIAMENT

Dermal sensitization Category 1.

Other hazards which do not result in a classification
The product does not present other hazards

Labelling elements

Pictograms



Signal word Warning

Hazard statements H317 May cause allergic skin reaction.

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 2 de 10

Precautionary statements

P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.
P262 – Do not get in eyes, on skin, or on clothing.
P280 – Wear protective gloves / protective clothing / eye protection / face protection.
P321 – Specific treatment: see on section 4.
P302 + P352 – IN CASE OF SKIN CONTACT: Wash with soap and water in abundance.
P333 + P313 – If skin irritation or rash occurs: Get medical attention.
P362 + P364 – Remove any contaminated clothing and wash clothing before reuse.
P501 – Dispose of contents / container to licensed landfill according to local regulations: municipal, state and federal.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

THIS PRODUCT IS A SUBSTANCE.

Ingredients or impurities that contribute to the danger:

Chemical name	CAS	EINECS	Weight %
ROSIN	8050-09-7	232-475-7	100
REACH Number	01-2119480418-32-0025		

4. FIRST-AID MEASURES

Inhalation

Remove the victim for ventilated location and to keep in a position that does not impede breathing. If necessary, make use of artificial respiration. If you feel unwell seek a VERY INFORMATION CENTER or a doctor. Take this MSDS.

Skin contact


Remove contaminated clothes. Rinse and then wash skin with water and SOAP. If irritation persists seek medical attention. Take this MSDS.

Eye's contact

Rinse thoroughly with plenty of water for several minutes (remove contact lenses if possible). If the irritation persists seek medical attention. Take this MSDS.

Ingestion

Do not induce vomiting. Ingest one or two glasses of water. Immediately seek medical attention. Take this MSDS. Do not induce vomiting. Ingest one or two glasses

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 3 de 10

of water. Immediately seek medical attention. Take this MSDS.

Most important symptoms and effects, both acute and delayed

Does not have specific symptoms.

Notes to physician

Shows no specific treatment. Treat symptomatically. Consult a poison center if they are ingested or inhaled large amounts.

5. FIRE FIGHTING MEASURES

Extinguishing media

Recommended: foam, dry chemical powder, carbon dioxide.

Not recommended: water jet.

Specific hazards of the substance mixture

During combustion releases toxic gases, including carbon monoxide. Irritant gases are also issued.

Protection measures team of fire-fighting

Fire-fighters should wear appropriate protective equipment and Do not induce vomiting. Ingest one or two glasses of water. Immediately seek medical attention. Take this MSDS. self-contained respiratory (SCBA) with a full-face mask operand in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

To people who are not part of the Emergency Service

Unprotected people away from the scene. Provide adequate ventilation if possible. Isolate access to the site. Contact the emergency sector and use IPE 's described in section 8 if possible.

To Emergency Service personnel

Use appropriate IPE for the treatment, such as gloves, dust masks and wear eye protection.

Environmental precautions

Prevent product from reaching water courses and drainage networks. Prevent product penetration into the soil so they don't contaminate groundwater and wells. Inform the competent authorities about the penetration of larger quantities.

Methods and materials for containment and cleaning

Remove the packaging from the spill area. Do not use air hose for cleaning. Sweep with care to avoid generation of dust. Pull vacuum all the dust accumulated on the surfaces and remove to a chemical waste disposal area. Dispose of through a waste disposal company. If hot and

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 4 de 10

melted, let cool to solidify. Then, scrape it off the floor and sweep up the place.

Differences in the action of large and small leaks

The methods are the same for both cases, and in accordance with the previously explained.

7. HANDLING AND STORAGE

Measures appropriate techniques for handling

Appropriate Technical measures for handling

Use protective gloves, mask of gases and vapours, rubber boots and other IPE discriminated in section 8 of this MSDS. Handling the product must be carried in well-ventilated area or with ventilation/exhaust system. The site must have a washing system, for use if necessary. The site must have emergency shower and eye wash, well-signposted. These locations should be marked clearly. Everything must be clearly labeled, as well as equipment and pipelines. Use only the amount needed, avoiding excess in the workplace. Keep the packaging closed properly.

Hygiene measures

Do not consume food and drinks in the workplace, having the appropriate places for these purposes. Avoid contact with the skin. Avoid contact with eyes. If there is contact rinse the affected spot with plenty of water. Avoid inhalation of dust or when heated to avoid inhaling the fumes. Avoid contact with clothing. Contaminated clothes must be exchanged and carefully cleaned. Provide bathrooms with showers and, if possible, locations with separate storage cabinets for street clothes and working clothes. The skin should be washed with SOAP and water before breaks and at the end of the work. Apply skin care products after washing. Take care of personal hygiene.

Conditions for safe storage, including any incompatibilities

Fire and explosion prevention


The product should be kept away from heat, spark, open flame or hot surfaces. No smoking on the premises.

Appropriate conditions

Keep container closed and stored in a dry, cool and well-ventilated place. Open packs must be carefully sealed and kept upright to prevent leakage. Stable product under appropriate storage conditions. The storage is not allowed in hallways, walkways, stairs, corridors and public corridors, on rooftops, in attics, and workrooms.

Suitable materials for packing

Paper bags or raffia, cardboard box and zinc barrels.

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 5 de 10

Unsuitable materials for packing

Does not have any restrictions on the packaging, as long as it is clean and dry. However, it is recommended to use original-like packaging.

Additional Considerations

Due to the thermoplastic behavior, postulated and flaked resins may fuse, block or lump. This can be accelerated under any of the following conditions: 1) above 25°C temperature 2) prolonged storage 3) pressure, e.g., stacking pallets, or a combination of these conditions. In order to maintain the flake or pastille shape, we therefore recommend storing the material in a temperature-controlled area; be careful with stacking material or applying pressure and preventing prolonged storage. It should be noted that lumping does not have a negative impact on the product specifications. Resins are prone to gradual oxidation, some more so than others. This could result in darkening and/or it could have an adverse effect on the solubility of the resin in organic solvents or on its compatibility with polymers. Accordingly, it is recommended that strict control of inventory be observed at all times, taking care that the oldest material is used first.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational exposure limits

TLV-TWA: no presents parameters (ACGIH, 2014).
PEL-TWA: no presents parameters (OSHA, 2014).
REL-TWA: no presents parameters (NIOSH, 2010).

Biological indicators

BEI: does not display parameters (NIOSH/OSHA, 2012).

Other limits and values

Not established.

Engineering control measures

The workplaces must be separated from the product storage, if possible. Washing installation at the workplace and storage if necessary. Mechanical ventilation or exhaustion must be installed to reduce the exposure to the product. If necessary, also the presence of emergency showers and eye washes in the places where the exposure occurs.

Personal protective measures

Eye/face protection

Use safety glasses with side protection.

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 6 de 10

Skin protection

If necessary, use suitable protective clothing. Use protective gloves nitrile Rubber/nitrile type-LaTeX-NBR (0.35 mm), Fluor rubber-carbon FKM (0.4 mm).

Breath protection

If the product is heated it is recommended the use of masks with gas filter.

Thermal hazards

When heated gases irritants and releases the use of masks for steam, eye protection, protective gloves and clothing resistant to solvent.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, shape, color, etc.) Yellowish to Amber scales at 25° C

Odor and odor threshold Characteristic of colophony.

pH Not applicable.

Melting/freezing point 76 – 90 °C.

Initial boiling point and boiling range Not applicable.

Flash point 187

Evaporation rate Not applicable.

Flammability (solid, gas) Non-flammable.

Lower/upper limit flammability or explosion Not applicable.

Steam pressure Not applicable.

Vapor density Not applicable.


Relative density 1.07 g/cm³ at 20° C.

Solubility(s) 0.9 mg/L at 20°C (water)

Partition coefficient – n-octanol/water Log Kow (Pow): 3.0 to 6.2 at 20 °C and Ph 6-7

Auto-ignition temperature Not determined.

Decomposition temperature Not applicable.

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 7 de 10

Viscosity

Not applicable.

10. STABILITY AND REACTIVITY

Reactivity	Product not self-reactive at normal temperatures and pressures.
Chemical stability	Stable product under normal conditions of temperature and pressure.
Possibility of hazardous reactions	Avoid contact with strong oxidizing agents.
Conditions to avoid	High temperatures and exposure to air can cause decomposition or oxidation of the product.
Incompatible materials	Avoid contact with strong oxidizing agents.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Oral, rats Dermal, rabbits Inhalation, rats	LD50: >2000 mg/kg. LD50: >2000 mg/kg. Not applicable.
Skin irritation/corrosion	Product does not cause irritation to the skin.
Serious eye damage / Eye irritant	Product does not cause irritation in the eyes.
Sensitization respiratory/skin	May cause allergic skin reaction.
Germ cell mutagenicity	No data available to indicate that the product or any of the components above 0.1% is mutagenic or genotoxic.
Carcinogenicity	(ACGIH) A4-not classifiable as a human carcinogen.
Reproductive toxicity	Worker's exposure over time to the present day, has not in any harm to the reproductive system.
Toxicity for target specific organ – single exposure	Worker's exposure over time to the present day, has not in any harm to specific organs.
Toxicity for specific target organ – prolonged exposure	Worker's exposure over time to the present day, has not in any chronic damage to anybody.

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 8 de 10

Aspiration hazard

Does not present an aspiration hazard.

12. ECOLOGICAL INFORMATION
Ecotoxicity

Does not present risks to the environment. Does not present risks to the environment.

Persistence and degradability

Inherent biodegradable product.

Bioaccumulative potential

BCF (fish): < 25 to 130 L/Kg
BCF (mollusk): <110 to 330 L/Kg
Shows no significant bioaccumulation.

Mobility in soil

Log KOC 0.8759 to 5.37

Other adverse effects

Other environmental effects are not known for this product.

13. DISPOSAL CONSIDERATION

Recommended methods for final disposal (s)

Product

The product can be incinerated in special chemical waste according to local regulations regarding the disposal of special waste. The disposal must be done in accordance with local and national standards.

Products remains

The waste can be incinerated in special chemical waste according to local regulations regarding the disposal of special waste. The disposal must be done in accordance with local and national standards.

Used packaging

Do not reuse empty containers. These packages may contain remains of the product and must be kept closed and forwarded to appropriate disposal according to local laws.

IPE required for the handling of discards

Use protective gloves powder-free nitrile rubber or fluorocarbon. Use safety glasses with side protection and suitable clothing as set forth in section 8-protection for the body.

14. TRANSPORT INFORMATION
National and International regulations
Terrestrial

Product is not classified as hazardous for transport.

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 9 de 10

Waterways

Product is not classified as hazardous for transport.

Aerial

Product is not classified as hazardous for transport.

15. REGULATORY INFORMATION

Specific regulations safety, health and the environment for chemical

REGULATION (EC) No 1272/2008

EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008.

**THE PURPLE BOOK - GLOBALLY
HARMONIZED OF
CLASSIFICATION AND
LABELLING OF CHEMICALS**

Fifth revised edition

**THE ORANGE BOOK –
RECOMMENDATION ON THE
TRANSPORT OF DANGEROUS
GOODS**

Model Regulations – Volume I e II – Nineteenth revised edition

**TOXIC SUBSTANCES CONTROL
ACT (TSCA)**

This substance is on the TSCA 8(b) inventory and is designated “active”.

**CANADIAN DOMESTIC
SUBSTANCE LIST (DSL)**

This substance is listed on the DSL.

**REGISTRATION, EVALUATION,
AUTHORISATION & RESTRICTION
OF CHEMICALS (REACH)**

This substance is registered under the REACH Regulation
REACH Number **01-2119480418-32-0025**

16. OTHER INFORMATION

The Grupo RB believes that the information contained herein corresponds to the current state of their knowledge about the handling of this product, at the date of issue of the safety data sheet.

The Grupo RB warns that the handling of any chemical requires prior knowledge of its dangers for users.

Any other use of this product, which is not mentioned in this MSDS, refers to the user all responsibility.

The Grupo RB recommends that the user company of the product promotes the proper training of its employees about possible risks from the chemical.

Subtitles and Abbreviations

A4 - short for acronym for the category of ACGIH Rating (beginning in A1 to A5).

ABNT - Brazilian Association of Technical Standards

ACGIH - American Conference of Governmental Industrial Hygienists

BCF - bioconcentration factor (Bioconcentration Factor)

	MATERIAL SAFETY DATA SHEET – MSDS	SDS 004		
		Review: 07	Date: 04/05/2021	Page: 10 de 10

BEI - Biological Exposure Index (Biological Exposure Index)
 GLP - Good Laboratory Practices
 CAS - Chemical Abstract Service
 EL50 - Effective Loading (Effective Concentration)
 IBMP - maximum allowable biological indicator
 Koc - adsorption coefficient to soil organic carbon
 Kow - the octanol-water partition
 LC50 - Lethal concentration 50% (Lethal Concentration)
 LD50 - Lethal Dose 50% (Lethal Dose)
 LL50 - Lethal Loading 50% (Lethal Concentration)
 LT - Threshold Limit
 NIOSH - National Institute for Occupational Safety and Health
 NR - Normal Regulatory
 ILO - International Labour Organization
 OSHA - Occupational Safety and Health Administration
 PEL - Permissible exposure limit
 REL - Recommended Exposure Limit
 TWA - Time Weighted Average

Bibliographic References

OFFICIAL JOURNAL OF THE EUROPEAN UNION. Regulation (EC) No 1272/2008. Europe. Dec. 2008.
 MTE. MINISTRY OF LABOR AND EMPLOYMENT. Regulatory Standard (NR No. 15): Activities and unhealthy operations. Brasília, DF. Jun. 1978.
 MTE. MINISTRY OF LABOR AND EMPLOYMENT. Regulatory Standard (NR No. 7): medical and occupational control programs (PCMSO). Brasília, DF. Jun. 1978.
 ECHA - EUROPEAN CHEMICAL AGENCY. Available at:
 <<http://www.echa.europa.eu/en/web/guest/information-on-chemicals>>. Access in Nov 2020.
 NIOSH - National Institute for Occupational Safety and Health. Available in:
 <[Http://www.cdc.gov/niosh/](http://www.cdc.gov/niosh/)>. Access in Nov 2020.
 Swell / IPCS - INTERNATIONAL PROGRAMME ON CHEMICAL SAFETY - Available in:
 <[Www.inchem.org](http://www.inchem.org)>. Access in Nov 2020.
 TOXNET - TOXICOLOGY DATA NETWORK. Available at: <<http://toxnet.nlm.nih.gov/>>. Accessed on: Nov 2020.

Elaborated: Allan Ribeiro	Revised: Sérgio Ribeiro	Approved: Vitor Salvador
----------------------------------	--------------------------------	---------------------------------