

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: the 2012 OSHA Hazard Communication Standard. (29 CFR § 1910.1200).

#### **Date of document**

Origination	Last Regulatory Review	Print
29-Nov-2021	03-Dec-2024	03-Dec-2024

## 1. IDENTIFICATION

**Product identifier** 

Product identifier 64S3219

Product Name J1128 DARK BLUE EVA DISPERSION

Other means of identification

**CAS Number:** Mixture

Synonyms None

**Supplied By** Penn Color, Inc.

2801 Richmond Road Hatfield, PA 19440

Recommended use of the chemical and restrictions on use

**Recommended Use** FOR INDUSTRIAL USE ONLY!

**Restrictions on use**No information available

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer: Company Phone Number Facsimile

Penn Color, Inc. +1 (215) 997-2221 +1 (215) 822-5801

2801 Richmond Road Hatfield, PA 19440

Contact Point Product Stewardship Team SDS Inquiries msds@penncolor.com

**Regulatory Inquiries** regulatory@penncolor.com **Web Address** www.penncolor.com

#### **Emergency Telephone Number:**

Chemtrec USA: 1 (800) 424-9300 or +1 (703) 527-3887

**Chemtrec In-Country** 

Argentina: +54 11 5983-9431

Brazil: Rio De Janeiro +55 21 3958-1449 Brazil: Sao Paulo +55 11 4349-1359

Brazil: Toll Free - Mobile Enabled 0800 892 0479

Chile: Santiago +56 2 2581 4934

Colombia: Bogota +57 601 7942539 Columbia: Toll Free 01-800-7102151

#### **Chemtrec Registrant Identifier:**

Penn Color, Inc. CCN - 16979

## 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### Hazards not otherwise classified (HNOC)

Not applicable.

#### **Label elements**

#### Signal word

None

#### **Hazard statements**

None

#### **Precautionary Statements - Prevention**

None

#### **Precautionary Statements - Response**

None

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

None

#### **Other Information:**

**Other hazards** None

#### Numerical measures of toxicity

#### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00	mg/kg
ATEmix (dermal)	99,999.00	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm
ATEmix (inhalation-dust/mist)	99,999.00	mg/l
ATEmix (inhalation-vapor)	99,999.00	mg/l

#### Unknown acute toxicity

**Unknown acute toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable.

#### Mixture

The product contains no substances which at their given concentration, are considered to be hazardous to health

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye contact

• Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician

Skin contact Wash skin with soap and water

**Inhalation** Remove to fresh air

**Ingestion** • Rinse mouth

Most important symptoms and effects, both acute and delayed

• No information available **Symptoms** 

**Indication of any immediate medical attention and special treatment needed** 

Note to physicians Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

**Suitable Extinguishing Media** • CO2, dry chemical, dry sand, alcohol-resistant foam

Unsuitable extinguishing media • CAUTION: Use of water spray when fighting fire

may be inefficient

• No information available Specific hazards arising from the chemical

**Hazardous combustion products** • Thermal decomposition and burning may produce

carbon monoxide, carbon dioxide, nitrogen oxides,

and other toxic compounds.

**Explosion data** 

Sensitivity to mechanical impact • None Sensitivity to static discharge • None

fire-fighters

**Special protective equipment and precautions for** • Wear self-contained breathing apparatus and

protective suit

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

• Ensure adequate ventilation **Personal precautions** 

For emergency responders

• Use personal protection recommended in Section 8

#### Methods and material for containment and cleaning up

**Methods for containment** 

• Prevent further leakage or spillage if safe to do so

Methods for cleaning up

• Pick up and transfer to properly labeled containers

Prevention of secondary

hazards

• Clean contaminated objects and areas thoroughly observing environmental

regulations

Reference to other sections

• See Section 12 for additional Ecological Information

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

• Handle in accordance with good industrial hygiene and safety practice

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

• Keep containers tightly closed in a dry, cool and well-ventilated place

**Incompatible materials** 

None known based on information supplied

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Limits**

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Pigment Blue	TWA: 1 mg/m <sup>3</sup> Cu dust and		IDLH: 100 mg/m³ Cu dust
	mist		and mist
10 - < 20			TWA: 1 mg/m <sup>3</sup> Cu dust and
			mist
Titanium Dioxide	TWA: 0.2 mg/m <sup>3</sup> nanoscale	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup>	TWA: 2.4 mg/m <sup>3</sup> CIB 63
5 - < 10	TWA: 2.5 mg/m <sup>3</sup> finescale	total dust	fine
	respirable particulate matter		TWA: 0.3 mg/m <sup>3</sup> CIB 63
			ultrafine, including
			engineered nanoscale
Carbon black	TWA: 3 mg/m <sup>3</sup> inhalable	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
0.25 - < 1		_	TWA: 0.1 mg/m <sup>3</sup> Carbon
			black in presence of
			Polycyclic aromatic
			hydrocarbons PAH

#### Note

For more information regarding the hazards of carbon black, please see **Section 11.** For more information regarding the hazards of titanium dioxide, please see **Section 11.** 

#### **Appropriate engineering controls**

**Engineering controls** • Showers, eyewash stations, and ventilation systems

#### Individual protection measures, such as personal protective equipment

General hygiene considerations

• Handle in accordance with good industrial hygiene and safety practice

Eye/face protection

• Wear safety glasses with side shields (or goggles)

**Hand protection** 

• Wear suitable gloves

Skin and body protection

• Wear suitable protective clothing

**Respiratory protection** 

• When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical stateSolidAppearancePelletsColordark blue

Odor No information available Odor Threshold No information available

**Property** Values Remarks Method

No data available None known Ηα

pH (as aqueous solution) None known

**Melting point / freezing point** No data available No information available

**Boiling point / boiling range** No data available None known

°C

No data available Flash point Closed Cup **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known None known

Flammability Limit in Air

Upper flammability or No data available

explosive limits

Lower flammability or No data available

explosive limits

No data available None known **Vapor Pressure Vapor Density** No data available None known

**Relative Density** No data available

No data available None known Water solubility Solubility(ies) No data available None known

**Partition coefficient:** No data available

n-octanol/water

**Autoignition temperature** No data available None known

**Decomposition temperature** 

None known **Kinematic Viscosity** No data available None known **Dynamic viscosity** No data available None known

Other information

**Explosive properties** No data available **Oxidizing properties** No data available **Softening Point** No data available Molecular weight No data available

## 10. STABILITY AND REACTIVITY

Reactivity Stable

**Chemical stability** Stable

Possibility of hazardous

reactions

None under normal processing

Conditions to avoid Direct heating, dirt, chemical contamination, sunlight, UV or ionizing

radiation, freezing temperatures.

**Incompatible materials** None known based on information supplied

**Hazardous decomposition** 

products

Thermal decomposition and burning may produce carbon monoxide, carbon

dioxide, nitrogen oxides, and other toxic compounds

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available

**Eye contact** Specific test data for the substance or mixture is not available

**Skin contact** Specific test data for the substance or mixture is not available

**Ingestion** Specific test data for the substance or mixture is not available

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available

#### **Numerical measures of toxicity**

#### **Acute toxicity**

#### The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 99,999.00 mg/kg

 ATEmix (dermal)
 99,999.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix
 99,999.00 mg/l

(inhalation-dust/mist)

ATEmix (inhalation-vapor)99,999.00 mg/l

**Unknown acute toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Pigment Blue	> 6400 mg/kg ( Rat )	> 5000 mg/kg (Rat)	
Titanium Dioxide 13463-67-7	> 2000 mg/kg (Rat)		> 5.09 mg/L (Rat) 4 h
Ba Compound 41	> 10000 mg/kg ( Rat )		> 5.24 mg/L (Rat) 4 h
Carbon black 1333-86-4	> 10000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	$>4.6 \text{ mg/m}^3 \text{ (Rat)} 4 \text{ h}$

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available

Serious eye damage/eye

irritation

No information available

Respiratory or skin

sensitization

No information available

**Germ cell mutagenicity** No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as

a carcinogen

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	A3	Group 2B		X
Carbon black 1333-86-4	A3	Group 2B		X

#### Legend

#### **ACGIH** (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Occupational Safety and Health Administration of the US Department of Labor

X - Present

**Other information** This product has not been reviewed for carcinogenicity by IARC, NTP or

OSHA. It contains carbon black, which is considered hazardous, and for which exposure limits have been established. IARC classifies carbon black as a category 2B carcinogen (known animal carcinogen, possible human

carcinogen) based on inhalation studies with animals. At this time neither NTP nor OSHA has classified carbon black as a carcinogen. All of the hazards attributed to carbon black relate to inhalation of respirable size particles when it is in its powdered form. Our products, in the form provided (liquid, paste, or pellets), do not contain carbon black in a powder form, and it is not expected that carbon black particles of respirable size would be generated during normal use of this product. For additional information, see **Section 15.** 

This product has not been reviewed for carcinogenicity by IARC, NTP, OSHA or ACGIH. It contains titanium dioxide which is not listed as a carcinogen by NTP, OSHA, or ACGIH. However, in 2006, IARC released Monograph Vol. 93 in which it reclassified titanium dioxide from not classifiable as to its carcinogenicity to humans (Group 3) to possibly carcinogenic to humans (Group 2B). The reclassification was based on two studies in which rats were exposed to extremely high concentrations of titanium dioxide pigment powders in a closed chamber for extended periods of time. It is important to note that the results of epidemiology studies which evaluated more than 20,000 titanium dioxide industry workers in Europe and the US did NOT suggest a carcinogenic effect from titanium dioxide dust on the human lung or mortality from other chronic diseases including respiratory diseases not associated with titanium dioxide dust. Based upon the results of these studies, the pigment manufacturer(s) conclude that TiO2 will not cause lung cancer or chronic respiratory disease in humans at concentrations experienced in the workplace. For additional information, see Section 15

**Reproductive toxicity** No information available

**Developmental Toxicity** No information available

**Teratogenicity** No information available

**STOT - single exposure** No information available

**STOT - repeated exposure** No information available

**Target organ effects** No information available

**Subchronic Toxicity** No information available

**Neurological Effects** No information available

Other Adverse Effects No information available

**Aspiration hazard** 

No information available

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

#### **Component Information**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ba Compound 41		LC50: >500mg/L (96h,		EC50: >2.2mg/L (48h,
		Brachydanio rerio)		Daphnia magna)

Persistence and degradability No information available

**Bioaccumulation** There is no data for this product

#### **Component Information**

Chemical name	Partition coefficient
Pigment Blue	6.6
Ba Compound 41	1.69

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment methods**

products

**Waste from residues/unused** • Dispose of in accordance with local regulations

• Dispose of waste in accordance with environmental legislation

**Contaminated packaging** 

• Do not reuse empty containers

Status

California Hazardous Waste This product contains one or more substances that are listed with the State

of California as a hazardous waste

**Component Information** 

Chemical name	California Hazardous Waste Status
Pigment Blue	Toxic

## 14. TRANSPORT INFORMATION

**USDOT** 

**Status** Not regulated

ICAO (air)

**Status** Not regulated

**IMO** 

**Status** Not regulated

## 15. REGULATORY INFORMATION

**International Inventories:** 

United States: All components of this product are designated as "Active" on the TSCA

Inventory or are not required to be listed.

**Inventory Note** For additional global inventory information, please contact the Product

Stewardship Team at regulatory@penncolor.com

**Legend:** 

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

#### **US Federal Regulations:**

#### **CWA** (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

		Chemical name	CWA - Reportable	CWA - Toxic	CWA - Priority	CWA - Hazardous
--	--	---------------	------------------	-------------	----------------	-----------------

	Quantities	Pollutants	Pollutants	Substances
Pigment Blue		X		

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	Weight-%	SARA - Section 313:
Pigment Blue	10 - < 20	Delisted from the copper compounds category in = 1989.
Ba Compound 41	1 - < 3	= 1.0 % de minimis concentration

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **US State Regulations**

#### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Titanium Dioxide 13463-67-7	Carcinogen
Ba Compound 41	Carcinogen
Carbon black 1333-86-4	Carcinogen

#### Note:

The listing of carbon black in the CA PROP 65 REGULATION specifically pertains to airborne, unbound, carbon black particles of respirable size, meaning that all three criteria must be met before carbon black would be considered a carcinogen according to the requirements of CA PROP 65. Our products, in the

form provided (liquid, paste or pellets), do not contain carbon black in a powder form, and it is not expected that carbon black particles of respirable size would be generated during normal use of this product.

The listing of titanium dioxide in the CA PROP 65 REGULATION specifically pertains to airborne, unbound, titanium dioxide particles of respirable size, meaning that all three criteria must be met before titanium dioxide would be considered a carcinogen according to the requirements of CA PROP 65. Our products, in the form provided (liquid, paste or pellets), do not contain titanium dioxide in a powder form, and it is not expected that titanium dioxide particles of respirable size would be generated during normal use of this product.

This product may contain trace levels of metal impurities that are on the California Proposition 65 list. This product may also contain other substances on the California Prop 65 list at levels below 1000 ppm. For some of these substances, their listings are qualified as specifically relating to airborne, unbound particles of respirable size. If additional information is needed please send a request to regulatory@penncolor.com.

For additional information, see **Section 11.** 

#### U.S. State Right-to-Know Regulations

#### **US State Regulations**

Chemical name	Massachusetts	New Jersey	Pennsylvania	Pennsylvania RTK - Special Hazardous Substances:
Pigment Blue		X	X	
Titanium Dioxide 13463-67-7	X	X	X	
Ba Compound 41		X	X	
Carbon black 1333-86-4	X	X	X	

#### Note:

For more information regarding the hazards of carbon black, please see **Section 11.** For more information regarding the hazards of titanium dioxide, please see **Section 11.** 

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

#### **HMIS**

Health hazards 1
Flammability 1
REACTIVITY: 0
PERSONAL PROTECTION: X

#### **Key literature references and sources for data used to compile the SDS**

- Supplier documentation
- Process documentation

#### **Date of document**

Origination29-Nov-2021Last Regulatory Review03-Dec-2024Print Date03-Dec-2024

#### **Revision Note:**

**Revision Date** 29-Nov-2021

**Revision Number** 

**Reason for Revision** No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **End of Safety Data Sheet**