LOBASE ® C4503



Version 4.0	Revision Date: 06/21/2024		DS Number: 3000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
SECTION	1. IDENTIFICATION			
Produ	uct name	:	LOBASE ® C450	3
Produ	uct code	:	0000000005831	7956
Manu	facturer or supplier's	deta	nils	
Comp	bany	:	111 RIDC Park V	Regulatory Affairs
Resp	onsible Department	:	(800) LANXESS (412) 809-1000 lanxesshes@lan	
Emer	gency telephone	:		0) 424-9300 or (Outside U.S.A) and mention CCN12916. ency Phone (800) 410-3063.
Reco	mmended use of the c	chen	nical and restriction	ons on use
Reco	mmended use	:	Additive	
Restr	ictions on use	:	Restricted to prof	essional users.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components



LOBASE ® C4503

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2023	
4.0	06/21/2024	203000016816	Country / Language: US / EN	

	Chemical name	CAS-No.	Concentration (% w/w)
	Benzenesulfonic acid, C10-16-alkyl	68584-23-6	>= 20 - < 30
	derivs., calcium salts		
	Calcium Petroleum Sulfonate	61789-86-4	>= 10 - < 20
ſ	Distillates (petroleum), hydrotreated	64742-54-7	>= 10 - < 20
	heavy paraffinic		

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled	:	Get medical attention immediately. Remove victim to fresh air and keep at rest in a position com- fortable for breathing. If unconscious, place in recovery position and get medical attention immediately. Maintain open airway. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained per- sonnel.
In case of skin contact	:	Wash off with soap and water. Take off contaminated clothing. Get medical attention if symptoms occur.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Get medical attention if symptoms appear.
If swallowed	:	Rinse mouth with water. Do not induce vomiting unless directed to do by medical per- sonnel. Get medical attention if symptoms occur.
Most important symptoms a	and	effects, both acute and delayed
Symptoms	:	May cause respiratory tract irritation with symptoms of cough- ing, sore throat and runny nose.
Protection of first-aiders	:	If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing	:	None known.

LOBASE ® C4503



Vers 4.0	sion	Revision Date: 06/21/2024		S Number: 3000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
	media				
	Specific fighting	c hazards during fire	:	Do not allow run-o courses.	off from fire fighting to enter drains or water
	Hazard ucts	ous combustion prod-	:	Carbon dioxide (C Carbon monoxide Metal oxides	,
	Further	information	:	vicinity of the incid	ne scene by removing all persons from the lent if there is a fire. taken involving any personal risk or without
	•	protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	No action shall be taken involving any personal risk or without suitable training. Put on appropriate personal protection equipment. Do not touch or walk through spilled material. Evacuate unnecessary personnel. Keep unnecessary and unprotected personnel from entering. Provide adequate ventilation. Do not breathe vapors, aerosols.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Move containers from spill area. Wash spillages into an effluent treatment plant or proceed as follows. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or groundwater or into the soil.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : Normal measures for preventive fire protection.

LOBASE ® C4503



Versio 4.0	on	Revision Date: 06/21/2024		OS Number: 3000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
fi	ire and	explosion			
A	Advice (on safe handling	:	fore entering eatin Workers should w and smoking. Put on appropriat Eating, drinking a where this materia Avoid inhalation, i	nated clothing and protective equipment be- ng areas. /ash hands and face before eating, drinking e personal protection equipment. nd smoking should be prohibited in areas al is handled, stored and processed. ngestion and contact with skin and eyes. equate ventilation/personal protection.
С	Conditio	ons for safe storage	:	Store in original c dry, cool and well materials (see Se Keep containers s Containers that ha and kept upright t Do not store in un Use appropriate c tion.	ce with local regulations. ontainer protected from direct sunlight in a -ventilated area, away from incompatible ction 10) and food and drink. sealed until ready for use. ave been opened must be carefully resealed o prevent leakage. labeled containers. container to avoid environmental contamina- retain residue and can be dangerous. tainer.
-		information on stor- nditions	:	Keep away from o	oxidizing agents.
	Further age stal	information on stor- bility	:	No decompositior	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Distillates (petroleum), solvent- dewaxed heavy paraffinic	64742-65-0	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Paraffin oils (petroleum), cata- lytic dewaxed heavy	64742-70-7	TWA (Mist)	5 mg/m3	OSHA Z-1
Distillates (petroleum), hy- drotreated heavy paraffinic	64742-54-7	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1

Engineering measures

: Good general ventilation should be sufficient to control work-

LOBASE ® C4503



Version 4.0	Revision Date: 06/21/2024		DS Number: 03000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
			er exposure to air	borne contaminants.
Pers	onal protective equipn	nent		
Resp	iratory protection	:	NIOSH approved	, air-purifying organic vapor respirator.
	l protection aterial	:	Permeation resist	ant gloves.
Eye p	protection	:	Safety glasses wi	th side-shields
Skin	and body protection	:		tective clothing. tection according to the amount and con- dangerous substance at the work place.
Hygie	ene measures	:	chemical products lavatory and at th Appropriate techr contaminated clot Wash contaminat	ed clothing before reusing. ash stations and safety showers are close

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous liquid
Physical state	: liquid
Color	: brown
Odor	: mild, hydrocarbon-like
Odor Threshold	: No data available
рН	: No data available
Melting point/range	: Not applicable
Boiling point/boiling range	: No data available
Flash point	: > 356 °F / 180 °C
	Method: open cup
Evaporation rate	: No data available
	5 / 23



rsion)	Revision Date: 06/21/2024		S Number: 3000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
Flamr	nability (solid, gas)	:	No data available	9
Flamr	nability (liquids)	:	No data available	9
Self-iç	gnition	:	No data available	9
Burnir	ng number	:	No data available	9
	r explosion limit / Upper nability limit	:	No data available	
	r explosion limit / Lower nability limit	:	No data available	9
Vapor	pressure	:	< 0.0008 hPa (68	3 °F / 20 °C)
Relati	ve vapor density	:	No data available)
Relati	ve density	:	> 1 (77 °F / 25 °C	2)
Densi	ty	:	No data available	9
	ility(ies) ater solubility	:	negligible	
So	lubility in other solvents	:	partly soluble	
	on coefficient: n- ol/water	:	No data available	9
Ignitic	on temperature	:	No data available)
Decor	mposition temperature	:	No data available)
	accelerating decomposi- emperature (SADT)	:	No data available	9
Visco: Vis	sity scosity, dynamic	:	No data available	9
Vis	scosity, kinematic	:	> 30 mm2/s (104	°F / 40 °C)
Explo	sive properties	:	No data available)
Oxidiz	zing properties	:	No data available	2
Self-h	eating substances	:	No data available	
Surfa	ce tension	:	No data available	9

LOBASE ® C4503



Vers 4.0	sion	Revision Date: 06/21/2024		S Number: 3000016816	Date of last issue: 07/20/2023 Country / Language: US / EN	
	Molecu	ılar weight	:	No data available	e	
	Metal o	corrosion rate	:	No data available		
SEC	SECTION 10. STABILITY AND REACTIVITY					
Reactivity		vity	:	No specific test data related to reactivity available for this product or its ingredients.		
	Chemical stability		:	The product is chemically stable.		
	Possib tions	ility of hazardous reac-	:	Under normal conditions of storage and use, hazardous reac- tions will not occur.		
	Hazaro	lous decomposition	:	No hazardous de	ecomposition products are known.	
	•	lous decomposition	:	No decompositio	on if stored normally.	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity	:	LD50 (Rat): > 20,000 mg/kg
		Remarks: Information given is based on data obtained from
		similar substances.

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Acute oral toxicity :	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Dosage caused no mortality
	LD50 (Rat, male): > 16,000 mg/kg GLP: Yes
Acute inhalation toxicity :	LC50 (Rat, male and female): > 1.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OPP 81-3 Acute Inhalation Toxicity GLP: Yes Assessment: The substance or mixture has no acute inhala-

LOBASE ® C4503



/ersion I.0	Revision Date: 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
		tion toxicity Remarks: D	osage caused no mortality
Acute	e dermal toxicity	Method: 40 22, 1978 as	it, male and female): > 5,000 mg/kg CFR, Section 163.81-5, Federal Register, Augus modified in accordance with the revised EPA sessment Guidelines November 1982
		GLP: Yes	
Calci	um Petroleum Sulfor	nate:	
Acute	oral toxicity		nale and female): > 5,000 mg/kg o mortality observed at this dose.
Acute	inhalation toxicity	Exposure tin Test atmosp Method: OP Assessment tion toxicity	nale and female): > 1.9 mg/l ne: 4 h here: dust/mist P 81-3 Acute Inhalation Toxicity : The substance or mixture has no acute inhala- osage caused no mortality
Acute	e dermal toxicity	Method: OE	nale and female): > 5,000 mg/kg CD Test Guideline 402 osage caused no mortality
Distil	lates (petroleum), hy	drotreated heavy	paraffinic:
Acute	oral toxicity	Method: OE GLP: Yes	nale and female): > 5,000 mg/kg CD Test Guideline 401 est results on an analogous product
Acute	inhalation toxicity	Exposure tin Test atmosp Method: OE GLP: No info	nale and female): > 5.53 mg/l ne: 4 h here: dust/mist CD Test Guideline 403 ormation available. est results on an analogous product
Acute	e dermal toxicity	Method: OE GLP: Yes	it, male and female): > 5,000 mg/kg CD Test Guideline 402 est results on an analogous product

Skin corrosion/irritation

Not classified due to lack of data.

LOBASE ® C4503



Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2023
4.0	06/21/2024	203000016816	Country / Language: US / EN

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Calcium Petroleum Sulfonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Distillates (petroleum), hydrotreated heavy paraffinic:

Species :	Rabbit
Method :	Draize Test
Result :	No skin irritation
GLP :	Yes
Remarks :	Test results on an analogous product

Serious eye damage/eye irritation

Not classified due to lack of data.

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Rabbit
No eye irritation
OECD Test Guideline 405
Yes
1

Calcium Petroleum Sulfonate:

Species	:	Rabbit
Result	:	No eye irritation

Distillates (petroleum), hydrotreated heavy paraffinic:

Species :	Rabbit
Result :	No eye irritation
Method :	OECD Test Guideline 405
GLP :	Yes
Remarks :	Test results on an analogous product

LOBASE ® C4503



Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2023
4.0	06/21/2024	203000016816	Country / Language: US / EN

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitization on laboratory animals.
GLP	:	Yes

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Routes of exposure Species Result	:	Dermal Guinea pig The product is a skin sensitiser, sub-category 1B.
Test Type Routes of exposure Species Result	:	Buehler Test Skin contact Guinea pig The product is a skin sensitiser, sub-category 1B.

Calcium Petroleum Sulfonate:

Routes of exposure	:	Dermal
Species	:	Guinea pig
Result	:	The product is a skin sensitiser, sub-category 1B.

Distillates (petroleum), hydrotreated heavy paraffinic:

Test Type :	Buehler Test
Routes of exposure :	Skin contact
Species :	Guinea pig
Method :	OECD Test Guideline 406
Result :	Did not cause sensitization on laboratory animals.
GLP :	Yes
Remarks :	Test results on an analogous product

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:



ersion .0	Revision Date: 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
Genotoxicity in vitro :		Test system Metabolic ac Method: OE Result: nega GLP: Yes	n vitro mammalian cell gene mutation test : mouse lymphoma cells :tivation: with and without metabolic activation CD Test Guideline 476 itive est results on an analogous product
		Metabolic ac Method: OE Result: nega GLP: Yes	: Salmonella typhimurium tivation: with and without metabolic activation CD Test Guideline 471
Geno	toxicity in vivo		Route: Oral
Calci	um Petroleum Sulfo	nate:	
Geno	toxicity in vitro	Test system Metabolic ac Method: OE0 Result: nega	tivation: with and without metabolic activation CD Test Guideline 471
		Test system: Metabolic ac Method: OE0 Result: nega	n vitro mammalian cell gene mutation test : mouse lymphoma cells trivation: with and without metabolic activation CD Test Guideline 476 trive est results on an analogous product
Distil	lates (petroleum), h	ydrotreated heavy	paraffinic:
Geno	toxicity in vitro	Method: OE Result: nega GLP: No info	: TA98 tivation: with metabolic activation CD Test Guideline 471

LOBASE ® C4503



Version 4.0	Revision Date: 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
		Metabolic a Method: OE Result: neg GLP: No	n: Chinese hamster ovary cells ctivation: with and without metabolic activation CD Test Guideline 473 ative rest results on an analogous product
		Test system Metabolic a Method: OE Result: neg GLP: Yes	In vitro mammalian cell gene mutation test n: mouse lymphoma cells ctivation: with and without metabolic activation CD Test Guideline 476 ative rest results on an analogous product
		Test system Metabolic a Method: OE Result: posi GLP: Yes	In vitro mammalian cell gene mutation test n: mouse lymphoma cells ctivation: with and without metabolic activation CD Test Guideline 476 tive
Genc	otoxicity in vivo	Species: Mo Cell type: B Application Method: OE Result: neg GLP: No inf	Micronucleus test ouse (male and female) one marrow Route: Intraperitoneal CD Test Guideline 474 ative ormation available. est results on an analogous product

Carcinogenicity

Not classified due to lack of data.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species Application Route Exposure time Method Result GLP Remarks	::	Mouse, female Dermal 18 month(s) OECD Test Guideline 451 negative No information available. Test results on an analogous product
Species Application Route Exposure time	:	Mouse, male Dermal 24 month(s)

LOBASE ® C4503

_



Version 4.0	Revisio 06/21/2	on Date: 2024		9S Number: 3000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
Methoo Result GLP Remari			:	OECD Test Guide positive No information av Test results on an	
Carcino ment	Carcinogenicity - Assess- ment		:		on DMSO extract content < 3% (Regulation Annex VI, Part 3, Note L)
IARC					at levels greater than or equal to 0.1% is onfirmed human carcinogen by IARC.
OSHA		No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.			
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.			
•	ductive ssified d	toxicity lue to lack of da	ata.		

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Effects on fertility	 Species: Rat, male and female Application Route: Oral Duration of Single Treatment: 28 Days General Toxicity Parent: NOAEL: >= 500 mg/kg body weight Fertility: NOAEL: >= 500 mg/kg body weight Method: OECD Test Guideline 415 GLP: Yes Remarks: Test results on an analogous product
	0

Distillates (petroleum), hydrotreated heavy paraffinic:

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat, male and female Application Route: Oral Dose: 0 - 1000 milligram per kilogram General Toxicity Parent: NOAEL: >= 1,000 mg/kg body weight Fertility: NOAEL: >= 1,000 mg/kg body weight Early Embryonic Development: NOAEL: >= 1,000 mg/kg body weight Method: OECD Test Guideline 421 Result: Animal testing did not show any effects on fertility. GLP: Yes Remarks: Test results on an analogous product
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat, female



rsion	Revision Date: 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
			Route: Dermal
			25 - 500 milligram per kilogram
		weight	kicity Maternal: NOAEL: >= 2,000 mg/kg body
		Teratogenic Developme Embryo-feta Method: OE Result: neg GLP: No inf	ormation available.
		Remarks: I	est results on an analogous product
STOT	ſ-single exposure		
	d on available data, t	he classification crite	eria are not met.
Produ	uct:		
Asses	ssment		nce or mixture is not classified as specific target ant, single exposure.
Com	ponents:		
Distil	lates (petroleum), h	vdrotreated heavy	naraffinic:
	ssment		respiratory irritation.
		·	
0707			
5101	-repeated exposure	e	
	F-repeated exposure lassified due to lack o		
Not cl	• •		
Not cl Repe	lassified due to lack of		
Not cl Repe <u>Com</u>	lassified due to lack o ated dose toxicity	of data.	calcium salts:
Not cl Repe <u>Com</u>	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C	of data.	
Not cl Repe <u>Com</u> Benz Speci NOAE	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C jes EL	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg	
Not cl Repe <u>Comp</u> Benz Speci NOAE Applic	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C es EL cation Route	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral	
Not cl Repe Comj Benz Speci NOAE Applic Expos	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C es EL cation Route sure time	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days	
Not cl Repe Comp Benz Speci NOAE Applic Expos Numb	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C les EL cation Route sure time per of exposures	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily	nd female
Not cl Repe Comp Benz Speci NOAE Applic Expos Numb Metho	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C les EL cation Route sure time per of exposures	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily : OECD Test	
Not cl Repe Comp Benze Speci NOAE Applic Expos Numb Metho GLP	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C ies EL cation Route sure time per of exposures od	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily : OECD Test : Yes	nd female Guideline 407
Not cl Repe Comp Benz Speci NOAE Applic Expos Numb Metho	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C ies EL cation Route sure time per of exposures od	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily : OECD Test : Yes	nd female
Not cl Repe Comj Benz Speci NOAE Applic Expos Numb Metho GLP Rema	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C ies EL cation Route sure time per of exposures od	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily : OECD Test : Yes : Test results	nd female Guideline 407 on an analogous product
Not cl Repe Comj Benz Speci NOAE Applic Expos Numb Metho GLP Rema	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C les EL cation Route sure time per of exposures od arks	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily : OECD Test : Yes : Test results	nd female Guideline 407 on an analogous product
Not cl Repe Comp Benz Speci NOAE Applic Expos Numb GLP Rema Distil	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C es EL cation Route sure time per of exposures od arks lates (petroleum), h	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily : OECD Test : Yes : Test results aydrotreated heavy	nd female Guideline 407 on an analogous product
Not cl Repe Comp Benz Speci NOAE Applic Expos Numb Metho GLP Rema Distil Speci LOAE	lassified due to lack o ated dose toxicity ponents: enesulfonic acid, C es EL cation Route sure time per of exposures od arks lates (petroleum), h	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily : OECD Test : Yes : Test results hydrotreated heavy : Rat, male	nd female Guideline 407 on an analogous product
Not cl Repe Comj Benz Speci NOAE Applic Expos Numb Metho GLP Rema Distil Speci LOAE Applic Expos	lassified due to lack of ated dose toxicity ponents: enesulfonic acid, C les EL cation Route sure time ber of exposures od arks lates (petroleum), h les	of data. 10-16-alkyl derivs., : Rat, male a : 500 mg/kg : Oral : 28 Days : daily : OECD Test : Yes : Test results bydrotreated heavy : Rat, male : 125 mg/kg	nd female Guideline 407 on an analogous product paraffinic:

LOBASE ® C4503



Version 4.0	Revision Date: 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2023 Country / Language: US / EN		
Dose Method GLP Remarks		 0 - 125 - 500 m OECD Test Gu No information Subchronic tox Test results on 	ideline 408 available.		
Expos	EC cation Route sure time per of exposures od	 >= 1 mg/l inhalation (dust 20 d 6 hours/day 0 - 0.05 - 0,22 OECD Test Gu No information Subacute toxici 	: inhalation (dust/mist/fume) : 20 d : 6 hours/day		
Expos	EL cation Route sure time per of exposures od	 Rat, male and f >= 2000 mg/kg Skin contact 90 d 5 days/week 0 - 2000 mg/kg OECD Test Gu No information Subchronic tox Test results on 	bw/d ideline 411 available.		

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks

: The product itself has not been tested.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Toxicity to fish : LL50 (Cyprinodon variegatus (sheepshead minnow)): >



ersion Revision Date: .0 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
	GLP: Yes Remarks: wat	e: 96 h
Toxicity to daphnia and oth aquatic invertebrates	End point: Im Exposure time Analytical mon Method: OPP GLP: Yes Remarks: wat	e: 48 h nitoring: Yes
Toxicity to algae/aquatic plants	mg/l End point: Gro Exposure time Analytical mod Method: OTS GLP: Yes Remarks: wat	e: 96 h
	ella subcapita End point: Gro Exposure time Analytical mon Method: OTS GLP: Yes Remarks: wat	e: 96 h
Toxicity to microorganisms	End point: Re Exposure time Method: OEC	ed sludge): > 10,000 mg/l spiration inhibition e: 3 h D Test Guideline 209 er extractable fraction
Calcium Petroleum Sulfo	nate:	
Toxicity to fish	: LL50 (Cyprinc 10,000 mg/l End point: mo Exposure time	



Version 4.0	Revision Date: 06/21/2024		S Number: 3000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
			Test Type: static Method: OECD T GLP: Yes Remarks: water e	
	ity to daphnia and other tic invertebrates	:	End point: Immob Exposure time: 48 Test Type: static Method: OPPTS	3 h test
Toxic plants	ity to algae/aquatic	:	mg/l End point: Growth Exposure time: 96 Method: OTS 797	ວີ h 7.1050 (Algal Toxicity, Tiers I and II) sults on an analogous product
			mg/l End point: Growth Exposure time: 96 Method: OTS 797 Remarks: water e	
Toxic	ity to microorganisms	:	End point: Respir Exposure time: 3 Method: OECD T	h
Distil	lates (petroleum), hydr	otre	ated heavy paraf	finic:
Toxic	ity to fish	:	Exposure time: 96 Analytical monitor Method: OECD T GLP: Yes Remarks: nomina	ring: Yes est Guideline 203 Il concentration n analogous product
	ity to daphnia and other ic invertebrates	:	EL50 (Daphnia m Exposure time: 48 Analytical monitor Method: OECD T GLP: No informat	ring: No est Guideline 202 ion available.



Version 4.0	Revision Date: 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
			nal concentration an analogous product le fraction
Toxi plant	city to algae/aquatic ts	mg/l Exposure time: Analytical moni Method: OECD GLP: No inform Remarks: nomi	toring: No Test Guideline 201 ation available. nal concentration an analogous product
		100 mg/l Exposure time: Analytical moni Method: OECD GLP: No inform Remarks: nomi	toring: No Test Guideline 201 ation available. nal concentration an analogous product
aqua	city to daphnia and other atic invertebrates (Chron- xicity)	End point: Rep Exposure time: Analytical moni Method: OECD GLP: Yes Remarks: nomi	21 d toring: No Test Guideline 211 nal concentration an analogous product
Pers	sistence and degradabil	ity	
Com	ponents:		
	zenesulfonic acid, C10- egradability	: aerobic Inoculum: active Concentration: Result: Not read Biodegradation Exposure time: Method: OECD GLP: Yes	ated sludge 2 mg/l dily biodegradable. : 8.6 %

LOBASE ® C4503



Versior 4.0	n Revision Date: 06/21/2024		DS Number: 3000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
Ca	lcium Petroleum Sulfona	ite:		
Bio	odegradability	:	GLP: Yes	mg/l y biodegradable. 8.6 %
Di	stillates (petroleum), hyd	rotr	eated heavy paraf	finic:
Bio	odegradability	:	 Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F GLP: Yes Remarks: Test results on an analogous product 	
	oaccumulative potential			
	o bility in soil o data available			
Ot	her adverse effects			
Ad	oduct: Iditional ecological infor- ation	:	unprofessional ha This product has	hazard cannot be excluded in the event of andling or disposal. no known ecotoxicological effects. has not been tested. he environment.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
RCRA - Resource Conserva- : tion and Recovery Authoriza- tion Act	If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. Howev- er, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material contain- ing the product or derived from the product should be classi- fied as a hazardous waste. (40 CFR 261.20-24)
Waste from residues :	The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe
	19 / 23

LOBASE ® C4503



Version 4.0	Revision Date: 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2023 Country / Language: US / EN
		tions for product. Avoid dispersal o soil, waterways, Waste disposal s	s retain product residue; observe all precau- of spilled material and runoff and contact with drains and sewers. should be in accordance with existing federal, and/or local environmental controls.
Conta	aminated packaging		used product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo Keep separated from foodstuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

LOBASE ® C4503



Version 4.0	Revision Date: 06/21/2024	SDS Number: 203000016816	Date of last issue: 07/20/2 Country / Language: US /	
SARA	313	known CAS num	es not contain any chemical bers that exceed the thresho established by SARA Title III	old (De Minimis)
US Sta	ate Regulations			
Massa	chusetts Right To Kr	ow		
	Paraffin oils (petrole Baseoil — unspecif	d heavy; 64742-70-7	50 - 70	
Penns	ylvania Right To Kno	w		
	Paraffin oils (petroleum), catalytic dewaxed heavy Baseoil — unspecified			50 - 70
	•	id, C10-16-alkyl derivs	., calci- 68584-23-6	20 - 30
	Calcium Petroleum	Sulfonate	61789-86-4	10 - 20
	Distillates (petroleu paraffinic	m), solvent-dewaxed h	eavy 64742-65-0	1 - 5

California Prop. 65

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

TSCA inventory

TSCA

: All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

LOBASE ® C4503





Full text of other abbreviations

ACGIH OSHA Z-1	USA. ACGIH Threshold Limit Values (TLV) USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA OSHA Z-1 / TWA	8-hour, time-weighted average 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-



LOBASE ® C4503

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2023
4.0	06/21/2024	203000016816	Country / Language: US / EN

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/21/2024

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.