Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : Preventol D 7

Product code : 00000000057388804

EPA registration number : 39967-93

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Biocide for industrial application

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion : Category 1C

Serious eye damage : Category 1

Skin sensitization : Category 1

Specific target organ toxicity

- single exposure (Inhalation)

: Category 1 (Respiratory Tract)

GHS label elements

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Hazard pictograms :







Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Causes damage to organs (Respiratory Tract) if inhaled.

Precautionary Statements : Prevention:

Do not breathe mist or vapors. Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the

workplace.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. IF exposed: Call a POISON CENTER or doctor/ physician. If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

2/23

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

CAS-No.	Concentration (% w/w)
10377-60-3	>= 1 - < 5
-	>= 1 - < 5
	1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Get medical attention immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained per-

sonnel.

In case of skin contact : Get medical attention immediately.

In case of contact, immediately flush skin with plenty of water

for at least 30 minutes.

Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

Chemical burns must be treated promptly by a physician.

In case of eye contact : Get medical attention immediately.

In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated

and that the eye is being irrigated.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Chemical burns must be treated promptly by a physician.

If swallowed : Rinse mouth with water.

Do not induce vomiting unless directed to do by medical per-

sonnel.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

If unconscious, place in recovery position and get medical

attention immediately.

Never give anything by mouth to an unconscious person.

3 / 23

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Loosen tight clothing such as a collar, tie, belt or waistband. Chemical burns must be treated promptly by a physician.

Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Corrosive with symptoms of reddening, tearing, swell-

ing, burning and possible permanent damage.

Skin: Reddening, burning, and possible permanent damage. Once sensitized, an allergic skin reaction may occur with reddening, swelling, and rash when subsequently exposed to

very low levels.

Inhalation: Causes respiratory tract burns.

Effects : May cause an allergic skin reaction.

Causes serious eye damage.

Causes damage to organs if inhaled.

Causes severe burns.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

Water runoff from fire fighting may be corrosive. May release toxic, irritating and/or corrosive gases.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Metal oxides

Carbon dioxide (CO2) Carbon monoxide Sulfur oxides

Halogenated compounds

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment :

for fire-fighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

tive equipment and emergency procedures No action shall be taken involving any personal risk or without

suitable training.

Put on appropriate personal protection equipment.

Do not touch or walk through spilled material.

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

Provide adequate ventilation.

Do not breathe vapors or spray mist. Use personal protective equipment.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Move containers from spill area.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

Contaminated absorbent material may pose the same hazard

as the spilled product.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Workers should wash hands and face before eating, drinking

and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed.

Preventol D 7



Version **Revision Date:** SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Use only with adequate ventilation.

Avoid inhalation, ingestion and contact with skin and eyes. Persons with a history of skin sensitization to this product should not be employed in any process in which this product

is used.

Keep container tightly closed in a dry and well-ventilated Conditions for safe storage

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Recommended storage tem- : 32 - 104 °F / 0 - 40 °C

perature

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures This information is not available.

Personal protective equipment

Respiratory protection NIOSH approved, air-purifying organic vapor respirator.

> Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

In the case of vapor formation use a respirator with an ap-

proved filter.

Filter type : Recommended Filter type:

Combined inorganic and acidic gas/vapor, ammo-

nia/amines and organic vapor type

A NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used to minimize

exposure.

Hand protection

Material Polyvinyl chloride - PVC

Wearing time < 60 min

Material Polychloroprene - CR

Wearing time < 60 min

6/23

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Remarks : Gloves should be discarded and replaced if there is any indi-

cation of degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Wear suitable protective clothing.

Impervious clothing

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : clear, yellow, green, to, light blue

Odor : odorless

Odor Threshold : No data available

pH : 4-6

Concentration: 1 %

Melting point/ range : 30 °F / -1 °C

Boiling point/boiling range : 212 °F / 100 °C

(1,013 hPa)

Flash point : $> 212 \,^{\circ}\text{F} / > 100 \,^{\circ}\text{C}$

Method: closed cup

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper : No data available

7 / 23

Preventol D 7



Version **Revision Date:** SDS Number: Date of last issue: 12/17/2020 Country / Language: US / EN 2.1 03/10/2025 203000007157

flammability limit

Lower explosion limit / Lower : No data available

flammability limit

: 23 hPa (68 °F / 20 °C) Vapor pressure

121 hPa (122 °F / 50 °C)

154 hPa (131 °F / 55 °C)

Relative density No data available

Density 1.024 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents No data available

Partition coefficient: n-

octanol/water

: No data available

Ignition temperature : > 1112 °F / > 600 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 1.244 mPa·s

Viscosity, kinematic : No data available

Explosive properties No data available

Oxidizing properties No data available

SECTION 10. STABILITY AND REACTIVITY

No specific test data related to reactivity available for this Reactivity

product or its ingredients.

Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

: Under normal conditions of storage and use, hazardous reac-

tions will not occur.

Conditions to avoid : Heat, flames and sparks.

Avoid release to the environment.

8/23

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Incompatible materials : Avoid contact with the following:

Oxidizing agents

Amines

Reducing agents mercaptan

Hazardous decomposition

products

Nitrogen oxides (NOx)

Sulfur oxides hydrogen chloride

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Test results on an analogous substance/product.

: Acute toxicity estimate: 20.86 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Test results on an analogous substance/product.

Components:

magnesium nitrate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: Yes

Assessment: The substance or mixture has no acute oral tox-

Remarks: Dosage caused no mortality

Acute dermal toxicity LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: Yes

Remarks: Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg

9/23

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Acute inhalation toxicity : LC50 (Rat): 0.33 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Species : Rabbit Exposure time 4 h

Result : Corrosive, category 1C - where responses occur after expo-

sures between 1 hour and 4 hours and observations up to 14

days.

Components:

magnesium nitrate:

Rabbit Species Exposure time 4 h

OECD Test Guideline 404 Method

Result : No skin irritation

GLP

Remarks Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-

3-one (CAS 2682-20-4) (3:1):

Corrosive, category 1C - where responses occur after expo-Result

sures between 1 hour and 4 hours and observations up to 14

Remarks : Brief contact may cause skin burns. Symptoms may include

pain, severe local redness and tissue damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species Rat

Result Risk of serious damage to eyes.

Components:

magnesium nitrate:

Species : Rabbit

Print Date: 04/10/2025

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : Yes

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-

3-one (CAS 2682-20-4) (3:1):

Remarks : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Components:

magnesium nitrate:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : Did not cause sensitization on laboratory animals.

GLP : Yes

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-

3-one (CAS 2682-20-4) (3:1):

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact.

GLP : Yes

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : The product is a skin sensitizer, sub-category 1A.

GLP : Yes

Germ cell mutagenicity

Not classified due to lack of data.

Components:

magnesium nitrate:

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Genotoxicity in vitro : Test Type: gene mutation test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: Yes

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: Yes

Remarks: Test results on an analogous substance/product.

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: Yes

Remarks: Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Germ cell mutagenicity -

: Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Not classified due to lack of data.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Carcinogenicity - Assess- : Not classifiable as a human carcinogen.

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Reproductive toxicity

Not classified due to lack of data.

Components:

magnesium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

Application Route: Oral Dose: 250 - 750 - 1500 mg/kg Duration of Single Treatment: 28 d

General Toxicity Parent: NOAEL: >= 1,500 mg/kg body weight

Method: OECD Test Guideline 422

GLP: Yes

Remarks: Test results on an analogous substance/product.

Effects on fetal development Species: Rat, male and female

> Application Route: Oral Dose: 250 - 750 - 1500 mg/kg Duration of Single Treatment: 53 d

General Toxicity Maternal: NOAEL: >= 1,500 mg/kg body

weight

Developmental Toxicity: NOAEL: >= 1,500 mg/kg body weight

Method: OECD Test Guideline 422

GLP: Yes

Remarks: Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

sessment

Reproductive toxicity - As- : No toxicity to reproduction

STOT-single exposure

Causes damage to organs (Respiratory Tract) if inhaled.

Product:

: Inhalation Routes of exposure Respiratory Tract Target Organs

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Assessment : Material is corrosive. Upper respiratory tract irritation or corro-

sivity may be expected.

13 / 23

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

STOT-repeated exposure

Not classified due to lack of data.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

magnesium nitrate:

Species : Rat, male and female NOAEL : >= 1,500 mg/kg

Application Route : Oral Exposure time : 28 d Number of exposures : daily

Dose : 250 - 750 - 1500 mg/kg Method : OECD Test Guideline 422

GLP : Yes

Remarks : Subacute toxicity

Test results on an analogous substance/product.

Aspiration toxicity

Not classified due to lack of data.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

magnesium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: Yes

Method: OECD Test Guideline 203

14 / 23

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

GLP: Yes

Remarks: Test results on an analogous substance/product.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 490 mg/l

Exposure time: 48 h Analytical monitoring: No

GLP: No

Remarks: Test results on an analogous substance/product.

Toxicity to algae/aquatic

plants

EC50 (Diatom): > 1,700 mg/l End point: Growth rate

Exposure time: 10 Days
Test Type: static test
Analytical monitoring: Yes

GLP: No

Remarks: Test results on an analogous substance/product.

Toxicity to microorganisms : EC50

EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Analytical monitoring: No

Method: OECD Test Guideline 209

GLP: Yes

Remarks: Test results on an analogous substance/product.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 0.16 mg/l

Exposure time: 48 h

Test Type: flow-through test Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.027

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.0014 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test

EC50 (Skeletonema costatum (marine diatom)): 0.0063 mg/l

Exposure time: 72 h

15 / 23

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.05 mg/l

Exposure time: 14 d

Test Type: flow-through test

NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l

Exposure time: 36 d

Test Type: flow-through test

Toxicity to daphnia and other : aquatic invertebrates (Chron-

aquatic invertebra

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.1 mg/l

Exposure time: 21 d

Test Type: flow-through test

Persistence and degradability

Components:

magnesium nitrate:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Biodegradability : Result: Biodegradation (aquatic metabolism):5-Chloro-2-

methyl-4-isothiazolin-3-one (CMIT): t ½ anaerobic = 0.2 day. t ½ aerobic = 0.38 – 1.3 day2-Methyl-4-isothiazolin-3-one(MIT):

 $t \frac{1}{2} aerobic = 0.38 - 1.4 day$

Remarks: Considered rapidly degradable in the environment.

Biodegradation: < 50 % Exposure time: 10 d

Result: Biodegradable Biodegradation: 62 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Biodegradation: 98 % Exposure time: 48 d Method: Simulation study

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-

one)

Remarks: Considered rapidly degradable in the environment.

Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 29 d

Preventol D 7



Version **Revision Date:** SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Method: OECD Test Guideline 301B

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-

one) GLP: Yes

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-

one) GLP: Yes

Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-

isothiazol-3-one)

Remarks: Material is readily biodegradable. Passes OECD

test(s) for ready biodegradability.

aerobic

Concentration: 6 mg/l

Result: Readily biodegradable.

Biodegradation: 98 % Exposure time: 2 d

Method: OECD Test Guideline 302B

Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-

isothiazol-3-one)

Remarks: 10-day Window: Not applicable

Photodegradation Degradation (direct photolysis): 50 %

Degradation half life: 0.2 d

Degradation (indirect photolysis): 50 % Degradation half life: 0.38 - 1.3 d

Bioaccumulative potential

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Bioaccumulation : Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-

isothiazol-3-one)

Remarks: Bioaccumulation is unlikely.

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

Print Date: 04/10/2025

octanol/water

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

log Pow: -0.486 Method: measured

Remarks: 2-Methyl-4-isothiazolin-3-one(MIT):

log Pow: 0.401 Method: measured

Remarks: 5-Chloro-2-methyl-4-isothiazolin-3-one

Mobility in soil

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Distribution among environmental compartments

Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be

an important fate process.

Koc: 28

Method: estimated

Remarks: Potential for mobility in soil is very high (Koc be-

tween 0 and 50).

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Components:

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

Preventol D 7



Version **Revision Date:** SDS Number: Date of last issue: 12/17/2020 Country / Language: US / EN 2.1 03/10/2025 203000007157

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conserva- : tion and Recovery Authoriza-

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

Waste from residues The generation of waste should be avoided or minimized

wherever possible.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

fied as a hazardous waste. (40 CFR 261.20-24)

Empty remaining contents. Contaminated packaging

> Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. UN 3265

Proper shipping name Corrosive liquid, acidic, organic, n.o.s.

(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)

8 Class Packing group Ш 8

Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous

856:60.00 L

19 / 23

852:5.00 L

: yes

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN



IMDG-Code

UN number : UN 3265

UN proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)

Class : 8
Packing group : III
Labels : 8

8

EmS Code : F-A, S-B Marine pollutant : yes



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3265

Proper shipping name : Corrosive liquid, acidic, organic, n.o.s.

(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)

Class : 8
Packing group : III
Labels : 8

CORROSIVE 8

ERG Code : 153

Marine pollutant : yes(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)



Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

Hazard and Handling Notes.

Slightly corrosive.

Keep separated from foodstuffs

The U.S. DOT regulations in Appendix B to 49 CFR § 172.101, paragraph 4 permit this material to ship as marine pollutant.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

magnesium ni- 10377-60-3 >= 1 - < 5 %

trate

US State Regulations

Massachusetts Right To Know

magnesium nitrate 10377-60-3

Pennsylvania Right To Know

water7732-18-5magnesium nitrate10377-60-3copper dinitrate3251-23-8

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA inventory

TSCA : This product is regulated under the United States Federal

Insecticide, Fungicide and Rodenticide Act (FIFRA).

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

FIFRA information

EPA registration number : 39967-93

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word : DANGER

Hazard Statements : Corrosive Causes irreversible eye damage. Causes skin


burns. Harmful if swallowed or if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in

some individuals.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Sub-

Preventol D 7



Version Revision Date: SDS Number: Date of last issue: 12/17/2020 2.1 03/10/2025 203000007157 Country / Language: US / EN

stance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/10/2025

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.