

Licocene PE 4201 Pdr Page 1

 Substance key: 000000161103
 Revision Date: 10/18/2024

 Version: 2 - 7 / USA
 Date of printing: 06/04/2025

SECTION 1. IDENTIFICATION

Identification of the

company:

Clariant Corporation 500 East Morehead Street Charlotte, NC, 28202

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Licocene PE 4201 Pdr

 Material number:
 198293

 CAS number:
 9002-88-4

Chemical family: Polyethylene wax

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P233 Keep container tightly closed.

Other hazards

No additional hazards are known except those derived from the labelling.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Polyethylene wax

CAS-No. : 9002-88-4



Licocene PE 4201 Pdr Page 2

Substance key: 000000161103 Revision Date: 10/18/2024 Version: 2-7/USA Date of printing :06/04/2025

Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

No hazardous ingredients. This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 4. FIRST AID MEASURES

General advice : Get medical advice/ attention if you feel unwell.

If inhaled Move the victim to fresh air.

> Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

Wash thoroughly with soap and water for 15 minutes. If skin In case of skin contact

irritation occurs, seek medical attention.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed If swallowed, DO NOT induce vomiting.

Do not give anything to drink. Call a physician immediately.

Most important symptoms and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water mist

Foam Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Emits toxic fumes under fire conditions. This product presents

no unusual fire or explosion hazards while sealed in a

shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static

spark or flame initiation.



Licocene PE 4201 Pdr Page 3

Substance key: 000000161103 Revision Date: 10/18/2024 Version: 2-7/USA Date of printing :06/04/2025

Further information Exercise caution when fighting any chemical fire. Use NIOSH

approved self-contained breathing apparatus and full

protective clothing.

for firefighters

Special protective equipment : Wear personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment.

Wearing appropriate personal protective equipment, contain

spill and collect into a suitable container.

Environmental precautions The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for containment and cleaning up

Take up mechanically

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Dust may form explosive mixture in air.

Electrical equipment should be protected to the appropriate

standard.

Advice on safe handling Avoid inhalation, ingestion and contact with skin and eyes.

Wash thoroughly after handling.

Avoid dust formation. Keep away from sources of ignition.

Lead off electrostatic charges.

Further information on storage conditions

Store in original container. Keep container tightly closed.

Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures A system of local and/or general exhaust is recommended

where employee exposures are at or above Occupational

Exposure Limits (OEL).

Personal protective equipment

Respiratory protection Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be

generated.



Licocene PE 4201 Pdr Page 4

 Substance key: 000000161103
 Revision Date: 10/18/2024

 Version: 2 - 7 / USA
 Date of printing: 06/04/2025

Hand protection

Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

Protective measures : When working with hot material, avoid contact with skin.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Use protective skin cream before handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : not specified

Odour Threshold : not determined

pH : Not applicable

Drop point : approx. 262 °F / 128 °C

Method: ASTM D 3954-94

Boiling point : not determined

Flash point : 441 °F / 227 °C

Method: DIN EN 22719 / ISO 2719 (closed cup)

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Self-ignition : Method: Expert judgement

The substance or mixture is not classified as pyrophoric. The product melts below 160 °C. Therefore, no further testing of

self-heating properties is required.

Burning number : 2 (68 °F / 20 °C)

Short flaring up without spreading

Upper explosion limit / upper

flammability limit

Not applicable



Licocene PE 4201 Pdr Page 5

 Substance key: 000000161103
 Revision Date: 10/18/2024

 Version: 2 - 7 / USA
 Date of printing: 06/04/2025

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : no data available

Density : approx. 0.97 g/cm3 (73 °F / 23 °C)

Method: ISO 1183

Bulk density : not tested.

Solubility(ies)

Water solubility : insoluble (68 °F / 20 °C)

Solubility in other solvents : Not applicable

Partition coefficient: n-

octanol/water

not determined

Auto-ignition temperature : Not applicable

Decomposition temperature : No decomposition if used as directed.

Viscosity

Viscosity, dynamic : approx. 60 mPa.s (284 °F / 140 °C)

Method: DIN 53019

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Method: Expert judgement

Oxidizing properties : Method: Expert judgement

not oxidizing The product does not contain organic peroxidegroups which result from either the manufacturing process or

from added ingredients.

Surface tension : Based on chemical structure, no surface activity is expected

or can be predicted.

Dust deflagration index (Kst) : 137 m.b_/s

Dust explosion class : St1

Metal corrosion rate : Not applicable



Licocene PE 4201 Pdr Page 6

 Substance key: 000000161103
 Revision Date: 10/18/2024

 Version: 2 - 7 / USA
 Date of printing: 06/04/2025

Minimum ignition energy : 1 - 3 mJ

Method: Mike 3 apparatus

with inductive electrical resistance

Particle size : $< 500 \mu m$

Method: Sieve analysis

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if used as directed.

Chemical stability : Stable

Possibility of hazardous

reactions

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

The substance or mixture does not emit flammable gases in

contact with water.

Not corrosive to metals

Conditions to avoid : Keep away from heat and sources of ignition.

Incompatible materials : not known

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Skin contact Inhalation

Acute toxicity

Product:

Acute oral toxicity : Remarks: not tested.

Skin corrosion/irritation

Product:

Remarks : not tested.

Serious eye damage/eye irritation

Product:

Remarks : not tested.

Respiratory or skin sensitisation

Product:

Remarks : not tested.



Licocene PE 4201 Pdr Page 7

 Substance key: 000000161103
 Revision Date: 10/18/2024

 Version: 2 - 7 / USA
 Date of printing: 06/04/2025

Germ cell mutagenicity

Product:

Germ cell mutagenicity -

Assessment

: No information available.

Carcinogenicity

Product:

Carcinogenicity - Assessment

: No information available.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Reproductive toxicity -

: No information available.

Assessment

Repeated dose toxicity

Product:

Remarks : not tested.

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

Further information

Product:

Remarks : The product has not been tested. The statements are derived

from products of a similar composition.



Licocene PE 4201 Pdr Page 8

 Substance key: 000000161103
 Revision Date: 10/18/2024

 Version: 2 - 7 / USA
 Date of printing: 06/04/2025

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: The product has not been tested. Because of the

product's consistency and lack of solubility in water

bioavailability is not likely.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: The product has not been tested. Because of the

product's consistency and lack of solubility in water

bioavailability is not likely.

Toxicity to algae/aquatic

plants

Remarks: The product has not been tested. Because of the

product's consistency and lack of solubility in water

bioavailability is not likely.

Toxicity to microorganisms : Remarks: The product has not been tested. Because of the

product's consistency and lack of solubility in water

bioavailability is not likely.

Persistence and degradability

Product:

Biodegradability : Remarks: not tested.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

Mobility in soil

no data available

Other adverse effects

Product:

Environmental fate and

pathways

Remarks: no data available

Additional ecological

information

Product is insoluble in water

Harmful effects to fish and bacteria: not harmful

May be separated mechanically in waste water plants.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource

Conservation and Recovery

Authorization Act

This product, if discarded as sold, is not a Federal RCRA

hazardous waste.



Licocene PE 4201 Pdr

Page 9

 Substance key: 000000161103
 Revision Date: 10/18/2024

 Version: 2 - 7 / USA
 Date of printing: 06/04/2025

Waste Code : None

Waste from residues : Small quantities may be treated in aerobic wastewater

treatment systems. Larger quantities may be incinerated or

landfilled after solidification in permitted systems.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as

product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restrictedIATA not restrictedIMDG not restricted

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the

TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information




Licocene PE 4201 Pdr

Page 10

Substance key: 000000161103	Revision Date: 10/18/2024
Version: 2 - 7 / USA	Date of printing :06/04/2025

NFPA 704:



Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance: ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United



Licocene PE 4201 Pdr

Page 11

 Substance key: 000000161103
 Revision Date: 10/18/2024

 Version: 2 - 7 / USA
 Date of printing: 06/04/2025

Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For additional information, contact Product Stewardship.

Revision Date : 10/18/2024

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY. SUITABILITY. FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN