BAYFERROX 140 M



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/17/2020 203000000033 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : BAYFERROX 140 M

Product code : 00000000000517430

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

15275-1112 Pittsburgh, United States of America

Responsible Department : +1800LANXESS

Emergency telephone number : Chemtrec (800) 424-9300

International (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Colorants (pigments and dyestuffs), inorganic

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : Fe2O3

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.

Get medical attention if symptoms occur.

1/11

BAYFERROX 140 M



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/17/2020 203000000033 Country / Language: US / EN

In case of skin contact : Wash off with plenty of water.

Continue to rinse for at least 10 minutes. Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids.

If easy to do, remove contact lens, if worn. Continue to rinse for at least 10 minutes. Get medical attention if symptoms appear.

If swallowed : Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms : See Section 11 for more detailed information on health ef-

fects and symptoms.

: May cause irritation with symptoms of reddening and itching.

Eye: May cause irritation with symptoms of reddening, tear-

ing and stinging.

Effects : See Section 11 for more detailed information on health ef-

fects and symptoms.

: May cause mechanical irritation (abrasion).

Notes to physician : See Section 11 for more detailed information on health effects

and symptoms.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or

 CO_2 .

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

No information available.

Hazardous combustion prod: :

ucts

The product itself does not burn.

Further information : Standard procedure for chemical fires.

Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

BAYFERROX 140 M



Version

1.0

Revision Date: 09/17/2020

SDS Number: 203000000033

Date of last issue: -

Country / Language: US / EN

Special protective equipment :

for firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-: tive equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Keep unnecessary and unprotected personnel from entering.

Avoid breathing dust.

Use personal protective equipment.

Avoid dust formation.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up

Move containers from spill area.

Vacuum or sweep up material and place in a designated, la-

beled waste container.

Dispose of wastes in an approved waste disposal facility.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Workers should wash hands and face before eating, drinking

and smoking.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on stor-

age stability

Keep in a dry place.

BAYFERROX 140 M



Version R

1.0

Revision Date: 09/17/2020

SDS Number: 203000000033

Date of last issue: -

Country / Language: US / EN

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
diiron trioxide (Dust and fume)	1309-37-1	TWA (Res- pirable par- ticulate mat- ter)	5 mg/m3	ACGIH
		TWA (Fumes)	10 mg/m3	OSHA Z-1
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1

Engineering measures : Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : Dust-protection mask if there is a risk of dust formation.

Hand protection

Material : Gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : General industrial hygiene practice.

When using do not eat, drink or smoke.

Wash face, hands and any exposed skin thoroughly after

handling.

Wash contaminated clothing before reusing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : red

Odour : odourless

Odour Threshold : No data available

4/11

BAYFERROX 140 M



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/17/2020 203000000033 Country / Language: US / EN

pH : 5-8

Concentration: 5 %

Melting point/range : > 1,832 °F / > 1,000 °C

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative density : No data available

Density : 5 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

5/11

BAYFERROX 140 M



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/17/2020 203000000033 Country / Language: US / EN

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No data available

Incompatible materials : No specific data.

Hazardous decomposition

products

Hazardous decomposition

products

No decomposition if stored and applied as directed.

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation

Eve contact

Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Test results on an analogous product

Skin corrosion/irritation

Not classified based on available information.

Product:

Result : No skin irritation

Remarks : Test results on an analogous product

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation

Remarks : Test results on an analogous product

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

BAYFERROX 140 M



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/17/2020 203000000033 Country / Language: US / EN

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Remarks : Long-term exposure to high concentrations of dust containing

iron oxide can cause a benign condition termed "pulmonary siderosis". This condition is not associated with any physical

impairment of lung function.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : According to our experience and information the product has

no harmful effects on health if properly handled.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l

BAYFERROX 140 M



Version Revision Date: SDS Number: Date of last issue: -

09/17/2020 203000000033 Country / Language: US / EN 1.0

Exposure time: 48 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

: Ecotoxicological data are not available.

No known significant effects or critical hazards.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues

Examine possibilities for re-utilisation.

Product residues and uncleaned empty containers should be packaged, sealed, labelled, and disposed of or recycled ac-

cording to relevant national and local regulations.

When uncleaned empty containers are passed on, the recipient must be warned of any possible hazard that may be

caused by residues.

The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

8/11

BAYFERROX 140 M



Version 1.0

Revision Date: 09/17/2020

SDS Number: 203000000033

Date of last issue: -

Country / Language: US / EN

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Remarks : Not dangerous cargo, Keep dry., Keep separated from food-

stuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

diiron trioxide (Dust and fume) 1309-37-1 > 98

Massachusetts Right To Know

diiron trioxide (Dust and fume) 1309-37-1

Pennsylvania Right To Know

diiron trioxide (Dust and fume) 1309-37-1 > 98

Pennsylvania Right To Know

diiron trioxide (Dust and fume) 1309-37-1

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

BAYFERROX 140 M



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/17/2020 203000000033 Country / Language: US / EN

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA inventory

TSCA : On TSCA Inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Exist-

10 / 11

BAYFERROX 140 M



Version Revision Date: SDS Number: Date of last issue: -

1.0 09/17/2020 203000000033 Country / Language: US / EN

ing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System: GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/17/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.