

Exolit AP 423

Page 1

---

Substance key: SXR025508  
Version : 5 - 0 / USARevision Date: 01/05/2024  
Date of printing :01/22/2024

---

**SECTION 1. IDENTIFICATION**

<b>Identification of the company:</b>	Clariant Corporation 500 East Morehead Street Charlotte, NC, 28202 Telephone No.: +1 704 331 7000
	<b>Information of the substance/preparation:</b> Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com
	<b>Emergency tel. number:</b> +1 800-424-9300 CHEMTREC

<b>Trade name:</b>	<b>Exolit AP 423</b>
<b>Material number:</b>	106960
<b>CAS number:</b>	68333-79-9
<b>Primary product use:</b>	Flame retardants
<b>Chemical family:</b>	ammonium polyphosphate

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Carcinogenicity : Category 2

Reproductive toxicity : Category 2

**GHS label elements**Hazard pictograms : 

Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.  
H361f Suspected of damaging fertility.Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Substance key: SXR025508  
Version : 5 - 0 / USA

Revision Date: 01/05/2024  
Date of printing :01/22/2024

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

According to the present state of knowledge, provided that this product is handled correctly, there is no known danger to humans.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance  
Substance name : ammonium polyphosphate  
CAS-No. : 68333-79-9

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Melamine	108-78-1	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : Remove/ Take off immediately all contaminated clothing.

If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.

In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Do not give anything to drink.  
Call a physician immediately.

Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
The possible risks known are those derived from the labelling (see section 2).  
Suspected of causing cancer.

---

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

---

Suspected of damaging fertility.

Notes to physician : Treat symptomatically.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : water

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : In case of fires, hazardous combustion gases are formed:  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)  
Ammonia

Further information : Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.

Special protective equipment for firefighters : Self-contained breathing apparatus

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures : Do not breathe dust.  
Small spills may be flushed to the sewer or swept up. Larger spills should be collected by shovelling into appropriate waste collection containers. Clean-up by flushing with water if desired or removal of contaminated soil. Utilize recommended clothing and equipment.

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.

Methods and materials for containment and cleaning up : Pick up mechanically. Rinse away rest with water.  
Dispose of contaminated material as prescribed

---

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : No special measures necessary.

Advice on safe handling : Use personal protective equipment.  
Avoid breathing dust.  
Avoid contact with skin and eyes.  
Wash thoroughly after handling.  
Store in a dry place.  
Keep away from heat.  
Store in original container.  
Keep container tightly closed.

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

Conditions for safe storage : Keep only in unopened original container.

Further information on storage conditions : Store in original container.  
Keep container tightly closed.  
Store in a cool, dry, well-ventilated area.

Materials to avoid : Do not store with alkalis

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Melamine	108-78-1	TWA	3 mg/m <sup>3</sup>	US WEEL

**Engineering measures** : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

### Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.

Hand protection  
Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

Protective measures : Avoid breathing dust or vapour.  
Avoid contact with skin and eyes.

Hygiene measures : Clean skin thoroughly after work; apply skin cream.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : odourless

# SAFETY DATA SHEET

## Exolit AP 423

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

Odour Threshold	:	not determined
pH	:	4 - 7 (77 °F / 25 °C) Concentration: 10 % Method: aqueous suspension
Decomposition temperature	:	> 527 °F / > 275 °C Method: DTA
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	The product is not flammable.  Not expected to form explosive dust-air mixtures.
Self-ignition	:	Method: Expert judgement The substance or mixture is not classified as pyrophoric.
Burning number	:	1 Does not catch fire
Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	approx. 2.0 g/cm <sup>3</sup>
Bulk density	:	approx. 0.4 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	< 10 g/l (77 °F / 25 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	> 527 °F / 275 °C Heating rate: 5 K/min Method: DTA start of decomposition

---

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

---

Viscosity	
Viscosity, dynamic	: <= 100 mPa.s (77 °F / 25 °C) 100 g/l in water
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive Not explosive Method: Expert judgement
Oxidizing properties	: Method: Expert judgement not oxidizing The product does not contain organic peroxide-groups which result from either the manufacturing process or from added ingredients.
Impact sensitivity	: Not impact sensitive.
Surface tension	: Based on chemical structure, no surface activity is expected or can be predicted.
Dust explosion class	: not capable of dust explosion
Metal corrosion rate	: Not corrosive to metals
Particle size	: <= 0.3 mm Method: Laser diffraction with dispersion in dry air.

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: The substance or mixture does not emit flammable gases in contact with water. Not corrosive to metals Contact with strong bases liberates ammonia.
Conditions to avoid	: Protect from heat/overheating.  Keep away from strong bases.
Incompatible materials	: Alkalis
Hazardous decomposition products	: Ammonia

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Eye contact  
Skin contact  
Inhalation

**Acute toxicity**

Not classified due to lack of data.

**Product:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50: Test atmosphere: dust/mist  
Remarks: no data available

LC50: Test atmosphere: vapour  
Remarks: no data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Components:****Melamine:**

Acute oral toxicity : LD50 (Rat, male and female): 3,161 - 3,828 mg/kg  
Method: Other  
GLP: No information available.  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.19 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: no data available

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : Rabbit  
Exposure time : 24 h  
Method : FDA guideline  
Result : Mild skin irritation

**Components:****Melamine:**

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : rabbit eye  
Result : No eye irritation  
Method : FDA guideline

**Components:****Melamine:**

Species : Rabbit  
Result : No eye irritation  
Method : Other  
GLP : no

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified due to lack of data.

**Respiratory sensitisation**

Not classified due to lack of data.

**Product:**

Test Type : Guinea pig maximization test  
Species : Guinea pig  
Method : Magnusson/Kligman  
Result : non-sensitizing

**Components:****Melamine:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.  
GLP : yes

**Germ cell mutagenicity**

Not classified due to lack of data.

**Product:**

Germ cell mutagenicity - Assessment : Not mutagenic in Ames Test

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

**Components:****Melamine:**

- Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 50 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: Ames test  
Result: negative  
GLP: yes
- Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Concentration: 240 - 300 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: Other  
Result: negative  
GLP: No information available.
- Test Type: In vitro gene mutation study in mammalian cells  
Test system: Chinese hamster ovary cells  
Concentration: 600 - 1000 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: Other  
Result: negative  
GLP: yes
- Genotoxicity in vivo : Test Type: Chromosome Aberration Test  
Species: Mouse (male and female)  
Strain: CD1  
Cell type: Bone marrow  
Application Route: oral (gavage)  
Exposure time: 1 - 2 treatments, 24 h  
Dose: 1000 - 10000 - 20000 mg/kg  
Method: Other  
Result: negative  
GLP: yes
- Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

**Carcinogenicity**

Suspected of causing cancer.

**Components:****Melamine:**

- Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 103 w  
Control Group : yes  
Frequency of Treatment : daily

# SAFETY DATA SHEET

**Exolit AP 423**

Page 10

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

Method : 126 mg/kg bw/day  
Result : Other  
GLP : equivocal  
GLP : No information available.

Carcinogenicity - Assessment : Suspected human carcinogens

**IARC** Group 2B: Possibly carcinogenic to humans  
Melamine 108-78-1

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Suspected of damaging fertility.

### Components:

#### **Melamine:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Other  
Method: Other  
Remarks: Fertility and developmental toxicity tests did not reveal any effect on reproduction.

Effects on foetal development : Test Type: Pre-natal  
Species: Rat, female  
Strain: wistar  
Application Route: oral (feed)  
Dose: 136, 400, 1060 mg/kg bw/day  
General Toxicity Maternal: NOAEL: 400 mg/kg body weight  
Teratogenicity: NOAEL: 1,060 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.  
Embryotoxicity classification not possible from current data.

## STOT - single exposure

Not classified due to lack of data.

### Components:

#### **Melamine:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

**STOT - repeated exposure**

Not classified due to lack of data.

**Components:****Melamine:**

Target Organs : Urinary tract  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Product:**

Remarks : not tested.

**Components:****Melamine:**

Species : Rat, male and female  
NOAEL : 72 mg/kg bw/day  
Application Route : oral (feed)  
Exposure time : 13 w  
Dose : 750 - 18000 ppm nominal in die  
Control Group : yes  
Method : Repeated Dose Toxicity (subchronic study)  
GLP : No information available.  
Target Organs : Urinary system, Bladder

Application Route : Inhalation  
Remarks : This information is not available.

Application Route : Skin contact  
Remarks : This information is not available.

**Aspiration toxicity**

Not classified due to lack of data.

**Components:****Melamine:**

No aspiration toxicity classification

**Experience with human exposure****Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l  
Exposure time: 96 h  
Method: OECD

Toxicity to daphnia and other :  
aquatic invertebrates : Remarks: not tested.

Toxicity to algae/aquatic :  
plants : Remarks: not tested.

Toxicity to microorganisms : Remarks: not tested.

**Components:****Melamine:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 3,000 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
Method: Other  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other : EC50 (Daphnia sp. (water flea)): 200 mg/l  
aquatic invertebrates : End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no  
Method: Regulation (EC) No. 440/2008, Annex, C.2  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 325  
plants : mg/l  
End point: Growth rate  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no data available  
Method: Other  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic : NOEC (Pimephales promelas (fathead minnow)): >= 5.1 mg/l  
toxicity) : End point: length of young fish

Exolit AP 423

Page 13

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

Exposure time: 36 d  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: OECD Test Guideline 210  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia sp. (water flea)):  $\geq 11$  mg/l  
End point: Reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes

Toxicity to microorganisms : EC<sub>0</sub> (Natural microorganism):  $> 100$  mg/l  
Exposure time: 2 h  
Test Type: static test  
Analytical monitoring: yes  
Method: Other  
GLP: no

### Persistence and degradability

#### Product:

Biodegradability : Remarks: Inorganic substance. Causes no biological oxygen consumption.

#### Components:

##### **Melamine:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 100 mg DOC/l  
Dissolved organic carbon (DOC)  
Result: not rapidly degradable  
Biodegradation:  $< 10$  %  
Exposure time: 28 d  
Method: OECD Test Guideline 302B  
GLP: No information available.

aerobic  
Inoculum: activated sludge  
Method: Other  
GLP: No information available.  
Remarks: The product is biodegradable after lengthy adaptation.

Physico-chemical removability : Remarks: Not readily eliminated from water.

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: not available

**Components:****Melamine:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 0.38 - 3.8  
Exposure time: 42 d  
Concentration: 0.2 - 2 mg/l  
Method: Other  
GLP: No information available.

Partition coefficient: n-octanol/water : log Pow: -1.22 (72 °F / 22 °C)  
pH: 8  
Method: Regulation (EC) No. 440/2008, Annex, A.8  
GLP: no

**Mobility in soil****Components:****Melamine:**

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: 1.13 - 1.51  
Method: estimated

**Other adverse effects****Product:**

Environmental fate and pathways : Remarks: not available

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : The ecological values have been gathered from a saturated aqueous solution.

May contribute to eutrophication in static waters, therefore should not be released into surface waters

The product can be eliminated from water by abiotic processes, e.g. adsorption on activated sludge.

**Components:****Melamine:**

Environmental fate and pathways : no data available

Exolit AP 423

Page 15

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

RCRA - Resource Conservation and Recovery Act

Authorization Act

Waste Code : None

Waste from residues : Small quantities may be treated in aerobic wastewater treatment systems. Larger quantities may be incinerated or landfilled after solidification in permitted systems.

Contaminated packaging : Uncontaminated packaging may be taken for recycling

---

**SECTION 14. TRANSPORT INFORMATION**

DOT not restricted

IATA not restricted

IMDG not restricted

---

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Carcinogenicity  
Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

# SAFETY DATA SHEET

**Exolit AP 423**

Page 16

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act


### The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the TSCA Inventory Notification (Active) rule.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



### Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

---

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

---

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Observe national and local legal requirements

Observe all necessary precautions for handling powders as fine powder. May present dust explosion hazard. ACGIH threshold limit values (TLV) for particulate matter: Inhalable particulate = 10 mg/m<sup>3</sup> / respirable particulate = 3 mg/m<sup>3</sup> osha permissible exposure limit (PEL) for particulate matter: Total dust = 15 mg/m<sup>3</sup> / respirable fraction = 5 mg/m<sup>3</sup> may contain traces of residual trichloroethylene (cas number:79-01-6) which is listed on California Prop 65 list of carcinogens.

Revision Date : 01/05/2024

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

# SAFETY DATA SHEET



**Exolit AP 423**

Page 18

---

Substance key: SXR025508

Revision Date: 01/05/2024

Version : 5 - 0 / USA

Date of printing :01/22/2024

---

US / EN