

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: the 2024 OSHA Hazard Communication Standard. (29 CFR § 1910.1200).

Date of document

Origination	Last Regulatory Review	Print
20-Aug-2025	20-Aug-2025	20-Aug-2025

1. IDENTIFICATION

Product identifier

Product identifier 88R11520

Product Name Red 325 PVC MB

Other means of identification

CAS Number: Mixture

Synonyms None

Supplied By Penn Color, Inc.

2801 Richmond Road Hatfield, PA 19440

Recommended use of the chemical and restrictions on use

Recommended Use FOR INDUSTRIAL USE ONLY!

Restrictions on useNo information available

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer: Company Phone Number Facsimile

Penn Color, Inc. +1 (215) 997-2221 +1 (215) 822-5801

2801 Richmond Road Hatfield, PA 19440

Contact PointProduct Stewardship TeamSDS Inquiriesmsds@penncolor.comRegulatory Inquiriesregulatory@penncolor.com

Web Address

www.penncolor.com

Emergency Telephone Number:

Chemtrec USA: 1 (800) 424-9300 or +1 (703) 527-3887

Chemtrec In-Country

Argentina: +54 11 5983-9431

Brazil: Rio De Janeiro +55 21 3958-1449 Brazil: Sao Paulo +55 11 4349-1359

Brazil: Toll Free - Mobile Enabled 0800 892 0479

Chile: Santiago +56 2 2581 4934

Colombia: Bogota +57 601 7942539 Columbia: Toll Free 01-800-7102151

Chemtrec Registrant Identifier:

Penn Color, Inc. CCN - 16979

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2024 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Signal word

None

Hazard statements

None.

Precautionary Statements - Prevention

None

Precautionary Statements - Response

None

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

None

Other Information:

Other hazards May form explosible dust-air mixture if small particles are generated during

further processing, handling, or by other means

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	64,599.50	mg/kg
ATEmix (dermal)	25,839.80	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm
ATEmix (inhalation-dust/mist)	99,999.00	mg/l
ATEmix (inhalation-vapor)	99,999.00	mg/l

Unknown acute toxicity

Unknown acute toxicity 9 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

The product contains no substances which at their given concentration, are considered to be hazardous to health

4. FIRST AID MEASURES

Description of first aid measures

Eye contact • Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower

and upper eyelids. Consult a physician

Skin contact • Wash skin with soap and water

Inhalation • Remove to fresh air

Ingestion • Rinse mouth

Most important symptoms and effects, both acute and delayed

Symptoms • No information available

Indication of any immediate medical attention and special treatment needed

Note to physicians • Treat symptomatically

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media • CO2, dry chemical, dry sand, alcohol-resistant foam

Unsuitable extinguishing media • CAUTION: Use of water spray when fighting fire

may be inefficient

Specific hazards arising from the chemical • No information available

Hazardous combustion products • Thermal decomposition and burning may produce

carbon monoxide, carbon dioxide, nitrogen oxides,

and other toxic compounds.

Explosion data

Sensitivity to mechanical impact • None

Sensitivity to static discharge • None

Special protective equipment and precautions for • Wear self-contained breathing apparatus and

fire-fighters protective suit

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions • Ensure adequate ventilation

Methods and material for containment and cleaning up

Methods for containment • Prevent further leakage or spillage if safe to do so

Methods for cleaning up • Pick up and transfer to properly labeled containers

Prevention of secondaryClean contaminated objects and areas thoroughly observing environmental regulations

Reference to other sections • See Section 12 for additional Ecological Information

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling • Handle in accordance with good industrial hygiene and safety practice

Conditions for safe storage, including any incompatibilities

Storage Conditions • Keep containers tightly closed in a dry, cool and well-ventilated place

Incompatible materials • None known based on information supplied

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the

cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the

sources listed here

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Poly Vinyl Chloride Resin	TWA: 1 mg/m ³ respirable		
9002-86-2	particulate matter		
10 - < 20			
Titanium Dioxide	TWA: 0.2 mg/m ³ nanoscale	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m ³	TWA: 2.4 mg/m ³ CIB 63
10 - < 20	TWA: 2.5 mg/m ³ finescale	total dust	fine
	respirable particulate matter		TWA: 0.3 mg/m ³ CIB 63
			ultrafine, including
			engineered nanoscale
Pigment Red	TWA: 5 mg/m ³ respirable	TWA: 10 mg/m ³ fume	IDLH: 2500 mg/m ³ Fe dust
	particulate matter	TWA: 15 mg/m ³ total dust	and fume

5 - < 10	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ Fe dust and
	fraction	fume
	(vacated) TWA: 10 mg/m ²	
	fume and total dust Iron	
	oxide	
	(vacated) TWA: 5 mg/m ³	
	respirable fraction regulate	ed
	under Rouge	

Appropriate engineering controls

Engineering controls • Showers, eyewash stations, and ventilation systems

Individual protection measures, such as personal protective equipment

General hygiene considerations

• Handle in accordance with good industrial hygiene and safety practice

Eye/face protection • Wear safety glasses with side shields (or goggles)

• Wear suitable gloves **Hand protection**

• Wear suitable protective clothing Skin and body protection

Respiratory protection • When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid **Pellets Appearance** Color red

No information available Odor **Odor Threshold** No information available

Values Remarks Method **Property**

No data available Ηα None known None known

pH (as aqueous solution)

Melting point / freezing point No data available No information available

Boiling point / boiling range No data available None known

°C

Closed Cup Flash point No data available

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or No data available

explosive limits Lower flammability or

explosive limits

Vapor PressureNo data availableNone knownVapor DensityNo data availableNone known

No data available

Relative Density No data available

Water solubility
No data available
None known
No data available
None known

Partition coefficient: No data available

n-octanol/water Autoignition temperature

Decomposition temperature

Kinematic Viscosity

No data available

No data available

No data available None known

None known None known

Other information

Explosive propertiesNo data availableOxidizing propertiesNo data availableSoftening PointNo data availableMolecular weightNo data available

10. STABILITY AND REACTIVITY

Reactivity Stable

Chemical stability Stable

Possibility of hazardous

reactions

None under normal processing

Conditions to avoid Direct heating, dirt, chemical contamination, sunlight, UV or ionizing

radiation, freezing temperatures.

Incompatible materials None known based on information supplied

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating and toxic gases and

vapors

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available

Eye contact Specific test data for the substance or mixture is not available

Skin contact Specific test data for the substance or mixture is not available

Ingestion Specific test data for the substance or mixture is not available

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 64,599.50
 mg/kg

 ATEmix (dermal)
 25,839.80
 mg/kg

 ATEmix (inhalation-gas)
 99,999.00
 ppm

 ATEmix
 99,999.00
 mg/l

(inhalation-dust/mist)

ATEmix (inhalation-vapor)99,999.00 mg/l

Unknown acute toxicity 9 % of the mixture consists of ingredient(s) of unknown toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium Dioxide	> 2000 mg/kg (Rat)		> 5.09 mg/L (Rat) 4 h
13463-67-7			
Pigment Red	> 10000 mg/kg (Rat)		
Pigment Red 48:2 7023-61-2	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	>= 4.76 mg/L (Rat) 4 h
Ba Compound 41	> 10000 mg/kg (Rat)		> 5.24 mg/L (Rat) 4 h

- 1		
- 1		
- 1		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available

Serious eye damage/eye

irritation

No information available

Respiratory or skin

sensitization

No information available

Germ cell mutagenicity No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as

a carcinogen

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	A3	Group 2B		X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity No information available

Developmental Toxicity No information available

Teratogenicity No information available

STOT - single exposure No information available

STOT - repeated exposure No information available

Target organ effects No information available

Subchronic Toxicity No information available

Neurological Effects No information available

Other Adverse Effects No information available

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component Information

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Pigment Red		LC50: =100000mg/L		
		(96h, Danio rerio)		
Pigment Red 48:2		LC50: >100mg/L (96h,		
7023-61-2		Danio rerio)		
Ba Compound 41		LC50: >500mg/L (96h,		EC50: >2.2mg/L (48h,
		Brachydanio rerio)		Daphnia magna)

Persistence and degradability No information available

Bioaccumulation There is no data for this product

Component Information

Chemical name	Partition coefficient
Pigment Red 48:2 7023-61-2	-0.75
Ba Compound 41	1.69

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

• Dispose of in accordance with local regulations

• Dispose of waste in accordance with environmental legislation

Contaminated packaging

• Do not reuse empty containers

14. TRANSPORT INFORMATION

USDOT

Status Not regulated

ICAO (air)

Status Not regulated

IMO

Status Not regulated

15. REGULATORY INFORMATION

International Inventories:

United States: All components of this product are designated as "Active" on the TSCA

Inventory or are not required to be listed.

Inventory Note For additional global inventory information, please contact the Product

Stewardship Team at regulatory@penncolor.com

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations:

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	Weight-%	SARA - Section 313:
Ba Compound 41	3 - < 5	= 1.0 % de minimis concentration

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Titanium Dioxide 13463-67-7	Carcinogen
Ba Compound 41	Carcinogen

Note:

The listing of titanium dioxide in the CA PROP 65 REGULATION specifically pertains to airborne, unbound titanium dioxide particles of respirable size, meaning that all three criteria must be met before titanium dioxide would be considered a carcinogen according to the requirements of CA PROP 65. Our products do not contain unbound titanium dioxide and it is not expected that titanium dioxide particles of respirable size would be generated during normal use of this product.

This product may contain trace levels of metal impurities that are on the California Proposition 65 list. This product may also contain other substances on the California Prop 65 list at levels below 1000 ppm. For some of these substances, their listings are qualified as specifically relating to airborne, unbound particles of respirable size. If additional information is needed please send a request to regulatory@penncolor.com.

For additional information, see **Section 11.**

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	Massachusetts	New Jersey	Pennsylvania	Pennsylvania RTK - Special Hazardous Substances:
Poly Vinyl Chloride Resin 9002-86-2		X		
Titanium Dioxide 13463-67-7	X	X	X	
Pigment Red		X	X	
Ba Compound 41		X	X	

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

HMIS

Health hazards 0
Flammability 0
Physical hazards 0
PERSONAL PROTECTION: X

Key literature references and sources for data used to compile the SDS

- Supplier documentation
- Process documentation

Date of document

Origination20-Aug-2025Last Regulatory Review20-Aug-2025Print Date20-Aug-2025

Revision Note:

Revision Date 20-Aug-2025

Revision Number 1

Reason for Revision No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet