according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

#### **SECTION 1. IDENTIFICATION**

Product name : NAUGALUBE ® 438L

Product code : 00000000058318635

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Antioxidant

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Carcinogenicity : Category 2

Other hazards

None known.

**GHS** label elements

Hazard pictograms



Signal Word : Warning

Hazard Statements : H351 Suspected of causing cancer.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

1 / 17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
diphenylamine	122-39-4*	>= 0.1 - <= 1

<sup>\*</sup> Indicates that the identifier is a CAS No.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Do not leave the victim unattended.

Show this safety data sheet to the doctor in attendance.

If inhaled : Remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash off with warm water and soap.

If skin irritation occurs: Get medical advice/ attention.

Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

2/17

Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth with water.

Do not induce vomiting unless directed to do by medical per-

sonnel.

Get medical attention if symptoms occur.

## Most important symptoms and effects, both acute and delayed

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 203000017046 3.0 08/21/2025 Country / Language: US / EN

**Symptoms** Adverse symptoms sometimes include the following:

carcinogenic effects

**Effects** Suspected of causing cancer.

Protection of first-aiders First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Treat symptomatically. Notes to physician

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Burning produces irritant fumes.

Hazardous combustion prod-

ucts

Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx)

Further information Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Put on appropriate personal protection equipment. Do not touch or walk through spilled material.

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

**Environmental precautions** Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

3/17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

respective authorities.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.
 Move containers from spill area.

Wash spillages into an effluent treatment plant or proceed as

follows.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid contact with skin, eyes and clothing.

Do not smoke.

Avoid inhalation of vapor or mist.

Provide sufficient air exchange and/or exhaust in work rooms.

Wash thoroughly after handling.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Keep container closed when not in use.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

tion.

Materials to avoid : Never allow product to get in contact with water during stor-

age.

Further information on stor-

age stability

: Stable under recommended storage conditions.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
diphenylamine	122-39-4	TWA	10 mg/m3	ACGIH

**Engineering measures** : Ensure that eyewash stations and safety showers are close

to the workstation location.

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

Personal protective equipment

Respiratory protection : not required under normal use

In the case of vapor formation use a respirator with an ap-

proved filter.

In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

NIOSH approved, air-purifying organic vapor respirator.

Hand protection

Material : Nitrile rubber - NBR

Material : Butyl rubber - IIR

Remarks : Impervious gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Physical state : liquid

Color : amber, -, brown

Odor : slight

Odor Threshold : No data available

pH : 6-9

substance/mixture is non-soluble (in water)

Solidification point : -45 °F / -43 °C

5/17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

Boiling point/boiling range :  $> 572 \, ^{\circ}\text{F} / > 300 \, ^{\circ}\text{C}$  (989 hPa)

Flash point :  $> 392 - < 482 \,^{\circ}\text{F} / > 200 - < 250 \,^{\circ}\text{C}$ 

(999 hPa)

Method: ASTM D 92, open cup

Evaporation rate : No data available

Flammability (liquids) : No data available

Self-ignition : 824 °F / 440 °C

1,030 hPa

Burning number : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : < 0.01 hPa (77 °F / 25 °C)

Relative vapor density : No data available

Relative density : 0.93 - 0.98 (77 °F / 25 °C)

Density : 0.97 g/cm3 (68 °F / 20 °C)

Method: ASTM D 1298

Solubility(ies)

Water solubility : < 0.01 mg/l practically insoluble (68 °F / 20 °C)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

log Pow: > 7.6

estimated

Ignition temperature : No data available

Decomposition temperature : No data available

Self-Accelerating decomposi-

tion temperature (SADT)

No data available

Viscosity

Viscosity, dynamic : 450 - 900 mPa·s (104 °F / 40 °C)

Method: ASTM D 445

Viscosity, kinematic : 400 - 900 mm2/s (104 °F / 40 °C)

6/17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

Explosive properties : No data available

Oxidizing properties : No data available

Self-heating substances : No data available

Surface tension : No data available

Molecular weight : 295.5 - 421.7 g/mol

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

Under normal conditions of storage and use, hazardous reac-

tions will not occur.

Conditions to avoid : Heat, flames and sparks.

Exposure to moisture. Exposure to water vapor.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Eye contact Skin contact

#### Acute toxicity

Not classified due to lack of data.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : Acute toxicity estimate: 3,125 mg/kg

Method: Calculation method

7/17

#### **Components:**

diphenylamine:

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

Acute oral toxicity : LD50 (Rat, male): > 800 mg/kg

LD50 (Mouse): 2,720 mg/kg

LD50 (Rat): 1,165 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

**Product:** 

Remarks : Information given is based on data obtained from similar sub-

stances.

**Components:** 

diphenylamine:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

**Components:** 

diphenylamine:

Species : Rabbit

Result : Irritating to eyes. Method : Draize Test

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

**Product:** 

Species : Guinea pig Result : negative

Remarks : Information given is based on data obtained from similar sub-

stances.

**Components:** 

diphenylamine:

Routes of exposure : Skin contact Species : Guinea pig

Result : Did not cause sensitization on laboratory animals.

8/17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version 3.0

Revision Date: 08/21/2025

SDS Number: 203000017046

Date of last issue: 06/01/2023 Country / Language: US / EN

#### Germ cell mutagenicity

Not classified due to lack of data.

## **Components:**

## diphenylamine:

Genotoxicity in vitro

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: Yes

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: Yes

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with metabolic activation

Method: OECD Test Guideline 473

Result: positive GLP: Yes

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: Yes

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with metabolic activation

Method: OECD Test Guideline 476

Result: positive GLP: Yes

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative GLP: Yes

Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Cell type: Liver cells

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

**Application Route: Oral** 

Method: OECD Test Guideline 486

Result: negative GLP: Yes

#### Carcinogenicity

Suspected of causing cancer.

#### Components:

diphenylamine:

Species : Rat, male
Application Route : Oral
Exposure time : 2 Years

Dose : 0 - 250 - 1000 - 4000 parts per million

NOAEL : 250 ppm

Method : OECD Test Guideline 451

Result : positive GLP : Yes

Remarks : Animal experiments showed a statistically significant number

of tumors.

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years

Dose : 0 - 250 - 1000 - 4000 parts per million

LOAEL : 250 parts per million

Method : OECD Test Guideline 451

Result : positive GLP : Yes

Remarks : Animal experiments showed a statistically significant number

of tumors.

Species : Mouse, male

Application Route : Oral Exposure time : 2 Years

Dose : 0 - 250 - 1000 - 4000 parts per million

LOAEL : 250 parts per million

Method : OECD Test Guideline 451

Result : positive GLP : Yes

Remarks : Animal experiments showed a statistically significant number

of tumors.

Species : Mouse, female

Application Route : Oral Exposure time : 2 Years

Dose : 0 - 250 - 1000 - 4000 parts per million

LOAEL : 250 parts per million
Method : OECD Test Guideline 451

Result : negative GLP : Yes

Remarks : Animal testing did not show any carcinogenic effects.

10 / 17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

IARC Group 2B: Possibly carcinogenic to humans

diphenylamine 122-39-4

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified due to lack of data.

#### STOT-single exposure

Not classified due to lack of data.

**Product:** 

Assessment : Not classified due to data which are conclusive although insuf-

ficient for classification.

## **Components:**

diphenylamine:

Target Organs : Blood

Assessment : May cause damage to organs.

# STOT-repeated exposure

Not classified due to lack of data.

#### Components:

diphenylamine:

Routes of exposure : Ingestion

Target Organs : spleen, Liver, Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

# Repeated dose toxicity

**Product:** 

Species : Rat, male and female

NOAEL : 25 mg/kg Application Route : Oral

Remarks : Information given is based on data obtained from similar sub-

stances.

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

#### **Components:**

diphenylamine:

Species : Rat, male and female

NOAEL : 3 mg/kg
LOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 2 a
Number of exposures : daily

Dose : 0,3-3-30-150-300 mg/kg bw/d
Method : OECD Test Guideline 452
GLP : No information available.

Remarks : Chronic toxicity

Species : Dog, male and female

NOAEL : 2 mg/kg
LOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 737 d
Number of exposures : daily

Dose : 2 - 20 - 200 mg/kg bw/day
Method : OECD Test Guideline 452
GLP : No information available.

Remarks : Chronic toxicity

**Aspiration toxicity** 

Not classified due to lack of data.

**Further information** 

**Product:** 

Remarks : Based on available data, the classification criteria are not met.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

#### **Components:**

diphenylamine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2 mg/l

Exposure time: 48 h Analytical monitoring: Yes

Method: OECD Test Guideline 202

GLP: Yes

EC50 (Daphnia magna (Water flea)): 1.2 mg/l

Exposure time: 48 h

12 / 17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.17

mg/l

End point: Growth rate Exposure time: 72 h Analytical monitoring: Yes

Method: OECD Test Guideline 201

GLP: Yes

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.37

mg/l

End point: Growth rate Exposure time: 72 h Analytical monitoring: Yes

Method: OECD Test Guideline 201

GLP: Yes

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.16 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 202

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

**Product:** 

Biodegradability : Remarks: Not readily biodegradable.

**Components:** 

diphenylamine:

Biodegradability : aerobic

Concentration: 1.9 mg/l

Result: Not readily biodegradable.

Biodegradation: 26 % Exposure time: 28 d

Method: OECD Test Guideline 301D GLP: No information available.

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available

Components:

diphenylamine:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

13 / 17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

Partition coefficient: n-

octanol/water

log Pow: 3.82 (68 °F / 20 °C)

Method: OECD Test Guideline 107

Mobility in soil
No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

May cause long lasting harmful effects to aquatic life.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

RCRA - Resource Conservation and Recovery Authoriza-

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

## **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**49 CFR** 

14 / 17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

Not regulated as a dangerous good

#### **Hazard and Handling Notes**

Not dangerous cargo Keep separated from foodstuffs

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Carcinogenicity

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

bis(nonylphenyl)amine 36878-20-3
Benzenamine, 4-nonyl-N-phenyl-65036-85-3
diphenylamine 122-39-4

## California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

15 / 17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

#### NFPA 704:

# Health 0 0 Instability

Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Sub-

16 / 17

according to the OSHA Hazard Communication Standard



# **NAUGALUBE ® 438L**

Version Revision Date: SDS Number: Date of last issue: 06/01/2023 3.0 08/21/2025 203000017046 Country / Language: US / EN

stance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/21/2025

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.

US / EN