

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

### SECTION 1. IDENTIFICATION

Product name : Preventol D 7

Product code : 000000000057388832

EPA registration number : 39967-93

#### Manufacturer or supplier's details

Company : LANXESS Corporation  
Product Safety & Regulatory Affairs  
111 RIDC Park West Drive  
Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS  
(412) 809-1000  
lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or  
(703) 527-3887 (Outside U.S.A) and mention CCN12916.  
Lanxess Emergency Phone (800) 410-3063.

#### Recommended use of the chemical and restrictions on use

Recommended use : Biocide for industrial application

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion : Sub-category 1C

Serious eye damage : Category 1

Skin sensitization : Category 1

Specific target organ toxicity - single exposure (Inhalation) : Category 1 (Respiratory Tract)

#### Other hazards

None known.

#### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version 3.0      Revision Date: 07/09/2025      SDS Number: 203000007157      Date of last issue: 03/10/2025  
Country / Language: US / EN

Signal Word	: Danger
Hazard Statements	: H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H370 Causes damage to organs (Respiratory Tract) if inhaled.
Supplemental Hazard Statements	: Corrosive to the respiratory tract.
Precautionary Statements	: <b>Prevention:</b> P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves, protective clothing, eye protection and face protection. <b>Response:</b> P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. <b>Storage:</b> P405 Store locked up. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
magnesium nitrate	10377-60-3*	>= 1 - <= 5
Mixture of 5-chloro-2-	-	>= 1 - <= 5

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2- methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1)		
--	--	--

\* Indicates that the identifier is a CAS No.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

- |                         |   |
|-------------------------|---|
| General advice          | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| If inhaled              | : Get medical attention immediately.<br>Remove victim to fresh air and keep at rest in a position comfortable for breathing.<br>If unconscious, place in recovery position and get medical attention immediately.<br>Maintain open airway.<br>If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.   |
| In case of skin contact | : Get medical attention immediately.<br>In case of contact, immediately flush skin with plenty of water for at least 30 minutes.<br>Remove contaminated clothing and shoes.<br>Wash contaminated clothing before re-use.<br>Chemical burns must be treated promptly by a physician.   |
| In case of eye contact  | : Get medical attention immediately.<br>In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated and that the eye is being irrigated.<br>Remove contact lenses, if present and easy to do. Continue rinsing.<br>Chemical burns must be treated promptly by a physician.  |
| If swallowed            | : Rinse mouth with water.<br>Do not induce vomiting unless directed to do by medical personnel.<br>If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.<br>If unconscious, place in recovery position and get medical attention immediately.<br>Never give anything by mouth to an unconscious person.<br>Loosen tight clothing such as a collar, tie, belt or waistband.<br>Chemical burns must be treated promptly by a physician. |

#### Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Corrosive with symptoms of reddening, tearing, swelling,

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

burning and possible permanent damage.  
Skin: Reddening, burning, and possible permanent damage.  
Once sensitized, an allergic skin reaction may occur with reddening, swelling, and rash when subsequently exposed to very low levels.  
Inhalation: Causes respiratory tract burns.

Effects : May cause an allergic skin reaction.  
Causes serious eye damage.  
Causes damage to organs if inhaled.  
Causes severe burns.  
Corrosive to the respiratory tract.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Water runoff from fire fighting may be corrosive.  
May release toxic, irritating and/or corrosive gases.

Hazardous combustion products : Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides  
Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Sulfur oxides  
Halogenated compounds

Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.  
No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.  
Put on appropriate personal protection equipment.  
Do not touch or walk through spilled material.  
Evacuate personnel to safe areas.  
Keep unnecessary and unprotected personnel from entering.  
Provide adequate ventilation.  
Do not breathe vapors or spray mist.  
Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Stop leak if safe to do so.  
Move containers from spill area.  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Dispose of wastes in an approved waste disposal facility.  
Do not allow into the sewerage system, surface waters or groundwater or into the soil.  
Contaminated absorbent material may pose the same hazard as the spilled product.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.  
Workers should wash hands and face before eating, drinking and smoking.  
Put on appropriate personal protection equipment.  
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.  
Use only with adequate ventilation.  
Avoid inhalation, ingestion and contact with skin and eyes.  
Persons with a history of skin sensitization to this product should not be employed in any process in which this product is used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

Electrical installations / working materials must comply with the technological safety standards.

Recommended storage temperature : 32 - 104 °F / 0 - 40 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

|| Contains no substances with occupational exposure limit values.

**Engineering measures** : This information is not available.

#### Personal protective equipment

**Respiratory protection** : NIOSH approved, air-purifying organic vapor respirator. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

In the case of vapor formation use a respirator with an approved filter.

**Filter type** : Recommended Filter type:

Combined inorganic and acidic gas/vapor, ammonia/amines and organic vapor type

A NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used to minimize exposure.

#### Hand protection

**Material** : Polyvinyl chloride - PVC  
**Wearing time** : < 60 min

**Material** : Polychloroprene - CR  
**Wearing time** : < 60 min

**Remarks** : Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Safety glasses

**Skin and body protection** : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear suitable protective clothing. Impervious clothing

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

lavatory and at the end of the working period.  
Appropriate techniques should be used to remove potentially contaminated clothing.  
Wash contaminated clothing before reusing.  
Ensure that eyewash stations and safety showers are close to the workstation location.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: clear, yellow, green, to, light blue
Odor	: odorless
Odor Threshold	: No data available
pH	: 4 - 6 Concentration: 1 %
Melting point/ range	: 30 °F / -1 °C
Boiling point/boiling range	: 212 °F / 100 °C (1,013 hPa)
Flash point	: > 212 °F / > 100 °C Method: closed cup
Evaporation rate	: No data available
Flammability (liquids)	: No data available
Self-ignition	: No data available
Burning number	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: 23 hPa (68 °F / 20 °C) 121 hPa (122 °F / 50 °C) 154 hPa (131 °F / 55 °C)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version 3.0	Revision Date: 07/09/2025	SDS Number: 203000007157	Date of last issue: 03/10/2025 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.024 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Ignition temperature	:	> 1112 °F / > 600 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	1.244 mPa·s
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Particle size	:	Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Heat, flames and sparks. Avoid release to the environment.
Incompatible materials	:	Avoid contact with the following: Oxidizing agents Amines Reducing agents mercaptan
Hazardous decomposition products	:	Nitrogen oxides (NO <sub>x</sub> ) Sulfur oxides hydrogen chloride



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: Test results on an analogous substance/product.
Acute inhalation toxicity	: Acute toxicity estimate: 20.86 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Remarks: Test results on an analogous substance/product.

#### Components:

##### **magnesium nitrate:**

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 GLP: Yes Assessment: The substance or mixture has no acute oral toxicity Remarks: Dosage caused no mortality
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: Yes Remarks: Test results on an analogous substance/product.

##### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Acute oral toxicity	: LD50 (Rat): 64 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.33 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	: LD50 (Rabbit): 87.12 mg/kg

#### **Skin corrosion/irritation**

Causes severe burns.

#### Product:

Species	: Rabbit
Exposure time	: 4 h
Result	: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

days.

### Components:

#### **magnesium nitrate:**

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	No
Remarks	:	Test results on an analogous substance/product.

#### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Result	:	Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.
Remarks	:	Brief contact may cause skin burns. Symptoms may include pain, severe local redness and tissue damage.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### Product:

Species	:	Rat
Result	:	Risk of serious damage to eyes.

### Components:

#### **magnesium nitrate:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	Yes

#### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Remarks	:	Risk of serious damage to eyes.
---------	---	---------------------------------

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified due to lack of data.

### Components:

#### **magnesium nitrate:**

Test Type	:	Local lymph node assay (LLNA)
-----------	---	-------------------------------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Did not cause sensitization on laboratory animals.  
GLP : Yes

### Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitization by skin contact.  
GLP : Yes

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : The product is a skin sensitizer, sub-category 1A.  
GLP : Yes

### Germ cell mutagenicity

Not classified due to lack of data.

### Components:

#### **magnesium nitrate:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: Yes

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

### Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

Not classified due to lack of data.

### Components:

### Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified due to lack of data.

### Components:

#### magnesium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 250 - 750 - 1500 mg/kg  
Duration of Single Treatment: 28 d  
General Toxicity Parent: NOAEL:  $\geq$  1,500 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

Effects on fetal development : Species: Rat, male and female  
Application Route: Oral  
Dose: 250 - 750 - 1500 mg/kg  
Duration of Single Treatment: 53 d  
General Toxicity Maternal: NOAEL:  $\geq$  1,500 mg/kg body weight  
Developmental Toxicity: NOAEL:  $\geq$  1,500 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

### Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Reproductive toxicity - Assessment : No toxicity to reproduction

#### STOT-single exposure

Causes damage to organs (Respiratory Tract) if inhaled.  
Corrosive to the respiratory tract.

#### Components:

### Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Assessment : Material is corrosive. Upper respiratory tract irritation or corrosivity may be expected.

#### STOT-repeated exposure

Not classified due to lack of data.

#### Components:

### Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Repeated dose toxicity

#### Components:

##### magnesium nitrate:

Species	: Rat, male and female
NOAEL	: $\geq 1,500$ mg/kg
Application Route	: Oral
Exposure time	: 28 d
Number of exposures	: daily
Dose	: 250 - 750 - 1500 mg/kg
Method	: OECD Test Guideline 422
GLP	: Yes
Remarks	: Subacute toxicity Test results on an analogous substance/product.

#### Aspiration toxicity

Not classified due to lack of data.

#### Components:

### Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):

No aspiration toxicity classification

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **magnesium nitrate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: Yes  
Method: OECD Test Guideline 203  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 490 mg/l  
Exposure time: 48 h  
Analytical monitoring: No  
GLP: No  
Remarks: Test results on an analogous substance/product.

Toxicity to algae/aquatic plants : EC50 (Diatom): > 1,700 mg/l  
End point: Growth rate  
Exposure time: 10 Days  
Test Type: static test  
Analytical monitoring: Yes  
GLP: No  
Remarks: Test results on an analogous substance/product.

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Analytical monitoring: No  
Method: OECD Test Guideline 209  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

##### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.16 mg/l  
Exposure time: 48 h  
Test Type: flow-through test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.027 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.0014 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test

EC50 (Skeletonema costatum (marine diatom)): 0.0063 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.05 mg/l  
Exposure time: 14 d  
Test Type: flow-through test

NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l  
Exposure time: 36 d  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.1 mg/l  
Exposure time: 21 d  
Test Type: flow-through test

### Persistence and degradability

#### Components:

##### **magnesium nitrate:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Biodegradability : Result: Biodegradation (aquatic metabolism): 5-Chloro-2-methyl-4-isothiazolin-3-one (CMIT): t  $\frac{1}{2}$  anaerobic = 0.2 day. t  $\frac{1}{2}$  aerobic = 0.38 – 1.3 day 2-Methyl-4-isothiazolin-3-one (MIT): t  $\frac{1}{2}$  aerobic = 0.38 – 1.4 day  
Remarks: Considered rapidly degradable in the environment.

Biodegradation: < 50 %  
Exposure time: 10 d

Result: Biodegradable  
Biodegradation: 62 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

Biodegradation: 98 %  
Exposure time: 48 d  
Method: Simulation study  
Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version 3.0	Revision Date: 07/09/2025	SDS Number: 203000007157	Date of last issue: 03/10/2025 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

Remarks: Considered rapidly degradable in the environment.

Result: Not readily biodegradable.

Biodegradation: 50 %

Exposure time: 29 d

Method: OECD Test Guideline 301B

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)

GLP: Yes

Result: Not readily biodegradable.

Biodegradation: 0 %

Exposure time: 28 d

Method: OECD Test Guideline 301D

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)

GLP: Yes

Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-isothiazol-3-one)

Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

aerobic

Concentration: 6 mg/l

Result: Readily biodegradable.

Biodegradation: 98 %

Exposure time: 2 d

Method: OECD Test Guideline 302B

Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-isothiazol-3-one)

Remarks: 10-day Window: Not applicable

Photodegradation : Degradation (direct photolysis): 50 % Degradation half life: 0.2 d  
Degradation (indirect photolysis): 50 % Degradation half life: 0.38 - 1.3 d

### Bioaccumulative potential

#### Components:

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Bioaccumulation : Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-isothiazol-3-one)  
Remarks: Bioaccumulation is unlikely.

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : Remarks: Bioconcentration potential is low (BCF < 100 or Log



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version 3.0	Revision Date: 07/09/2025	SDS Number: 203000007157	Date of last issue: 03/10/2025 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

octanol/water

Pow < 3).

log Pow: -0.486

Method: measured

Remarks: 2-Methyl-4-isothiazolin-3-one(MIT):

log Pow: 0.401

Method: measured

Remarks: 5-Chloro-2-methyl-4-isothiazolin-3-one

### Mobility in soil

#### Components:

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Distribution among environmental compartments : Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Koc: 28

Method: estimated

Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

#### Components:

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

wherever possible.  
The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

UN/ID No.	:	UN 3265
Proper shipping name	:	Corrosive liquid, acidic, organic, n.o.s. (MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))
Class	:	8
Packing group	:	III
Labels	:	8
	:	



Packing instruction (cargo aircraft)	:	856: 60.00 L
Packing instruction (passenger aircraft)	:	852: 5.00 L
Environmentally hazardous	:	yes



##### IMDG-Code

UN number	:	UN 3265
UN proper shipping name	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))
Class	:	8
Packing group	:	III
Labels	:	8
	:	



EmS Code	:	F-A, S-B
Marine pollutant	:	yes

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN



### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number	: UN 3265
Proper shipping name	: Corrosive liquid, acidic, organic, n.o.s. (MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))
Class	: 8
Packing group	: III
Labels	: 8
	:



ERG Code	: 153
Marine pollutant	: yes(MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))



### Hazard and Handling Notes

Slightly corrosive.

Keep separated from foodstuffs

The U.S. DOT regulations in Appendix B to 49 CFR § 172.101, paragraph 4 permit this material to ship as marine pollutant.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Respiratory or skin sensitization  
Specific target organ toxicity (single or repeated exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

magnesium nitrate	10377-60-3	>= 1 - < 5 %
-------------------	------------	--------------

### US State Regulations

#### Massachusetts Right To Know

magnesium nitrate	10377-60-3
-------------------	------------

#### Pennsylvania Right To Know

water	7732-18-5
magnesium nitrate	10377-60-3
copper dinitrate	3251-23-8

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### TSCA inventory

TSCA : This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

### FIFRA information

EPA registration number : 39967-93

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word : DANGER

Hazard Statements : Corrosive Causes irreversible eye damage. Causes skin burns. Harmful if swallowed or if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

## Preventol D 7

Version  
3.0

Revision Date:  
07/09/2025


SDS Number:  
203000007157

Date of last issue: 03/10/2025  
Country / Language: US / EN

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	/	4
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "0" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ -

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Preventol D 7

Version	Revision Date:	SDS Number:	Date of last issue: 03/10/2025
3.0	07/09/2025	203000007157	Country / Language: US / EN

---

Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/09/2025

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.

US / EN