

## SAFETY DATA SHEET

THE DOW CHEMICAL COMPANY\*

#### Product name: ACRYSOL<sup>™</sup> TT-615 Thickener

Issue Date: 11/13/2017 Print Date: 06/28/2018

THE DOW CHEMICAL COMPANY\* encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

## **1. IDENTIFICATION**

Product name: ACRYSOL™ TT-615 Thickener

Recommended use of the chemical and restrictions on use Identified uses: Coating additives, Rheology Modifiers.

## COMPANY IDENTIFICATION

THE DOW CHEMICAL COMPANY\* Agent for Rohm and Haas Chemicals LLC 400 ARCOLA ROAD COLLEGEVILLE PA 19426-2914 UNITED STATES

**Customer Information Number:** 

215-592-3000 SDSQuestion@dow.com

#### EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** 1 800 424 9300 Local Emergency Contact: 800-424-9300

## 2. HAZARDS IDENTIFICATION

#### Hazard classification

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

#### Other hazards

No data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature: Acrylic Latex Mixture Component

CASRN

Concentration

| Acrylic polymer(s) | Not hazardous | >= 29.0 - 31.0 % |
|--------------------|---------------|------------------|
| Residual monomers  | Not required  | < 0.01 %         |
| Water              | 7732-18-5     | >= 69.0 - 71.0 % |

## 4. FIRST AID MEASURES

#### **Description of first aid measures Inhalation:** Move to fresh air.

Skin contact: Wash with water and soap as a precaution. If skin irritation persists, call a physician.

**Eye contact:** Rinse with plenty of water. If eye irritation persists, consult a specialist.

**Ingestion:** Drink 1 or 2 glasses of water. Consult a physician if necessary. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed Notes to physician: Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

## **5. FIREFIGHTING MEASURES**

Suitable extinguishing media: Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media: No data available

Special hazards arising from the substance or mixture Hazardous combustion products: No data available

**Unusual Fire and Explosion Hazards:** Material can splatter above 100C/212F. Dried product can burn.

Advice for firefighters Fire Fighting Procedures: No data available

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus and protective suit.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Use personal protective equipment. Keep people away from and upwind of spill/leak. Material can create slippery conditions.

**Environmental precautions:** CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and cleaning up:** Contain spills immediately with inert materials (e.g., sand, earth). Transfer liquids and solid diking material to separate suitable containers for recovery or disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapors, mist or gas.

**Conditions for safe storage:** Keep from freezing - product stability may be affected. STIR WELL BEFORE USE.

#### Storage stability

**Storage temperature:** 1 - 49 °C (34 - 120 °F) Other data: Monomer vapors can be evolved when material is heated during processing operations. See SECTION 8, for types of ventilation required.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

#### Exposure controls

**Engineering controls:** Use local exhaust ventilation with a minimum capture velocity of 100 ft/min. (0.5 m/sec.) at the point of vapor evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

**Protective measures:** Facilities storing or utilizing this material should be equipped with an eyewash facility.

#### Individual protection measures

**Eye/face protection:** Safety glasses with side-shields Eye protection worn must be compatible with respiratory protection system employed.

#### Skin protection

**Hand protection:** The glove(s) listed below may provide protection against permeation. (Gloves of other chemically resistant materials may not provide adequate protection): Neoprene gloves

**Respiratory protection:** A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements or equivalent must be followed whenever workplace conditions warrant a

respirator's use. None required under normal operating conditions. Where vapors and/or mists may occur, wear a properly fitted NIOSH approved (or equivalent) half-mask, air-purifying respirator. Air-purifying respirators should be equipped with NIOSH approved (or equivalent) organic vapor cartridges and N95 filters. If oil mist is present, use R95 or P95 filters.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance                                 |   |
|--|---|
| Physical state                             | liquid                                      |
| Color                                      | white milky                                 |
| Odor                                       | Acrylic odor                                |
| Odor Threshold                             | No data available                           |
| рН   | 2.2 - 3.2                                   |
| Melting point/range                        | 0 °C (32 °F) Water                          |
| Freezing point                             | No data available                           |
| Boiling point (760 mmHg)                   | 100.00 °C (212.00 °F) Water                 |
| Flash point                                | Noncombustible                              |
| Evaporation Rate (Butyl Acetate = 1)       | <1.00 Water                                 |
| Flammability (solid, gas)                  | Not Applicable                              |
| Lower explosion limit                      | Not applicable                              |
| Upper explosion limit                      | Not applicable                              |
| Vapor Pressure                             | 17.000000 mmHg at 20.00 °C (68.00 °F) Water |
| Relative Vapor Density (air = 1)           | <1.0000 Water                               |
| Relative Density (water = 1)               | 1.0000 - 1.2000                             |
| Water solubility                           | Dilutable                                   |
| Partition coefficient: n-<br>octanol/water | No data available                           |
| Auto-ignition temperature                  | Not Applicable                              |
| Decomposition temperature                  | No data available                           |
| Dynamic Viscosity                          | 1 - 35 mPa.s                                |
| Kinematic Viscosity                        | No data available                           |
| Explosive properties                       | No data available                           |
| Oxidizing properties                       | No data available                           |
| Molecular weight                           | No data available                           |
| Percent volatility                         | 69.00 - 71.00 % Water                       |
|  |   |

NOTE: The physical data presented above are typical values and should not be construed as a specification.

## **10. STABILITY AND REACTIVITY**

Reactivity: No data available

Chemical stability: No data available

Possibility of hazardous reactions: None known. Product will not undergo polymerization. Stable

Conditions to avoid: No data available

Incompatible materials: There are no known materials which are incompatible with this product.

Hazardous decomposition products: Thermal decomposition may yield acrylic monomers.

## **11. TOXICOLOGICAL INFORMATION**

Toxicological information appears in this section when such data is available.

#### Acute toxicity

Acute oral toxicity LD50, Rat, > 5,000 mg/kg

#### Acute dermal toxicity LD50, Rabbit, > 5,000 mg/kg

Acute inhalation toxicity Product test data not available. Refer to component data.

## Skin corrosion/irritation

May cause transient irritation.

## Serious eye damage/eye irritation

No eye irritation

#### Sensitization

Product test data not available. Refer to component data.

#### Specific Target Organ Systemic Toxicity (Single Exposure) Product test data not available. Refer to component data.

#### Specific Target Organ Systemic Toxicity (Repeated Exposure) Product test data not available. Refer to component data.

#### Carcinogenicity

Product test data not available. Refer to component data.

#### Teratogenicity

Product test data not available. Refer to component data.

#### Reproductive toxicity

Product test data not available. Refer to component data.

#### Mutagenicity

Product test data not available. Refer to component data.

#### Aspiration Hazard

Product test data not available. Refer to component data.

#### Additional information

No data are available for this material. The information shown is based on profiles of compositionally similar materials.

#### COMPONENTS INFLUENCING TOXICOLOGY:

#### **Residual monomers**

Acute inhalation toxicity The LC50 has not been determined.

## 12. ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

#### **General Information**

There is no data available for this product.

#### Toxicity

#### Acute toxicity to fish

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, >1,000 mg/l, Method Not Specified.

LC50, Lepomis macrochirus (Bluegill sunfish), 96 Hour, >1,000 mg/l, Method Not Specified.

#### Acute toxicity to aquatic invertebrates

LC50, Daphnia magna (Water flea), 48 Hour, >1,000 mg/l, Method Not Specified.

#### Persistence and degradability

#### Residual monomers Biodegradability: No relevant data found.

Bioaccumulative potential

#### Residual monomers

**Bioaccumulation:** No relevant data found.

Mobility in soil

#### Residual monomers

No relevant data found.

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods:** Coagulate the emulsion by the stepwise addition of ferric chloride and lime. Remove the clear supernatant and flush to a chemical sewer. For disposal, incinerate or landfill at a permitted facility in accordance with local, state, and federal regulations.

**Contaminated packaging:** Empty containers retain product residues. Follow label warnings even after container is emptied. Improper disposal or reuse of this container may be dangerous and illegal. Refer to applicable federal, state and local regulations.

## 14. TRANSPORT INFORMATION

DOT

Not regulated for transport

Classification for SEA transport (IMO-IMDG):

Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code Not regulated for transport Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO): Not regulated for transport

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transportation of the material.

### **15. REGULATORY INFORMATION**

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312 No SARA Hazards

# Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product does not contain a chemical which is listed in Section 313 at or above de minimis concentrations.

# Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

This material does not contain any components with a CERCLA RQ.

#### Pennsylvania

Any material listed as "Not Hazardous" in the CAS REG NO. column of SECTION 2, Composition/Information On Ingredients, of this MSDS is a trade secret under the provisions of the Pennsylvania Worker and Community Right-to-Know Act.

#### California Prop. 65

WARNING: This product can expose you to chemicals including Ethyl acrylate, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### United States TSCA Inventory (TSCA)

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

## **16. OTHER INFORMATION**

#### Hazard Rating System

HMIS

| Health | Flammability | Physical<br>Hazard |
|--------|--------------|--------------------|
| 1      | 0            | 0                  |

#### Revision

Identification Number: 10077729 / 1001 / Issue Date: 11/13/2017 / Version: 3.1 Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

#### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

THE DOW CHEMICAL COMPANY\* urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the

safe use of this product. Due to the proliferation of sources for information such as manufacturerspecific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

US